



Pool + Spa

Programme of Delivery

2025


Pool edge systems

The appropriate pool edge systems for all types of pools (competition pools, leisure and adventure pools etc.). Information on the pages 16-77.



Around the pool

Products for underwater areas and pool surrounds in a great variety of formats and surfaces. Information on the pages 118-223.



Designing with mosaics

Small formats for individual designs – in an enormous diversity of colors and designs. Information on the pages 224-251.

Pool + Spa

Introduction	4 – 15
Hytect	8 – 9
Product finder	10 – 15
Pool edge systems	16 – 87
Overview	18 – 21
Finnland	22 – 27
Finnland II	28 – 33
Wiesbaden, elevated water level	34 – 37
Wiesbaden Silent	38 – 39
Wiesbaden with mosaic recess	40 – 41
Wiesbaden Stil	42 – 45
Wiesbaden, decreased water level	46 – 49
Wiesbaden, therapy pools	50 – 53
Bamberg	54 – 57
St. Moritz	58 – 61
Berlin	62 – 65
Zürich	66 – 69
Skimmer	70 – 73
Agrob Buchtal CarboCeram	74 – 77
Swimming pool accessories	78 – 87
Ceramic channel cover 2.0	80 – 83
Cover gratings	84 – 85
Outlets	86 – 87

Swimming pool special pieces	88 – 117
Pool edging tiles	90 – 93
Skirtings, Profiled edgings	94 – 101
Grooved tiles	102 – 107
Special tiles	108 – 117
Around the pool	118 – 223
Introduction	120 – 121
Overview – Pool surrounds	122 – 127
Ascona	128 – 141
Chroma	142 – 151
Chroma non-slip	152 – 161
Chroma unglazed	162 – 169
Ocean	170 – 175
Plural	176 – 195
Plural non-slip	196 – 203
Plural unglazed	204 – 209
Quarzit	210 – 217
Savona	218 – 223
Designing with mosaics	224 – 251
Introduction	226 – 227
Mosaic Designer	228 – 229
Fresh	230 – 243
Loop	244 – 251
Planning and know-how	252 – 263
In-house planning department	254 – 255
Slip-resistance	256 – 257
Competition pools	258 – 259
Accessibility	260 – 261
Cleaning instructions	262 – 263

Index/Technical Information

Article numbers	266 – 275
Models	276
Model numbers	277
Classification according to NCS/RAL Lightness values	278 – 279
Luminance contrast	280 – 281
Technical Information	282 – 301
World-wide distribution network	302 – 303
Comments	306 – 307

Pool + Pool surround

Perfect design and functionality.



Sports and competition pools

Duna Aréna, Budapest, Hungary

Architect: NAPUR Architect Kft / Series: Plural / Photo: Péter Molnár



Open air swimming pools

Aquapark Cikat, Mali Losinji, Croatia

Architect: Urbing d.o.o. / Series: Chroma / Photo: Michael Meschede



Leisure/adventure pools

Havel-Therme, Werder (Havel), Germany

Architect: Geising & Böker GmbH Architekten BDA

Series: Savona, Plural / Photo: Jochen Stüber



School/learners' pools

City of London Freemen's School, London, Great Britain

Architect: Hawkins Brown Architects LLP

Series: Chroma, pool edge system Finnland

Photo: Jack Hobhouse photography



Thermal/therapeutic baths

Chiemgau Thermen, Bad Endorf, Germany
Architect: Architekturwerkstatt Zopf
Series: Quarzit / Photo: Peters Fotodesign, Amerang



Hotel pools

Hotel aja, Garmisch-Patenkirchen, Germany
Architect: SMAP SEEGER MÜLLER Berlin und Büro Korb, Hamburg
Series: Quarzit, Savona / Photo: Fotodesign Peters, Amerang



Private pools

Villa an der Costa Blanca, Denia, Spain
Series: Quarzit / Photo: Marcella Grassi, Barcelona

Convincing arguments in favour of swimming pool ceramics from Agrob Buchtal

- Decades of experience with swimming pool ceramics for highest demands
- Advice regarding application techniques and relief of routine tasks by Agrob Buchtal's in-house planning department
- Hytect technology for easy cleaning, antibacterial effect and elimination of air pollutants
- Accident prevention thanks to graded slip resistance with the GRIP quality seal, absolutely easy to clean
- Greatest design freedom possible thanks to an enormous variety of colors and formats and the possibility of individual special productions
- Special pool edge systems for the most diverse types of use
- Perfectly matched accessories for solutions from one single source
- Cost-effective solutions for all types and sizes of swimming pools
- Maximum resistance of ceramics also in case of saline and sulphate thermal waters


Showers + Changing rooms

Freedom in color, decoration and format



The design of a swimming pool does not end at the pool edge. The aesthetic overall picture includes the consistent design of showers, changing rooms, foyers and also restaurants. There in particular, it is important to be able to freely combine different formats within a color system.

This is possible with the modular color system of Chroma and Plural. The range extends from mosaics, narrow strip tiles in various lengths to large formats. Rooms and surfaces can thus be scaled, elegantly proportioned and rhythmized. This makes it possible to design wall and floor surfaces across rooms.



Wellness + Spa

Natural wellness landscape for highest demands



Spas and wellness oases are places of tranquillity and are designed for relaxing body and soul. With sweeping views of landscapes, analogies to pristine elements and natural materials, nature can be transferred to the room. Likewise with organic, original forms. They are reminiscent of soft formations or flowing movements of nature. Like that of water, for example. Smallest mosaic tiles, whether round or square, follow these forms and cover even the smallest curves like a skin.

In addition, the guests expect maximum hygiene and cleanliness in wellness and spa facilities. Ceramic tiles provided with Hytect help operators to achieve this goal in an environmentally friendly way. The surface of Hytect ceramics releases active oxygen naturally in interaction with light. This active oxygen inhibits the growth of mould and bacteria directly on the surface.



Hytect

Hydrophilic tiles for perfect hygiene

Wherever perfect hygiene is in demand, Hytect proves its worth. The tile coating for wall and floor tiles offers three advantages which are essential for swimming pool construction: it has an antibacterial effect, is extremely easy to clean and eliminates disagreeable odours.

Surfaces in swimming pools and spas are permanently exposed to water. Humid and warm ambient conditions are ideal for the growth of algae, fungi or germs, and it requires considerable time and effort especially in public swimming pools to maintain a high hygiene standard. With Hytect, Agrob Buchtal developed an effective solution for being able to design swimming pools which are hygienically clean, easy-care and odourless right from the beginning.

The technology is ecological and economical, because it relies on the natural power of the elements and makes use of something which virtually is available always and everywhere: light. The coating, which is unique in this form, is practically indestructible and ensures a clean ambience in the long term.

Hytect – the innovative solution

Hytect tiles can make an important contribution to hygiene and economic efficiency, because they help to

- impede the growth of mould, bacteria and other microorganisms,
- further facilitate the cleaning of the surface,
- eliminate air pollutants and odours in indoor areas.

And all that solely by the effect of light!




Ägeribad, Oberägeri, Switzerland
Architect: Scheitlin Syfrig Architekten AG / Photo: Adriano Faragulo




Pirbadet, Trondheim, Norway
Architect: Per Knudsen Arkitektkontor / Photo: Synlig design og foto as




Effective against fungi and bacteria



Extremely easy to clean



Active elimination of air pollutants







Product finder

Series	From page	Product category													
		Floor tiles	Floor tiles extra thick	Shower floors	Mosaic	Skirtings	Patio tiles	Stair tiles	Wall tiles	Gutter tiles/covered gutter tiles	Ceramic cover grating	Grid profile tiles	Grooves tiles	Letter tiles	Overflow channels
Outlets + cover gratings	78														●
Amano*					●										
Area Pro*		●	●	●	●	●	●	●	●	●	●	●	●		
Ascona	128	●		●	●	●	●	●	●	●	●	●	●		
Basic Stone*				●											
BKS Bamberg	54											●	●		
BKS Berlin**	62														
BKS Finnland	22												●		
BKS Finnland II	28						●				●		●		
BKS Skimmer **	70														
BKS St. Moritz**	58														
BKS Wiesbaden – Elevated water level	34											●			
BKS Wiesbaden – Decreased water level	46											●			
BKS Wiesbaden Silent	38														
BKS Wiesbaden Stil	42											●			
BKS Wiesbaden – Therapy pools**	50														
BKS Zürich**	66														
Pool edging tiles	90												●		
Chroma	142	●						●							
Chroma non-slip	152	●													
Chroma unglazed	162	●	●	●	●	●			●	●		●			
Emotion*		●				●	●	●	●	●					
Fresh	230			●											
Skirtings Profiled edgings	94				●								●		
Ceramic channel cover 2.0	80								●						
Loop	244				●										
Marble & More*					●										
Nova*		●			●	●	●	●							
Ocean	170				●				●						
Plural	176	●			●	●	●		●						
Plural non-slip	196	●		●	●	●	●								
Plural unglazed	204	●		●	●	●	●								
Quarzit	210	●		●	●	●	●	●	●	●	●	●	●		
Grooved tiles	102									●		●			
Savona	218	●			●	●									
Special tiles	108				●	●	●	●	●			●	●		
Valley*		●			●	●	●	●		●					


* You will find this series in our 2025 programme of delivery

** This pool edge system is composed of components from several series. You will find details to this on the relevant information pages about the system.

Series	From page	Format																		
		Joint width: 3 mm	Joint width: 6 mm	Ø1 cm	2.5 x 2.5 cm	Ø2 cm	5 x 5 cm	5 x 60 cm	6.2 x 25 cm	10 x 10 cm	10 x 20 cm	10 x 30 cm	10 x 60 cm	12.5 x 12.5 cm	12.5 x 25 cm	12.5 x 50 cm	12.5 x 100 cm	15 x 15 cm	15 x 30 cm	15 x 60 cm
Outlets + cover gratings	78																			
Amano*		●			●															
Area Pro*		●					●			●		●		●			●	●	●	●
Ascona	128	●	●				●					●	●							
Basic Stone*							●													
BKS Bamberg	54		●																	
BKS Berlin**	62																			
BKS Finnland	22		●																	
BKS Finnland II	28		●											●						
BKS Skimmer **	70																			
BKS St. Moritz**	58																			
BKS Wiesbaden – Elevated water level	34		●																	
BKS Wiesbaden – Decreased water level	46		●																	
BKS Wiesbaden Silent	38																			
BKS Wiesbaden Stil	42		●																	
BKS Wiesbaden – Therapy pools**	50																			
BKS Zürich**	66																			
Pool edging tiles	90		●																	
Chroma	142		●											●	●	●				
Chroma non-slip	152		●											●	●	●				
Chroma unglazed	162		●											●	●	●				
Emotion*		●											●							
Fresh	230	●			●	●	●													
Skirtings Profiled edgings	94		●																	
Ceramic channel cover 2.0	80																			
Loop	244	●		●	●	●														
Marble & More*		●			●	●														
Nova*		●					●										●	●	●	
Ocean	170	●	●	●		●				●					●					
Plural	176	●			●	●	●			●	●	●			●	●	●	●	●	●
Plural non-slip	196	●			●	●	●			●										
Plural unglazed	204	●			●	●	●			●						●	●			
Quarzit	210	●	●				●							●	●			●		
Grooved tiles	102		●										●							
Savona	218	●					●										●			
Special tiles	108		●							●	●				●	●				
Valley*		●	●				●	●									●	●	●	

* You will find this series in our 2025 programme of delivery

** This pool edge system is composed of components from several series. You will find details to this on the relevant information pages about the system.





Pool Edge Systems

The right edge for every pool

Not all baths are the same: different types of use of sports, leisure and adventure pools, therapy baths, private and hotel pools or sports and competition pools require different pool planning concepts. They all demand a sophisticated design of the pool and its surround. This works with modularly combinable components. In addition to tiles for the surfaces, this also applies to ceramic pool edge systems. They are made of solid stoneware without cavities and are therefore particularly robust. Besides the classics, the range also includes innovations such as the energy-saving Bamberg system as well as a completely new prefabricated pool edge with a core made of carbon reinforced concrete: Agrob Buchtal CarboCeram.

- System Finnland I + II
- System Wiesbaden
- System Bamberg
- System St. Moritz
- System Berlin
- System Zürich
- System Skimmer
- System Agrob Buchtal CarboCeram

BLU Sports and leisure pool, Potsdam, Germany
Architect: GMP Gerkan, Marg und Partner, Berlin
Series: Chroma, Pool edge system Wiesbaden, Plural
Photo: Jochen Stüber




The pool edge systems at a glance

System Finnland	System Finnland II	System Wiesbaden
		
Sloping, beach-like pool edge with handhold-piece; covered channel with coved gutter tile and outlet valve SILENT 100.	Sloping, beach-like pool edge with handhold-piece and inclined grooved tile; covered channel with coved gutter tile and outlet valve SILENT 100.	Large overflow channel with handhold-piece, cover grating and outlet valve SILENT W 2000.
Type of pool	Sports and competition pools, leisure and adventure pools, open-air swimming pools.	Sports and competition pools, leisure and adventure pools, open-air swimming pools.
Advantages for users and operators	Minimal wave rebound thanks to beach-like pool edge; different channel volumes (as required) are possible, easy exit due to elevated water level.	Minimal wave rebound thanks to beach-like pool edge; different channel volumes (as required) are possible, easy exit due to elevated water level.
Variants *	Thanks to 150 mm and 119 mm wide special pieces and arrangement in several rows, different widths can be realized, also applicable in areas of radii. With the internal corner, the water circulation in corner areas can be optimized. In the case of this version, the corners are easier to clean. When used in private pools, also possible with ceramic channel cover.	Inclined grooved tile for simplified concrete construction, reduction of the number of joints in case of 50 cm long special pieces.
Available accessories	Outlet valve Silent 100, Agrob Buchtal plastic cover gratings.	Outlet valve Silent 100, Agrob Buchtal plastic cover gratings.
		Outlet valve Silent W 2000, transverse grating in light-grey and white, special colors possible. "Inclined gratings" for the reduction of differences in height in areas of stairs and ramps.

* Special colors on request.

**System
Wiesbaden Stil**



Large overflow channel with handhold-piece, ceramic channel cover and outlet valve SILENT W 2000.

**System
Wiesbaden,
decreased water level**



Large overflow channel with handhold-piece.

**System
Wiesbaden,
therapy pools**



Small overflow channel (without cover grating) with outlet valve SILENT W 2000.

Private and hotel pools.

Private and hotel pools.

Therapy pools,
pools with water slides etc.

Particularly aesthetic: channel cover made of ceramics in the same look as the covering of the pool surround. Aesthetically appealing design of the handhold-piece.

Particularly aesthetic: the version with decreased water level permits an additional "accumulation height" which is desired above all for the use of water attractions. Thus, this system is optimally suitable, for example, for pools with water slides.

In case of therapeutic applications, the system allows back-friendly working with the patient.

On request, also available with mosaic recess.

Different channel cross-sections and dimensions expand the application possibilities, among other things, in case of elevated pool walls in flow channels.

In case of therapeutic applications, the system allows back-friendly working with the patient.

Outlet valve Silent W 2000.
Ceramic channel cover 2.0.

Outlet valve Silent W 2000.

Outlet valve Silent W 2000.

The pool edge systems at a glance

	System Bamberg	System St. Moritz	System Berlin
	Large overflow channel with handhold-piece, outlet ($\varnothing 75 \text{ mm}$), without cover grating.	Elevated pool edge system with handhold-piece; overflow via the outside walls into a channel with cover grating.	Elevated overflow edge as an ideal handhold; covered channel with "smooth" water inflow.
Type of pool	Leisure and adventure pools, thermal baths, private and hotel pools.	Leisure and adventure pools, private and hotel pools.	Leisure and adventure pools.
Advantages for users and operators	Consistent look through to the pool edge, as there are no cover gratings; low water consumption and considerably lower energy requirement; low noise level; rational design thanks to large overflow channel.	Lower foundation depth required, "elevated" pool, special "view" (Infinity Pool), different channel volumes (as required) are possible.	Overflow channel (cover grating) directly borders the pool; therefore, an alternative to the Wiesbaden channel; however, different channel volumes (as required) are possible.
Variants *	Different colors for handhold-piece and channel are possible; special colors are possible after a check.	Any pool edge widths and edge covers can be realized.	Different channel variants (width, depth) are possible.
Available accessories	Outlet valve Silent W 2000.	Outlet valve Silent 100, Agrob Buchtal plastic cover gratings.	Outlet valve Silent 100, Agrob Buchtal plastic cover gratings.

* Special colors on request.

System Zürich

Elevated overflow edge as an ideal handhold; covered channel with coved gutter tile and outlet valve SILENT 100.

Leisure and adventure pools.

System Skimmer

With pool edging tile Residence.

Private pools.

Different channel volumes (as required) are possible.

“Simple” rough concrete body, minimal effort for water technology (number of pipes).

Different pool edging tiles and channel variants are possible.

Pool edge designs with different special pieces are possible.

Outlet valve Silent 100, Agrob Buchtal plastic cover gratings.





All-rounder with beach effect


The Finnland system and its variant Finnland II are characterized by great versatility: both are ideally suited for sports and competition pools, adventure and open-air swimming pools. The sloping, beach-like pool edge reduces wave rebound and, in combination with the outlet valve Silent 100, helps to reduce the noise level in indoor swimming pools.

System Finnland (classic)

The pool edge system with the sloping pool edge, which has been tried and tested for decades in a wide variety of pools, has an integrated handhold-piece and can also be used in radial areas. The elevated water level makes it easier for pool users to get out of the pool. Different channel volumes are possible depending on requirements.

Finnland (classic)

Thanks to 150 and 119 mm wide special pieces and arrangement in several rows, different widths can be realized. The outlet valve Silent 100 and plastic cover gratings are available as accessories. If used in private pools, a ceramic channel cover can also be used.



You will find the individual tiles and special pieces (= model numbers) of this system under

18120H = Chroma tile (page 148)
55730 = Handhold-piece (page 25)
53130 = Grooved tile (page 106)
59620 = Grooved tile (page 107)
37017 = Inclined shank-tile (page 113)
18210H = Chroma strip tile (page 150 ff)
59681 = Coved gutter tile with outlet (page 113)
37011 = Shank-tile (page 113)
Cover grating (page 84)
Outlet valve Silent 100 (page 86)

Legend:

- 01 UW-Silicone
 - 02 Closed-cell polyethylene foam round lace
 - 03 Elastic water-resistant filling material
 - 04 Joint band
 - 05 Slide bearing
 - 06 Agrob Buchtal plastic cover grating

07 Capillary barrier/grouting (reaction resin filler)

08 Waterproof concrete (according to
DIN EN 206/DIN 1045/DAfStB WU Guideline)

09 Conventional thick-bed laying

10 Thin-bed laying on cement render (P III, CS IV without added lime)

11 Sealing layer

12 Sealing tape

13 Outlet valve „Silent W 2000“ of Agrob Buchtal


14 Agrob Buchtal air inlet pipe for outlet „

15 Epoxi for joints (for the projekt sector)

16 Agrob Buchtal section stoneware pipe

17 Casing for water inlet/outlet pipe and brazing collar

Handhold-piece (119 mm wide) with non-slip safety marking



Art. no. 55730

Model number

Nom. dim. - cm

Work size mm

m - pieces

Pce./pair - kg

Bundle - pce./pair

Bundle - m

Bundle - kg

Product standard

Slip resistance

900 grey-beige

553001 act. azure

900 grey-beige

553002 light azure

900 grey-beige

340 n1/black

91 n10/white

553001 act. azure

900 grey-beige

553002 light azure

900 grey-beige

340 n1/black

91 n10/white

553001 act. azure

900 grey-beige

553002 light azure

900 grey-beige

340 n1/black

91 n10/white

553001 act. azure

900 grey-beige

553002 light azure

900 grey-beige

340 n1/black

91 n10/white

553001 act. azure

900 grey-beige

553002 light azure

900 grey-beige

340 n1/black

91 n10/white

553001 act. azure

900 grey-beige

553002 light azure

900 grey-beige

340 n1/black

91 n10/white

553001 act. azure

900 grey-beige

553002 light azure

900 grey-beige

340 n1/black

91 n10/white

553001 act. azure

900 grey-beige

553002 light azure

900 grey-beige

340 n1/black

91 n10/white

553001 act. azure

900 grey-beige

553002 light azure

900 grey-beige

340 n1/black

91 n10/white

553001 act. azure

900 grey-beige

553002 light azure

900 grey-beige

340 n1/black

91 n10/white

553001 act. azure

900 grey-beige

553002 light azure

900 grey-beige

340 n1/black

91 n10/white

553001 act. azure

900 grey-beige

553002 light azure

900 grey-beige

340 n1/black

91 n10/white

553001 act. azure

900 grey-beige

553002 light azure

900 grey-beige

340 n1/black

91 n10/white

553001 act. azure

900 grey-beige

553002 light azure

900 grey-beige

340 n1/black

91 n10/white

553001 act. azure

900 grey-beige

553002 light azure

900 grey-beige

340 n1/black

91 n10/white

553001 act. azure

900 grey-beige

553002 light azure

900 grey-beige

340 n1/black

91 n10/white

553001 act. azure

900 grey-beige

553002 light azure

900 grey-beige

340 n1/black

91 n10/white

553001 act. azure

900 grey-beige

553002 light azure

900 grey-beige

340 n1/black

91 n10/white

553001 act. azure

900 grey-beige

553002 light azure

900 grey-beige

340 n1/black

91 n10/white

553001 act. azure

900 grey-beige

553002 light azure

900 grey-beige

340 n1/black

91 n10/white

553001 act. azure

900 grey-beige

553002 light azure

900 grey-beige

340 n1/black

91 n10/white

553001 act. azure

900 grey-beige

553002 light azure

900 grey-beige

340 n1/black

91 n10/white

553001 act. azure

900 grey-beige

553002 light azure

900 grey-beige

340 n1/black

91 n10/white

553001 act. azure

900 grey-beige

553002 light azure

900 grey-beige

340 n1/black

91 n10/white

553001 act. azure

900 grey-beige

553002 light azure

900 grey-beige

340 n1/black

91 n10/white

553001 act. azure

900 grey-beige

553002 light azure

900 grey-beige

340 n1/black

91 n10/white

553001 act. azure

900 grey-beige

553002 light azure

900 grey-beige

340 n1/black

91 n10/white

553001 act. azure

900 grey-beige

553002 light azure

900 grey-beige

340 n1/black

91 n10/white

553001 act. azure

900 grey-beige

553002 light azure

900 grey-beige

340 n1/black

91 n10/white

553001 act. azure

900 grey-beige

553002 light azure

900 grey-beige

340 n1/black

91 n10/white

553001 act. azure

900 grey-beige

553002 light azure

900 grey-beige

340 n1/black

91 n10/white

553001 act. azure

900 grey-beige

553002 light azure

900 grey-beige

340 n1/black

91 n10/white

553001 act. azure

900 grey-beige

553002 light azure

900 grey-beige

340 n1/black

91 n10/white

553001 act. azure

900 grey-beige

553002 light azure

900 grey-beige

340 n1/black

91 n10/white

553001 act. azure

900 grey-beige

553002 light azure

900 grey-beige

340 n1/black

91 n10/white


553001 act. azure

900 grey-beige

553002 light azure

900 grey-beige

Handhold-piece and edging tile (140 mm wide) with grating support and non-slip safety marking



	<i>Edging tile for art. 55760</i>	<i>Edging tile for art. 55765</i>	<i>Handhold-piece</i>	<i>"Half-size" handhold-piece</i>	<i>Internal corner (mitred pair)</i>	<i>External corner (mitred pair) Corner radius 30 mm</i>
Model number	55770	55775		55760	55765	55762
Norm. dim. - cm						55766
Work size mm	244 x 140 x 15/40	119 x 140 x 15/40		244 x 140 x 15/40	119 x 140 x 15/40	(2x) 133 x 133 x 15/40
m - pieces	4.000	8.000		4.000	8.000	(2x) 236 x 140 x 15/40
Pce./pair - kg	1.300/pieces	0.780/pieces		1.550/pieces	0.780/pieces	1.000/pair
Bundle - pce./pair	12 pieces	24 pieces		9 pieces	18 pieces	2 pairs
Bundle - m	3.000	3.000		2.250	2.250	4 pairs
Bundle - kg	15.600	16.720		13.950	14.040	9.200
Product standard	Alb	Alb		Alb	Alb	Alb
Slip resistance	-/C	⊗	-/C	⊗	-/C	⊗
900 grey-beige	553001-55770	553001-55775		553001-55760	553001-55765	553001-55762
553001 act. azure ^{V0}	Price gr. A489 (pce.)	Price gr. A452 (pce.)		Price gr. A556 (pce.)	Price gr. A452 (pce.)	Price gr. A645 (pair)
900 grey-beige	553002-55770	553002-55775		553002-55760	553002-55765	553002-55762
553002 light azure ^{V0}	Price gr. A489 (pce.)	Price gr. A452 (pce.)		Price gr. A556 (pce.)	Price gr. A452 (pce.)	Price gr. A645 (pair)
900 grey-beige	340-55770	340-55775		340-55760	340-55765	340-55762
340 n1/black ^{V0}	Price gr. A489 (pce.)	Price gr. A452 (pce.)		Price gr. A556 (pce.)	Price gr. A452 (pce.)	Price gr. A645 (pair)
91 n10/white	900567-55770	900567-55775		900567-55760	900567-55765	900567-55762
553001 act. azure ^{V0}	Price gr. A506 (pce.)	Price gr. A463 (pce.)		Price gr. A577 (pce.)	Price gr. A463 (pce.)	Price gr. A668 (pair)
91 n10/white	900588-55770	900588-55775		900588-55760	900588-55765	900588-55762
553002 light azure ^{V0}	Price gr. A506 (pce.)	Price gr. A463 (pce.)		Price gr. A577 (pce.)	Price gr. A463 (pce.)	Price gr. A668 (pair)
91 n10/white	900044-55770	900044-55775		900044-55760	900044-55765	900044-55762
340 n1/black ^{V0}	Price gr. A506 (pce.)	Price gr. A463 (pce.)		Price gr. A577 (pce.)	Price gr. A463 (pce.)	Price gr. A668 (pair)



Edging tile with non-slip safety marking



<i>Art. no. 55720</i>	<i>Edging tile</i>	<i>"Half-size" edging tile</i>	<i>Internal corner (mitred pair)</i>	<i>External corner (mitred pair)</i>
Model number	55720	55725	55722	55729
Norm. dim. - cm				
Work size mm	244 x 140 x 20/50	119 x 140 x 20/50	(2x) 240 x 140 x 20/50	(2x) 133 x 133 x 20/50
m - pieces	4.000	8.000		
Pce./pair - kg	1.500/pieces	0.730/pieces	2.200/pair	0.700/pair
Bundle - pce./pair	10 pieces	20 pieces	5 pairs	4 pairs
Bundle - m	2.500	2.500		
Bundle - kg	15.000	14.600	11.000	2.800
Product standard	Alb	Alb	Alb	Alb
Slip resistance	-/C	⊗	-/C	⊗
900 grey-beige	553001-55720	553001-55725	553001-55722	553001-55729
553001 act. azure ^{V0}	Price gr. A528 (pce.)	Price gr. A480 (pce.)	Price gr. A668 (pair)	Price gr. A604 (pair)
900 grey-beige	553002-55720	553002-55725	553002-55722	553002-55729
553002 light azure ^{V0}	Price gr. A528 (pce.)	Price gr. A480 (pce.)	Price gr. A668 (pair)	Price gr. A604 (pair)
900 grey-beige	340-55720	340-55725	340-55722	340-55729
340 n1/black ^{V0}	Price gr. A528 (pce.)	Price gr. A480 (pce.)	Price gr. A668 (pair)	Price gr. A604 (pair)
91 n10/white	900567-55720	900567-55725	900567-55722	900567-55729
553001 act. azure ^{V0}	Price gr. A556 (pce.)	Price gr. A506 (pce.)	Price gr. A708 (pair)	Price gr. A636 (pair)
91 n10/white	900588-55720	900588-55725	900588-55722	900588-55729
553002 light azure ^{V0}	Price gr. A556 (pce.)	Price gr. A506 (pce.)	Price gr. A708 (pair)	Price gr. A636 (pair)
91 n10/white	900044-55720	900044-55725	900044-55722	900044-55729
340 n1/black ^{V0}	Price gr. A556 (pce.)	Price gr. A506 (pce.)	Price gr. A708 (pair)	Price gr. A636 (pair)

¹ For cover gratings, refer to page 84

No pallet rebate is granted for the products shown on this page.



The products shown on this page can also be produced in other colors of the series Chroma non-slip. We will be pleased to check the possibility of such a special production upon request.



Edging tile with grating support and non-slip safety marking



Edging tile	"Half-size" edging tile	Internal corner (mitred pair)	External corner (mitred pair)	Art. no. 55740
55740	55745	55742	55749	Model number
244 x 140 x 20/65	119 x 140 x 20/65	(2x) 133 x 133 x 20/65	(2x) 240 x 140 x 20/65	Nom. dim. - cm
4.000	8.000			Work size mm
1.850/pieces	0.900/pieces	0.900/pair	2.700/pair	m - pieces
6 pieces	12 pieces	4 pairs	3 pairs	Pce./pair - kg
1.500	1.500			Bundle - pce./pair
11.100	10.800	3.600	8.100	Bundle - m
Alb	Alb	Alb	Alb	Product standard
-/C	⊗/-C	⊗/-C	⊗/-C	Slip resistance
553001-55740	553001-55745	553001-55742	553001-55749	900 grey-beige
Price gr. A556 (pce.)	Price gr. A506 (pce.)	Price gr. A645 (pair)	Price gr. A683 (pair)	553001 act. azure <input checked="" type="checkbox"/>
553002-55740	553002-55745	553002-55742	553002-55749	900 grey-beige
Price gr. A556 (pce.)	Price gr. A506 (pce.)	Price gr. A645 (pair)	Price gr. A683 (pair)	553002 light azure <input checked="" type="checkbox"/>
340-55740	340-55745	340-55742	340-55749	900 grey-beige
Price gr. A556 (pce.)	Price gr. A506 (pce.)	Price gr. A645 (pair)	Price gr. A683 (pair)	340 n1/black <input checked="" type="checkbox"/>
900567-55740	900567-55745	900567-55742	900567-55749	91 n10/white
Price gr. A577 (pce.)	Price gr. A511 (pce.)	Price gr. A668 (pair)	Price gr. A708 (pair)	553001 act. azure <input checked="" type="checkbox"/>
900588-55740	900588-55745	900588-55742	900588-55749	91 n10/white
Price gr. A577 (pce.)	Price gr. A511 (pce.)	Price gr. A668 (pair)	Price gr. A708 (pair)	553002 light azure <input checked="" type="checkbox"/>
900044-55740	900044-55745	900044-55742	900044-55749	91 n10/white
Price gr. A577 (pce.)	Price gr. A511 (pce.)	Price gr. A668 (pair)	Price gr. A708 (pair)	340 n1/black <input checked="" type="checkbox"/>



Edging tile with grating support




Edging tile	"Half-size" edging tile	Internal corner (mitred pair)	External corner (mitred pair)	Art. no. 55750
55750	55755	55752	55759	Model number
244 x 140 x 20/50	119 x 140 x 20/50	(2x) 240 x 140 x 20/50	(2x) 240 x 140 x 20/50	Nom. dim. - cm
4.000	8.000			Work size mm
1.780/pieces	0.880/pieces	2.600/pair	2.600/pair	m - pieces
8 pieces	16 pieces	4 pairs	4 pairs	Pce./pair - kg
2.000	2.000			Bundle - pce./pair
14.240	14.080	10.400	10.400	Bundle - m
Alb	Alb	Alb	Alb	Product standard
-/C	-/C	-/C	-/C	Slip resistance
900-55750	900-55755	900-55752	900-55759	grey-beige <input checked="" type="checkbox"/>
Price gr. A539 (pce.)	Price gr. A487 (pce.)	Price gr. A663 (pair)	Price gr. A683 (pair)	neutral 10 <input type="checkbox"/>
91-55750 ⊗	91-55755 ⊗	91-55752 ⊗	91-55759 ⊗	(active white) <input type="checkbox"/>
Price gr. A560 (pce.)	Price gr. A506 (pce.)	Price gr. A689 (pair)	Price gr. A689 (pair)	



¹ For cover gratings, refer to page 84

No pallet rebate is granted for the products shown on this page.

 The products shown on this page can also be produced in other colors of the series Chroma non-slip. We will be pleased to check the possibility of such a special production upon request.








A classic rethought

The further development of the world-wide popular classic Finnland (cf. p. 22 ff) is just as universally applicable. An important difference in detail is the inclined grooved tile. Its wedge-shaped longitudinal section decisively facilitates the construction of the concrete structure: the upper side of the pool wall can be executed horizontally. The grooved tile then provides the necessary slope towards the pool. Reduced wave action and the elevated water level ensure increased comfort during swimming and when leaving the pool here, too. The 500 mm long special pieces, which reduce the number of joints, also speak in favour of Finnland II. Instead of the standard plastic cover gratings, the use of ceramic channel covers is also possible for private pools (see system Wiesbaden Stil on p. 42 ff).

Finnland II (inclined grooved tile)



You will find the individual tiles and special pieces (= model numbers) of this system under

42550HK = Chroma tile (page 148 ff)
 55831 = Handhold-piece (page 31)
 55841 = Inclined grooved tile (page 32)
 18120H = Chroma tile (page 148 ff)
 59681 = Coved gutter tile with outlet (page 113)
 18210H = Chroma strip tile (page 148 ff)
 37011 = Shank-tile (page 113)
 Cover grating (page 84)
 Outlet valve Silent 100 (page 86)

Legend:

01 UW-Silicone
 02 Closed-cell polyethylene foam round lace
 03 Elastic water-resistant filling material
 04 Joint band
 05 Slide bearing

06 Agrob Buchtal plastic cover grating
 07 Capillary barrier/grouting (reaction resin filler)
 08 Waterproof concrete (according to DIN EN 206/DIN 1045/DAfStB WU Guideline)
 09 Conventional thick-bed laying
 10 Thin-bed laying on cement render (P III, CS IV without added lime)
 11 Sealing layer
 12 Sealing tape
 13 Outlet valve „Silent W 2000“ of Agrob Buchtal
 14 Air inlet pipe for outlet „Silent 100“
 15 Epoxi for joints (for the projekt sector)
 16 Agrob Buchtal section stoneware pipe
 17 Casing for water inlet/outlet pipe and brazing collar

Handhold-piece



Art. no. 55830

Model number

Nom. dim. - **cm**

Work size mm

m - pieces

Pce./pair - kg

Bundle - pce./pair

Bundle - m

Bundle - kg

Product standard

Slip resistance

active azure

light azure

neutral 1

(deep black)

Handhold-piece
50 cm

55831

Handhold-piece
25 cm

55830

Handhold-piece
12.5 cm

55835

Internal corner
(mitred pair)

55832

External corner
(mitred pair)

55836

494 x 56 x 20/12.5

2.000

0.910/pieces

8 pieces

4.000

7.280

Alb

-/C

553001-55831

Price gr. A514 (pce.)

494 x 56 x 20/12.5

4.000

0.450/pieces

28 pieces

7.000

12.320

Alb

-/C

553001-55830

Price gr. A471 (pce.)

119 x 56 x 20/12.5

8.000

0.220/pieces

56 pieces

7.000

1.440

11.060

Alb

-/C

553001-55835

Price gr. A441 (pce.)

(2x) 49 x 20/12.5

0.080/pair

18 pairs

0.790/pair

14 pairs

11.060

Alb

-/C

553001-55832

Price gr. A519 (pair)

(2x) 236 x 56 x 20/12.5

0.790/pair

14 pairs

11.060

Alb

-/C

553001-55836

Price gr. A581 (pair)

Corner radius 30 mm

14 pairs

11.060

Alb

-/C

553002-55836

Price gr. A581 (pair)



Edging tile, stair tread



Art. no. 55820

Model number

Nom. dim. - **cm**

Work size mm

m - pieces

Pce./pair - kg

Bundle - pce./pair

Bundle - m

Bundle - kg

Product standard

Slip resistance

active azure

light azure

neutral 1

(deep black)

Edging tile
50 cm

55821

Edging tile
25 cm

55820

Edging tile
12.5 cm

55825

Internal corner
(mitred pair)

55822

External corner
(mitred pair)

55826

494 x 56 x 20/12.5

2.000

0.770/pieces

12 pieces

6.000

9.240

Alb

-/C

553001-55821

Price gr. A475 (pce.)

244 x 56 x 20/12.5

4.000

0.380/pieces

42 pieces

10.500

15.960

15.960

1.440

11.060

Alb

-/C

553001-55820

Price gr. A441 (pce.)

119 x 56 x 20/12.5

8.000

0.190/pieces

84 pieces

10.500

15.960

15.960

1.440

11.060

Alb

-/C

553001-55825

Price gr. A425 (pce.)

(2x) 49 x 20/12.5

0.100/pair

18 pairs

0.620/pair

14 pairs

11.060

Alb

-/C

553001-55822

Price gr. A484 (pair)

(2x) 236 x 56 x 20/12.5

0.620/pair

14 pairs

11.060

Alb

-/C

553001-55826

Price gr. A528 (pair)

Corner radius 30 mm

14 pairs

11.060

Alb

-/C


553002-55826

Price gr. A528 (pair)




1 For cover gratings, refer to page 84, coved gutter tiles refer to page 113

No pallet rebate is granted for the products shown on this page.




The products shown on this page can also be produced in other colors of the series Chroma non-slip. We will be pleased to check the possibility of such a special production upon request.

**Inclined grooved tile
for continuing the Pool Edge System „Finnland II“²**



119

**Grooved Tiles 12.5 mm thick,
for continuing the Pool Edge System
„Finnland II“²**



	grooved 50 cm	grooved 25 cm	grooved 12.5 cm		grooved	grooved	grooved
Model number	55841	55840	55845		53151	53150	53159
Norm. dim. - cm/in					50 x 25 / 20 x 10	25 x 25 / 10 x 10	12.5 x 25 / 5 x 10
Work size mm	494 x 244 x 23/35	244 x 244 x 23/35	119 x 244 x 23/35		494 x 244 x 12.5	244 x 244 x 12.5	119 x 244 x 12.5
m - pieces	2.000	4.000	8.000		2.000	4.000	8.000
Pieces - kg	8.100	3.950	1.930		3.550	1.775	0.888
Bundle - pieces	2	6	12		6	9	21
Bundle - m	1.000	1.500	1.500		3.000	2.250	2.625
Bundle - kg	16.200	23.700	37.306		21.300	15.975	18.648
Product standard	Alb	Alb	Alb		Alb	Alb	Alb
Slip resistance	-/C	☒	-/C	☒	see below	see below	see below
grey-beige	V0	900-55841⁴ Price gr. A638 (pce.)	900-55840⁴ Price gr. A556 (pce.)	900-55845⁴ Price gr. A506 (pce.)	-/C 900-53151⁴ Price gr. A463 (pce.)	900-53150⁴ Price gr. A430 (pce.)	-/C 900-53159⁴ Price gr. A410 (pce.)
neutral 10 (active white)	V0	91-55841 Price gr. A663 (pce.)	91-55840 Price gr. A573 (pce.)	91-55845 Price gr. A511 (pce.)	91-53151 Price gr. A528 (pce.)	91-53150 Price gr. A465 (pce.)	91-53159 Price gr. A423 (pce.)
active azure	V0	553001-55841 Price gr. A683 (pce.)	553001-55840 Price gr. A587 (pce.)	553001-55845 Price gr. A519 (pce.)	553001-53151 Price gr. A545 (pce.)	553001-53150 Price gr. A471 (pce.)	553001-53159 Price gr. A426 (pce.)
light azure	V0	553002-55841 Price gr. A683 (pce.)	553002-55840 Price gr. A587 (pce.)	553002-55845 Price gr. A519 (pce.)	553002-53151 Price gr. A545 (pce.)	553002-53150 Price gr. A471 (pce.)	553002-53159 Price gr. A426 (pce.)
neutral 1 (deep black)	V0	340-55841 Price gr. A683 (pce.)	340-55840 Price gr. A587 (pce.)	340-55845 Price gr. A519 (pce.)	340-53151 Price gr. A545 (pce.)	340-53150 Price gr. A471 (pce.)	340-53159 Price gr. A426 (pce.)
Area Pro anthracite	V2				R11/C 435601H ^{1/5/6} Price gr. A560 (pce.)	R11/C 435613H ^{1/5/6} Price gr. A480 (pce.)	R11/C 435625H ^{1/5/6} Price gr. A430 (pce.)
Area Pro basalt	V2				R11/C 435602H ^{1/5/6} Price gr. A560 (pce.)	R11/C 435614H ^{1/5/6} Price gr. A480 (pce.)	R11/C 435626H ^{1/5/6} Price gr. A430 (pce.)
Area Pro pebble	V2				R11/C 435603H ^{1/5/6} Price gr. A560 (pce.)	R11/C 435615H ^{1/5/6} Price gr. A480 (pce.)	R11/C 435627H ^{1/5/6} Price gr. A430 (pce.)
Area Pro stone	V2				R11/C 435604H ^{1/5/6} Price gr. A560 (pce.)	R11/C 435616H ^{1/5/6} Price gr. A480 (pce.)	R11/C 435628H ^{1/5/6} Price gr. A430 (pce.)
Area Pro sand-white	V2				R11/C 435605H ^{1/5/6} Price gr. A560 (pce.)	R11/C 435617H ^{1/5/6} Price gr. A480 (pce.)	R11/C 435629H ^{1/5/6} Price gr. A430 (pce.)
Area Pro sand-grey	V2				R11/C 435606H ^{1/5/6} Price gr. A560 (pce.)	R11/C 435618H ^{1/5/6} Price gr. A480 (pce.)	R11/C 435630H ^{1/5/6} Price gr. A430 (pce.)
Area Pro sand	V2				R11/C 435607H ^{1/5/6} Price gr. A560 (pce.)	R11/C 435619H ^{1/5/6} Price gr. A480 (pce.)	R11/C 435631H ^{1/5/6} Price gr. A430 (pce.)
Area Pro nutmeg	V2				R11/C 435608H ^{1/5/6} Price gr. A560 (pce.)	R11/C 435620H ^{1/5/6} Price gr. A480 (pce.)	R11/C 435632H ^{1/5/6} Price gr. A430 (pce.)
Area Pro platinum	V2				R11/C 435609H ^{1/5/6} Price gr. A560 (pce.)	R11/C 435621H ^{1/5/6} Price gr. A480 (pce.)	R11/C 435633H ^{1/5/6} Price gr. A430 (pce.)
Area Pro sand-beige	V2				R11/C 435610H ^{1/5/6} Price gr. A560 (pce.)	R11/C 435622H ^{1/5/6} Price gr. A480 (pce.)	R11/C 435634H ^{1/5/6} Price gr. A430 (pce.)
Area Pro brick	V2				R11/C 435611H ^{1/5/6} Price gr. A560 (pce.)	R11/C 435623H ^{1/5/6} Price gr. A480 (pce.)	R11/C 435635H ^{1/5/6} Price gr. A430 (pce.)
Area Pro clay	V2				R11/C 435612H ^{1/5/6} Price gr. A560 (pce.)	R11/C 435624H ^{1/5/6} Price gr. A480 (pce.)	R11/C 435636H ^{1/5/6} Price gr. A430 (pce.)



1  2  Short edge rectified

³ For cover gratings, refer to page 84, coved gutter tiles refer to page 113

⁴ These articles comply with DIN EN 14411, group Al_b, unglazed (UGL)

⁵ These articles comply with DIN EN 14411, group Al_a, unglazed (UGL)


⁶ Hytect coated

No pallet rebate is granted for the products shown on this page.



The products shown on this page can also be produced in other colors of the series Chroma non-slip. We will be pleased to check the possibility of such a special production upon request.

**Grooved Tiles 12.5 mm thick,
for continuing the Pool Edge System
„Finnland II“^{1/2}**



	grooved	grooved	grooved	Model number
	53151	53150	53159	Norm. dim. - cm/in
	50 x 25 / 20 x 10	25 x 25 / 10 x 10	12.5 x 25 / 5 x 10	Work size mm
	494 x 244 x 12.5	244 x 244 x 12.5	119 x 244 x 12.5	m - pieces
	2.000	4.000	8.000	Pieces - kg
	3.550	1.775	0.888	Bundle - pieces
	6	9	21	Bundle - m
	3.000	2.250	2.625	Bundle - kg
	21.300	15.975	18.648	Product standard
	Ala	Ala	Ala	Slip resistance
	R11/C	R11/C	R11/C	Ascona
	430789H	430793H	430802H	pearl <input checked="" type="checkbox"/>
	Price gr. A560 (pce.)	Price gr. A480 (pce.)	Price gr. A430 (pce.)	Ascona
	430790H	430794H	430803H	mud <input checked="" type="checkbox"/>
	Price gr. A560 (pce.)	Price gr. A480 (pce.)	Price gr. A430 (pce.)	Ascona
	430791H	430795H	430804H	stone <input checked="" type="checkbox"/>
	Price gr. A560 (pce.)	Price gr. A480 (pce.)	Price gr. A430 (pce.)	Ascona
	430792H	430796H	430805H	graphite <input checked="" type="checkbox"/>
	Price gr. A560 (pce.)	Price gr. A480 (pce.)	Price gr. A430 (pce.)	Ascona
	431551H	431553H	431555H	shell <input checked="" type="checkbox"/>
	Price gr. A560 (pce.)	Price gr. A480 (pce.)	Price gr. A430 (pce.)	Ascona
	431552H	431554H	431556H	sand <input checked="" type="checkbox"/>
	Price gr. A560 (pce.)	Price gr. A480 (pce.)	Price gr. A430 (pce.)	Quarzit
	8460-53151	8460-53150	8460-53159	basalt-grey <input checked="" type="checkbox"/>
	Price gr. A560 (pce.)	Price gr. A480 (pce.)	Price gr. A430 (pce.)	Quarzit
	8461-53151	8461-53150	8461-53159	quarz-grey <input checked="" type="checkbox"/>
	Price gr. A560 (pce.)	Price gr. A480 (pce.)	Price gr. A430 (pce.)	Quarzit
	8462-53151	8462-53150	8462-53159	sand-beige <input checked="" type="checkbox"/>
	Price gr. A560 (pce.)	Price gr. A480 (pce.)	Price gr. A430 (pce.)	Quarzit
	8463-53151	8463-53150	8463-53159	sepia-brown <input checked="" type="checkbox"/>
	Price gr. A560 (pce.)	Price gr. A480 (pce.)	Price gr. A430 (pce.)	Quarzit
	8464-53151	8464-53150	8464-53159	white-grey <input checked="" type="checkbox"/>
	Price gr. A560 (pce.)	Price gr. A480 (pce.)	Price gr. A430 (pce.)	Quarzit

1 2 Short edge rectified



³ For cover gratings, refer to page 84, coved gutter tiles refer to page 113

No pallet rebate is granted for the products shown on this page.






Whispering specialists

With four different versions, the Wiesbaden system also meets special requirements, for example for therapy pools or flow channels. Equipped with the outlet valve Silent W 2000, Wiesbaden audibly reduces the noise level in indoor swimming pools.

Pool edge system Wiesbaden with elevated water level

Proven in leisure and adventure pools as well as in thermal and open-air pools, this system is convincing, among other things, because of its rational design. The large overflow channel combines all requirements in a single construction element: overflow edge, handhold-piece and channel. This saves time and money in pool construction. Like all Agrob Buchtal pool edge systems, the Wiesbaden overflow channel is manufactured without cavities and is therefore particularly robust.

Wiesbaden with elevated water level



You will find the individual tiles and special pieces (= model numbers) of this system under



18120H = Chroma tile (page 148 ff)
85160 = Overflow channel (page 37)
85161 = Overflow channel with outlet (page 37)
Cover grating (page 84)
Outlet valve Silent W 2000 (page 86)

Legend:

- 01 UW-Silicone
- 02 Closed-cell polyethylene foam round lace
- 03 Elastic water-resistant filling material
- 04 Joint band
- 05 Slide bearing
- 06 Agrob Buchtal plastic cover grating
- 07 Capillary barrier/grouting (reaction resin filler)
- 08 Waterproof concrete (according to DIN EN 206/DIN 1045/DAfStB WU Guideline)
- 09 Conventional thick-bed laying
- 10 Thin-bed laying on cement render (P III, CS IV without added lime)
- 11 Sealing layer
- 12 Sealing tape
- 13 Outlet valve „Silent W 2000“ of Agrob Buchtal
- 14 Air inlet pipe for outlet „Silent 100“
- 15 Epoxi for joints (for the projekt sector)
- 16 Agrob Buchtal section stoneware pipe
- 17 Casing for water inlet/outlet pipe and brazing collar

Large Channel

(Cover grating width 250 mm, see page 84)



External corner
(mitred pair, 4 parts)
Corner radius 30 mm



Art. no. 85160

Overflow channel ¹	"Half-size" overflow channel	Outlet (Ø 86 mm) ^{2/3}	Outlet (Ø 86 mm) ²	Terminal inlay left/ terminal inlay right	Internal corner (mitred pair, 4 parts)	External corner (mitred pair, 4 parts) Corner radius 30 mm	Model number
85160	85165	85161	85163	85167/85168	S85162	85166	85160
244 x 295 x 200/140 4.000	119 x 295 x 200/140 8.000	244 x 295 x 200/140	119 x 295 x 200/140	dim. as channel	(2x)414/119 x 295 x 200/140	(2x) 486 x 295 x 200/140	Model number
10.300/pieces	5.000/pieces	10.000/pieces	4.700/pieces	0.300/pieces	20.500/pair	30.000/pair	Nom. dim. - cm
1 piece	2 pieces	1 piece	2 pieces		1 pair	1 pair	Work size mm
0.250	0.250						m - pieces
10.300	10.000	10.000	9.400		20.500	30.000	Pce./pair - kg
Alb	Alb	Alb	Alb	Alb	Alb	Alb	Bundle - pce./pair
700-85160	700-85165	700-85161	700-85163	700-85167/68	700-S85162	700-85166	Product standard
Price gr. A649 (pce.)	Price gr. A581 (pce.)	Price gr. A668 (pce.)	Price gr. A625 (pce.)	Price gr. A484 (pce.)	Price gr. A792 (pair)	Price gr. A792 (pair)	neutral 10 (active white glossy) <input checked="" type="checkbox"/>
701-85160	701-85165	701-85161	701-85163	701-85167/68	701-S85162	701-85166	neutral 10 (active white matt) <input checked="" type="checkbox"/>
Price gr. A649 (pce.)	Price gr. A581 (pce.)	Price gr. A668 (pce.)	Price gr. A625 (pce.)	Price gr. A484 (pce.)	Price gr. A792 (pair)	Price gr. A792 (pair)	active azure <input checked="" type="checkbox"/>
552001-85160	552001-85165	552001-85161	552001-85163	552001-85167/68	552001-S85162	552001-85166	light azure <input checked="" type="checkbox"/>
Price gr. A654 (pce.)	Price gr. A587 (pce.)	Price gr. A683 (pce.)	Price gr. A629 (pce.)	Price gr. A489 (pce.)	Price gr. A800 (pair)	Price gr. A800 (pair)	neutral 1 <input checked="" type="checkbox"/>
552002-85160	552002-85165	552002-85161	552002-85163	552002-85167/68	552002-S85162	552002-85166	deep black <input checked="" type="checkbox"/>
Price gr. A654 (pce.)	Price gr. A587 (pce.)	Price gr. A683 (pce.)	Price gr. A629 (pce.)	Price gr. A489 (pce.)	Price gr. A800 (pair)	Price gr. A800 (pair)	Price gr. A800 (pair)
5716-85160⁴	5716-85165⁴	5716-85161⁴	5716-85163⁴	5716-85167/68⁴	5716-S85162⁴	5716-85166⁴	
Price gr. A654 (pce.)	Price gr. A587 (pce.)	Price gr. A683 (pce.)	Price gr. A629 (pce.)	Price gr. A489 (pce.)	Price gr. A800 (pair)	Price gr. A800 (pair)	



Small Channel

(Cover grating width 191 mm, see page 84)



External corner
(mitred pair)
Corner radius 30 mm

Art. no. 55180

Overflow channel	"Half-size" overflow channel	Outlet (Ø 86 mm) ²	Outlet (Ø 86 mm) ²	Terminal inlay left/ terminal inlay right	Internal corner (mitred pair, 4 parts)	External corner (mitred pair) Corner radius 30 mm	Art. no. 55180
55180	55185	55181	S50044	55187/55188	S55182	55186	55180
244 x 225 x 150/105 4.000	119 x 225 x 150/105 8.000	244 x 225 x 150/105	119 x 225 x 150/105	dim. as channel	(2x)344/119 x 225 x 150/105	(2x) 236x225x150/105	Model number
7.000/pieces	3.425/pieces	6.600/pieces	3.100/pieces	0.200/pieces	11.800/pair	8.300/pair	Nom. dim. - cm
1 piece	2 pieces	1 piece	2 pieces		1 pair	1 pair	Work size mm
0.250	0.250						m - pieces
7.000	6.860	6.600	6.200		11.800	8.300	Pce./pair - kg
Alb	Alb	Alb	Alb	Alb	Alb	Alb	Bundle - pce./pair
700-55180	700-55185	700-55181	700-S50044	700-55187/88	700-S55182	700-55186	Product standard
Price gr. A615 (pce.)	Price gr. A547 (pce.)	Price gr. A645 (pce.)	Price gr. A601 (pce.)	Price gr. A487 (pce.)	Price gr. A723 (pair)	Price gr. A723 (pair)	neutral 10 (active white glossy) <input checked="" type="checkbox"/>
701-55180	701-55185	701-55181	701-S50044	701-55187/88	701-S55182	701-55186	neutral 10 (active white matt) <input checked="" type="checkbox"/>
Price gr. A615 (pce.)	Price gr. A547 (pce.)	Price gr. A645 (pce.)	Price gr. A601 (pce.)	Price gr. A487 (pce.)	Price gr. A723 (pair)	Price gr. A723 (pair)	active azure <input checked="" type="checkbox"/>
552001-55180	552001-55185	552001-55181	552001-S50044	552001-55187/88	552001-S55182	552001-55186	light azure <input checked="" type="checkbox"/>
Price gr. A618 (pce.)	Price gr. A556 (pce.)	Price gr. A654 (pce.)	Price gr. A608 (pce.)	Price gr. A489 (pce.)	Price gr. A731 (pair)	Price gr. A731 (pair)	neutral 1 <input checked="" type="checkbox"/>
552002-55180	552002-55185	552002-55181	552002-S50044	552002-55187/88	552002-S55182	552002-55186	deep black <input checked="" type="checkbox"/>
Price gr. A618 (pce.)	Price gr. A556 (pce.)	Price gr. A654 (pce.)	Price gr. A608 (pce.)	Price gr. A489 (pce.)	Price gr. A731 (pair)	Price gr. A731 (pair)	
5716-55180⁴	5716-55185⁴	5716-55181⁴	5716-S50044⁴	5716-55187/88⁴	5716-S55182⁴	5716-55186⁴	
Price gr. A618 (pce.)	Price gr. A556 (pce.)	Price gr. A654 (pce.)	Price gr. A608 (pce.)	Price gr. A489 (pce.)	Price gr. A731 (pair)	Price gr. A731 (pair)	



The products shown on this page can also be produced in other colors of the series Chroma non-slip. We will be pleased to check the possibility of such a special production upon request.

¹ Also available with rounded front edge for areas provided for ladders.


² For the matching outlet valve "Silent W 2000", refer to page 86

³ Model 85161 also available with outlet Ø 100 mm (=model S51312)

⁴ For reasons of production, differences in color between special pieces and standard tiles can occur.

Conic cuts for the products shown on this page are possible upon request.
No pallet rebate is granted for the products shown on this page.

Wiesbaden Silent



The special version "low-noise channel" Wiesbaden Silent is a development for considerably reducing the noise level. Compared to a conventional Wiesbaden channel, it is reduced by approx. 10 dBA at a water quantity of 6 m³/h per 1 m of channel. This solution is based on a complex combination of channel shape, arrangement of cover gratings and specially designed supporting strip for the gratings.

You will find the individual tiles and special pieces (= model numbers) of this system under

18120H = Chroma tile (page 148 ff)
85190 = Overflow channel (page 39)
85191 = Overflow channel with outlet (page 39)
Cover grating (page 84)
Outlet valve Silent W 2000 (page 86)

Legend:

- 01 UW-Silicone
- 02 Closed-cell polyethylene foam round lace
- 03 Elastic water-resistant filling material
- 04 Joint band
- 05 Slide bearing
- 06 Agrob Buchtal plastic cover grating
- 07 Capillary barrier/grouting (reaction resin filler)
- 08 Waterproof concrete (according to DIN EN 206/DIN 1045/DAfStB WU Guideline)
- 09 Conventional thick-bed laying
- 10 Thin-bed laying on cement render (P III, CS IV without added lime)
- 11 Sealing layer
- 12 Sealing tape
- 13 Outlet valve „Silent W 2000“ of Agrob Buchtal
- 14 Air inlet pipe for outlet „Silent 100“
- 15 Epoxi for joints (for the projekt sector)
- 16 Agrob Buchtal section stoneware pipe
- 17 Casing for water inlet/outlet pipe and brazing collar

Large "Low-Noise Channel"

(only transverse gratings with a width of 250 mm can be used, see page 84)

Overflow channel ¹	"Half-size" overflow channel	Outlet (Ø 86 mm) ^{2/3}	Outlet (Ø 86 mm) ²	Terminal inlay left/ terminal inlay right	Internal corner (mitred pair, 4 parts)	External corner (mitred pair, 4 parts) Corner radius 30 mm	Art. no. 85190
	Model number	Nom. dim. - cm	Work size mm	m - pieces	Pce./pair - kg	Bundle - pce./pair	Bundle - m
85190	85195	85191	85193	85197/85198	S85192	85196	
244 x 295 x 200/140 4.000 10.400/pieces 1 piece 0.250 10.400	119 x 295 x 200/140 8.000 5.100/pieces 2 pieces 0.250 10.200	244 x 295 x 200/140	119 x 295 x 200/140	dim. as channel	(2x) 414/119 x 295 x 200/140	(2x) 486 x 295 x 200/140	
Alb	Alb	Alb	Alb	Alb	Alb	Alb	Product standard
700-85190	700-85195	700-85191	700-85193	700-85197/98	700-S85192	700-85196	neutral 10 (active white glossy) <input checked="" type="checkbox"/>
Price gr. A715 (pce.)	Price gr. A638 (pce.)	Price gr. A734 (pce.)	Price gr. A689 (pce.)	Price gr. A539 (pce.)	Price gr. A814 (pair)	Price gr. A814 (pair)	neutral 10 (active white matt) <input checked="" type="checkbox"/>
701-85190	701-85195	701-85191	701-85193	701-85197/98	701-S85192	701-85196	active azure <input checked="" type="checkbox"/>
Price gr. A715 (pce.)	Price gr. A638 (pce.)	Price gr. A734 (pce.)	Price gr. A689 (pce.)	Price gr. A539 (pce.)	Price gr. A814 (pair)	Price gr. A814 (pair)	light azure <input checked="" type="checkbox"/>
552001-85190	552001-85195	552001-85191	552001-85193	552001-85197/98	552001-S85192	552001-85196	neutral 1 <input checked="" type="checkbox"/>
Price gr. A716 (pce.)	Price gr. A645 (pce.)	Price gr. A741 (pce.)	Price gr. A698 (pce.)	Price gr. A545 (pce.)	Price gr. A816 (pair)	Price gr. A816 (pair)	neutral 1 <input checked="" type="checkbox"/>
552002-85190	552002-85195	552002-85191	552002-85193	552002-85197/98	552002-S85192	552002-85196	deep black <input checked="" type="checkbox"/>
Price gr. A716 (pce.)	Price gr. A645 (pce.)	Price gr. A741 (pce.)	Price gr. A698 (pce.)	Price gr. A545 (pce.)	Price gr. A816 (pair)	Price gr. A816 (pair)	
5716-85190⁴	5716-85195⁴	5716-85191⁴	5716-85193⁴	5716-85197/98⁴	5716-S85192⁴	5716-85196⁴	
Price gr. A716 (pce.)	Price gr. A645 (pce.)	Price gr. A741 (pce.)	Price gr. A698 (pce.)	Price gr. A545 (pce.)	Price gr. A816 (pair)	Price gr. A816 (pair)	



Small "Low-Noise Channel"

(only transverse gratings with a width of 191 mm can be used, see page 84)

Overflow channel	"Half-size" overflow channel	Outlet (Ø 86 mm) ²	Outlet (Ø 86 mm) ²	Terminal inlay left/ terminal inlay right	Internal corner (mitred pair, 4 parts)	External corner (mitred pair) Corner radius 30 mm	Art. no. 85180
	Model number	Nom. dim. - cm	Work size mm	m - pieces	Pce./pair - kg	Bundle - pce./pair	Bundle - m
85180	85185	85181	85183	85187/85188	S85182	85186	
244 x 225 x 150/105 4.000 7.000/pieces 1 piece 0.250 7.000	119 x 225 x 150/105 8.000 3.430/pieces 2 pieces 0.250 6.860	244 x 225 x 150/105	119 x 225 x 150/105	dim. as channel	(2x) 344/119 x 225 x 150/105	(2x) 236 x 225 x 150/105	
Alb	Alb	Alb	Alb	Alb	Alb	Alb	Product standard
700-85180	700-85185	700-85181	700-85183	700-85187/88	700-S85182	700-85186	neutral 10 (active white glossy) <input checked="" type="checkbox"/>
Price gr. A649 (pce.)	Price gr. A581 (pce.)	Price gr. A683 (pce.)	Price gr. A638 (pce.)	Price gr. A511 (pce.)	Price gr. A757 (pair)	Price gr. A757 (pair)	neutral 10 (active white matt) <input checked="" type="checkbox"/>
701-85180	701-85185	701-85181	701-85183	701-85187/88	701-S85182	701-85186	active azure <input checked="" type="checkbox"/>
Price gr. A649 (pce.)	Price gr. A581 (pce.)	Price gr. A683 (pce.)	Price gr. A638 (pce.)	Price gr. A511 (pce.)	Price gr. A757 (pair)	Price gr. A757 (pair)	light azure <input checked="" type="checkbox"/>
552001-85180	552001-85185	552001-85181	552001-85183	552001-85187/88	552001-S85182	552001-85186	neutral 1 <input checked="" type="checkbox"/>
Price gr. A654 (pce.)	Price gr. A587 (pce.)	Price gr. A698 (pce.)	Price gr. A645 (pce.)	Price gr. A514 (pce.)	Price gr. A766 (pair)	Price gr. A766 (pair)	neutral 1 <input checked="" type="checkbox"/>
552002-85180	552002-85185	552002-85181	552002-85183	552002-85187/88	552002-S85182	552002-85186	deep black <input checked="" type="checkbox"/>
Price gr. A654 (pce.)	Price gr. A587 (pce.)	Price gr. A698 (pce.)	Price gr. A645 (pce.)	Price gr. A514 (pce.)	Price gr. A766 (pair)	Price gr. A766 (pair)	
5716-85180⁴	5716-85185⁴	5716-85181⁴	5716-85183⁴	5716-85187/88⁴	5716-S85182⁴	5716-85186⁴	
Price gr. A654 (pce.)	Price gr. A587 (pce.)	Price gr. A698 (pce.)	Price gr. A645 (pce.)	Price gr. A514 (pce.)	Price gr. A766 (pair)	Price gr. A766 (pair)	



¹ Also available with rounded front edge for areas provided for ladders.

² For the matching outlet valve "Silent W 2000", refer to page 86

³ Model 85191 also available with outlet Ø 100 mm. (= model S51325)

⁴ For reasons of production, differences in color between special pieces and standard tiles can occur.

Conic cuts for the products shown on this page are possible upon request.

No pallet rebate is granted for the products shown on this page.




The products shown on this page can also be produced in other colors of the series Chroma non-slip. We will be pleased to check the possibility of such a special production upon request.








Large Channel (also available as low-noise channel Wiesbaden Silent = model 95190 upon request)
(Cover grating width 250 mm, see page 84)



Overflow channel	"Half-size" overflow channel	Outlet (Ø 86 mm) ¹	Outlet (Ø 86 mm) ¹	Terminal inlay left/ terminal inlay right	Internal corner (mitred pair, 4 parts)	External corner (mitred pair, 4 parts) Corner radius 30 mm	Art. no. 95160
95160	95165	95161	95163	85167/85168	S95162	95166	Model number
244 x 295 x 200/140	119 x 295 x 200/140	244 x 295 x 200/140	119 x 295 x 200/140	dim. as channel	(2x) 414/119 x 295 x 200/140	(2x) 486 x 295 x 200/140	Nom. dim. - cm
4.000	8.000						Work size mm
9.800/pieces	4.900/pieces	9.500/pieces	4.750/pieces	0.300/pieces	20.200/pair	29.200/pair	m - pieces
1 piece	2 pieces	1 piece	2 pieces		1 pair	1 pair	Pce./pair - kg
0.250	0.250						Bundle - pce./pair
9.800	9.800	9.500	9.500		20.200	29.200	Bundle - m
Alb	Alb	Alb	Alb	Alb	Alb	Alb	Bundle - kg
700-95160	700-95165	700-95161	700-95163	700-85167/68	700-S95162	700-95166	Product standard
Price gr. A663 (pce.)	Price gr. A593 (pce.)	Price gr. A683 (pce.)	Price gr. A638 (pce.)	Price gr. A484 (pce.)	Price gr. A799 (pair)	Price gr. A799 (pair)	neutral 10 (active white glossy) <input checked="" type="checkbox"/>
701-95160	701-95165	701-95161	701-95163	701-85167/68	701-S95162	701-95166	neutral 10 (active white matt) <input checked="" type="checkbox"/>
Price gr. A663 (pce.)	Price gr. A593 (pce.)	Price gr. A683 (pce.)	Price gr. A638 (pce.)	Price gr. A484 (pce.)	Price gr. A799 (pair)	Price gr. A799 (pair)	active azur <input checked="" type="checkbox"/>
552001-95160	552001-95165	552001-95161	552001-95163	552001-85167/68	552001-S95162	552001-95166	light azur <input checked="" type="checkbox"/>
Price gr. A668 (pce.)	Price gr. A600 (pce.)	Price gr. A698 (pce.)	Price gr. A645 (pce.)	Price gr. A489 (pce.)	Price gr. A804 (pair)	Price gr. A804 (pair)	neutral 1 <input checked="" type="checkbox"/>
552002-95160	552002-95165	552002-95161	552002-95163	552002-85167/68	552002-S95162	552002-95166	(deep black) <input checked="" type="checkbox"/>
Price gr. A668 (pce.)	Price gr. A600 (pce.)	Price gr. A698 (pce.)	Price gr. A645 (pce.)	Price gr. A489 (pce.)	Price gr. A804 (pair)	Price gr. A804 (pair)	Price gr. A804 (pair)
5716-95160³	5716-95165³	5716-95161³	5716-95163³	5716-85167/68³	5716-S95162³	5716-95166³	
Price gr. A668 (pce.)	Price gr. A600 (pce.)	Price gr. A698 (pce.)	Price gr. A645 (pce.)	Price gr. A489 (pce.)	Price gr. A804 (pair)	Price gr. A804 (pair)	



Small Channel (also available as low-noise channel Wiesbaden Silent = model 96180 upon request)
(Cover grating width 191 mm, see page 84)



Overflow channel	"Half-size" overflow channel	Outlet (Ø 86 mm) ¹	Outlet (Ø 86 mm) ¹	Terminal inlay left/ terminal inlay right	Internal corner (mitred pair, 4 parts)	External corner (mitred pair) Corner radius 30 mm	Art. no. 95180
95180	95185	95181	95183	55187/55188	S95182	95186	Model number
244 x 225 x 150/105	119 x 225 x 150/105	244 x 225 x 150/105	119 x 225 x 150/105	dim. as channel	(2x) 344/119 x 225 x 150/105	(2x) 236 x 225 x 150/105	Nom. dim. - cm
4.000	8.000						Work size mm
7.000/pieces	3.430/pieces	6.600/pieces	3.100/pieces	0.200/pieces	11.800/pair	8.300/pair	m - pieces
1 piece	2 pieces	1 piece	2 pieces		1 pair	1 pair	Pce./pair - kg
0.250	0.250						Bundle - pce./pair
7.000	6.860	6.600	6.200		11.800	8.300	Bundle - m
Alb	Alb	Alb	Alb	Alb	Alb	Alb	Bundle - kg
700-95180	700-95185	700-95181	700-95183	700-55187/88	700-S95182	700-95186	Product standard
Price gr. A625 (pce.)	Price gr. A560 (pce.)	Price gr. A663 (pce.)	Price gr. A615 (pce.)	Price gr. A487 (pce.)	Price gr. A734 (pair)	Price gr. A734 (pair)	neutral 10 (active white glossy) <input checked="" type="checkbox"/>
701-95180	701-95185	701-95181	701-95183	701-55187/88	701-S95182	701-95186	neutral 10 (active white matt) <input checked="" type="checkbox"/>
Price gr. A625 (pce.)	Price gr. A560 (pce.)	Price gr. A663 (pce.)	Price gr. A615 (pce.)	Price gr. A487 (pce.)	Price gr. A734 (pair)	Price gr. A734 (pair)	active azur <input checked="" type="checkbox"/>
552001-95180	552001-95185	552001-95181	552001-95183	552001-55187/88	552001-S95182	552001-95186	light azur <input checked="" type="checkbox"/>
Price gr. A629 (pce.)	Price gr. A573 (pce.)	Price gr. A668 (pce.)	Price gr. A618 (pce.)	Price gr. A489 (pce.)	Price gr. A742 (pair)	Price gr. A742 (pair)	neutral 1 <input checked="" type="checkbox"/>
552002-95180	552002-95185	552002-95181	552002-95183	552002-55187/88	552002-S95182	552002-95186	(deep black) <input checked="" type="checkbox"/>
Price gr. A629 (pce.)	Price gr. A573 (pce.)	Price gr. A668 (pce.)	Price gr. A618 (pce.)	Price gr. A489 (pce.)	Price gr. A742 (pair)	Price gr. A742 (pair)	Price gr. A742 (pair)
5716-95180³	5716-95185³	5716-95181³	5716-95183³	5716-55187/88³	5716-S95182³	5716-95186³	
Price gr. A629 (pce.)	Price gr. A573 (pce.)	Price gr. A668 (pce.)	Price gr. A618 (pce.)	Price gr. A489 (pce.)	Price gr. A742 (pair)	Price gr. A742 (pair)	Price gr. A742 (pair)




Conic cuts for the products shown on this page are possible upon request.
No pallet rebate is granted for the products shown on this page.

The products shown on this page can also be produced in other colors of the series Chroma non-slip. We will be pleased to check the possibility of such a special production upon request.

¹ For the matching outlet valve "Silent W 2000", refer to page 86

² Matching mosaic: see series Plural, Fresh

³ For reasons of production, differences in color between special pieces and standard tiles can occur.






With a clear edge

The pool edge system Wiesbaden Stil is an elegant variation of the classic: the large overflow channel with handhold-piece is covered with a ceramic channel cover. Wiesbaden Stil is also available with mosaic recess on request. The ceramic channel cover enables a uniform design of the pool edge in the case of private and smaller hotel pools. The cover is easy to lay thanks to plug-in connections. The ceramic channel cover is slip-resistant, very robust and, on request and after a check, available in different formats and partly also for free shapes. Water flow rate: free cross-section of 245 cm²/m in case of standard hole pattern.

Wiesbaden Stil



You will find the individual tiles and special pieces (= model numbers) of this system under

18120H = Chroma tile (page 148 ff)
87160 = Overflow channel (page 45)
87161 = Overflow channel with outlet (page 45)
53510H = Ceramic channel cover (page 80)
Outlet valve Silent W 2000 (page 86)

Legend:

- 01 UW-Silicone
- 02 Closed-cell polyethylene foam round lace
- 03 Elastic water-resistant filling material
- 04 Joint band
- 05 Slide bearing
- 06 Agrob Buchtal plastic cover grating
- 07 Capillary barrier/grouting (reaction resin filler)
- 08 Waterproof concrete (according to DIN EN 206/DIN 1045/DAfStB WU Guideline)
- 09 Conventional thick-bed laying
- 10 Thin-bed laying on cement render (P III, CS IV without added lime)
- 11 Sealing layer
- 12 Sealing tape
- 13 Outlet valve „Silent W 2000“ of Agrob Buchtal
- 14 Air inlet pipe for outlet „Silent 100“
- 15 Epoxi for joints (for the projekt sector)
- 16 Agrob Buchtal section stoneware pipe
- 17 Casing for water inlet/outlet pipe and brazing collar

Large Channel (also available with mosaic recess = model 97160 upon request³)
(ceramic channel cover, width 250 mm)

<i>Overflow channel¹</i>	<i>"Half-size" overflow channel</i>	<i>Outlet (Ø 86 mm)²</i>	<i>Outlet (Ø 86 mm)²</i>	<i>Terminal inlay left/terminal inlay right</i>	<i>Internal corner (mitred pair, 4 parts)</i>	<i>External corner (mitred pair, 4 parts) Corner radius 30 mm</i>	<i>Art. no. 87160</i>
87160	87165	87161	87163	87167/87168	S87162	87166	Model number
244 x 295 x 138/194	119 x 295 x 138/194	244 x 295 x 138/194	119 x 295 x 138/194	dim. as channel	(2x) 414/119 x 295 x 138/194	(2x) 486 x 295 x 138/194	Nom. dim. - cm
4.000	8.000						Work size mm
10.200/pieces	5.100/pieces	10.000/pieces	4.700/pieces	0.300/pieces	20.500/pair	30.000/pair	m - pieces
1 piece	2 pieces	1 piece	2 pieces		1 pair	1 pair	Pce./pair - kg
0.250	0.250						Bundle - pce./pair
10.200	10.200	10.000	9.400		20.500	30.000	Bundle - m
Alb	Alb	Alb	Alb	Alb	Alb	Alb	Bundle - kg
700-87160	700-87165	700-87161	700-87163	700-87167/68	700-S87162	700-87166	Product standard
Price gr. A649 (pce.)	Price gr. A581 (pce.)	Price gr. A668 (pce.)	Price gr. A625 (pce.)	Price gr. A484 (pce.)	Price gr. A792 (pair)	Price gr. A792 (pair)	neutral 10 (active white glossy) <input checked="" type="checkbox"/>
701-87160	701-87165	701-87161	701-87163	701-87167/68	701-S87162	701-87166	neutral 10 (active white matt) <input checked="" type="checkbox"/>
Price gr. A649 (pce.)	Price gr. A581 (pce.)	Price gr. A668 (pce.)	Price gr. A625 (pce.)	Price gr. A484 (pce.)	Price gr. A792 (pair)	Price gr. A792 (pair)	active azur <input checked="" type="checkbox"/>
552001-87160	552001-87165	552001-87161	552001-87163	552001-87167/68	552001-S87162	552001-87166	light azur <input checked="" type="checkbox"/>
Price gr. A654 (pce.)	Price gr. A587 (pce.)	Price gr. A683 (pce.)	Price gr. A629 (pce.)	Price gr. A489 (pce.)	Price gr. A800 (pair)	Price gr. A800 (pair)	neutral 1 <input checked="" type="checkbox"/>
552002-87160	552002-87165	552002-87161	552002-87163	552002-87167/68	552002-S87162	552002-87166	(deep black) <input checked="" type="checkbox"/>
Price gr. A654 (pce.)	Price gr. A587 (pce.)	Price gr. A683 (pce.)	Price gr. A629 (pce.)	Price gr. A489 (pce.)	Price gr. A800 (pair)	Price gr. A800 (pair)	Price gr. A800 (pair)
5716-87160⁴	5716-87165⁴	5716-87161⁴	5716-87163⁴	5716-87167/68⁴	5716-S87162⁴	5716-87166⁴	
Price gr. A654 (pce.)	Price gr. A587 (pce.)	Price gr. A683 (pce.)	Price gr. A629 (pce.)	Price gr. A489 (pce.)	Price gr. A800 (pair)	Price gr. A800 (pair)	

¹ Also available with rounded front edge for areas provided for ladders.

² For the matching outlet valve "Silent W 2000", refer to page 86

³ Matching mosaic: see series Plural page 189 and the following

⁴ For reasons of production, differences in color between special pieces and standard tiles can occur.



Conic cuts for the products shown on this page are possible upon request.
No pallet rebate is granted for the products shown on this page.



The products shown on this page can also be produced in other colors of the series Chroma non-slip. We will be pleased to check the possibility of such a special production upon request.






Specialist for attractions

The version with decreased water level permits an additional “accumulation height” which is desired above all for the use of water attractions. Thus, this system is optimally suitable for slide landing pools, for example.

Different channel cross-sections and dimensions extend the application possibilities, for example, in case of elevated pool walls in flow channels. Among other things, the outlet valve Silent W 2000 is available as an accessory.

Wiesbaden with decreased water level






You will find the individual tiles and special pieces (= model numbers) of this system under

18120H = Chroma tile (page 148 ff)
 55100 = Overflow channel (page 49)
 55101 = Overflow channel with outlet (page 49)
 S50038 = Pool edging tile (like 55450 with glazed lower edge, page 92)
 Outlet valve Silent W 2000 (page 86)

Legend:

- 01 UW-Silicone
- 02 Closed-cell polyethylene foam round lace
- 03 Elastic water-resistant filling material
- 04 Joint band
- 05 Slide bearing
- 06 Agrob Buchtal plastic cover grating
- 07 Capillary barrier/grouting (reaction resin filler)
- 08 Waterproof concrete (according to DIN EN 206/DIN 1045/DAfStB WU Guideline)
- 09 Conventional thick-bed laying
- 10 Thin-bed laying on cement render (P III, CS IV without added lime)
- 11 Sealing layer
- 12 Sealing tape
- 13 Outlet valve „Silent W 2000“ of Agrob Buchtal
- 14 Air inlet pipe for outlet „Silent 100“
- 15 Epoxi for joints (for the projekt sector)
- 16 Agrob Buchtal section stoneware pipe
- 17 Casing for water inlet/outlet pipe and brazing collar





Large Channel (also available with mosaic recess = model 95100 upon request)
(without cover grating support)



Overflow channel	"Half-size" overflow channel	Outlet (Ø 86 mm) ¹	Outlet (Ø 86 mm) ¹	Terminal inlay left/ terminal inlay right	Internal corner (mitred pair, 4 parts)	External corner (mitred pair) Corner radius 30 mm	Art. no. 55100
55100	55105	55101	S50065	55107/55108	S55102	55106	Model number
244 x 225 x 150	119 x 225 x 150	244 x 225 x 150	119 x 225 x 150	dim. as channel	(2x)344/119 x 225 x 150	(2x) 236 x 225 x 150	Nom. dim. - cm
4.000	8.000						Work size mm
8.600/pieces	4.200/pieces	8.100/pieces	3.800/pieces	0.200/pieces	10.000/pair	9.600/pair	m - pieces
1 piece	2 pieces	1 piece	2 pieces		1 pair	1 pair	Pce./pair - kg
0.250	0.250						Bundle - pce./pair
8.600	8.400	8.100	7.600		16.000	9.600	Bundle - m
Alb	Alb	Alb	Alb	Alb	Alb	Alb	Bundle - kg
700-55100	700-55105	700-55101	700-S50065	700-55107/08	700-S55102	700-55106	Product standard
Price gr. A601 (pce.)	Price gr. A545 (pce.)	Price gr. A654 (pce.)	Price gr. A638 (pce.)	Price gr. A489 (pce.)	Price gr. A716 (pair)	Price gr. A716 (pair)	neutral 10 (active white glossy) <input checked="" type="checkbox"/>
701-55100	701-55105	701-55101	701-S50065	701-55107/08	701-S55102	701-55106	neutral 10 (active white matt) <input checked="" type="checkbox"/>
Price gr. A601 (pce.)	Price gr. A545 (pce.)	Price gr. A654 (pce.)	Price gr. A638 (pce.)	Price gr. A489 (pce.)	Price gr. A716 (pair)	Price gr. A716 (pair)	
552001-55100	552001-55105	552001-55101	552001-S50065	552001-55107/08	552001-S55102	552001-55106	active azure <input checked="" type="checkbox"/>
Price gr. A608 (pce.)	Price gr. A547 (pce.)	Price gr. A663 (pce.)	Price gr. A645 (pce.)	Price gr. A506 (pce.)	Price gr. A723 (pair)	Price gr. A723 (pair)	
552002-55100	552002-55105	552002-55101	552002-S50065	552002-55107/08	552002-S55102	552002-55106	light azure <input checked="" type="checkbox"/>
Price gr. A608 (pce.)	Price gr. A547 (pce.)	Price gr. A663 (pce.)	Price gr. A645 (pce.)	Price gr. A506 (pce.)	Price gr. A723 (pair)	Price gr. A723 (pair)	neutral 1 <input checked="" type="checkbox"/>
5716-55100²	5716-55105²	5716-55101²	5716-S50065²	5716-55107/08²	5716-S55102²	5716-55106²	Price gr. A723 (pair) <input checked="" type="checkbox"/>
Price gr. A608 (pce.)	Price gr. A547 (pce.)	Price gr. A663 (pce.)	Price gr. A645 (pce.)	Price gr. A506 (pce.)	Price gr. A723 (pair)	Price gr. A723 (pair)	(deep black) <input checked="" type="checkbox"/>



Small Channel
(without cover grating support)



Overflow channel	"Half-size" overflow channel	Outlet (Ø 75 mm) ¹	Outlet (Ø 75 mm) ¹	Terminal inlay left/ terminal inlay right	Internal corner (mitred pair, 4 parts)	External corner (mitred pair) Corner radius 30 mm	Art. no. 55140
55140	55145	55141	55143	55147/55148	S55142	55146	Model number
244 x 150/160 x 100/130	119 x 150/160 x 100/130	244 x 150/160 x 100/130	119 x 150/160 x 100/130	dim. as channel	(2x)279/119x150/160x100/130	(2x) 236x150/160x100/130	Nom. dim. - cm
4.000	8.000						Work size mm
4.450/pieces	2.260/pieces	4.100/pieces	2.000/pieces	0.100/pieces	7.050/pair	6.300/pair	m - pieces
2 pieces	4 pieces	2 pieces	4 pieces		1 pair	1 pair	Pce./pair - kg
0.500	0.500						Bundle - pce./pair
8.900	9.040	8.200	8.000		7.050	6.300	Bundle - m
Alb	Alb	Alb	Alb	Alb	Alb	Alb	Bundle - kg
700-55140	700-55145	700-55141	700-55143	700-55147/48	700-S55142	700-55146	Product standard
Price gr. A600 (pce.)	Price gr. A533 (pce.)	Price gr. A636 (pce.)	Price gr. A593 (pce.)	Price gr. A487 (pce.)	Price gr. A716 (pair)	Price gr. A716 (pair)	neutral 10 (active white glossy) <input checked="" type="checkbox"/>
701-55140	701-55145	701-55141	701-55143	701-55147/48	701-S55142	701-55146	neutral 10 (active white matt) <input checked="" type="checkbox"/>
Price gr. A600 (pce.)	Price gr. A533 (pce.)	Price gr. A636 (pce.)	Price gr. A593 (pce.)	Price gr. A487 (pce.)	Price gr. A716 (pair)	Price gr. A716 (pair)	
552001-55140	552001-55145	552001-55141	552001-S55143	552001-55147/48	552001-S55142	552001-55146	active azure <input checked="" type="checkbox"/>
Price gr. A604 (pce.)	Price gr. A539 (pce.)	Price gr. A638 (pce.)	Price gr. A601 (pce.)	Price gr. A489 (pce.)	Price gr. A723 (pair)	Price gr. A723 (pair)	
552002-55140	552002-55145	552002-55141	552002-S55143	552002-55147/48	552002-S55142	552002-55146	light azure <input checked="" type="checkbox"/>
Price gr. A604 (pce.)	Price gr. A539 (pce.)	Price gr. A638 (pce.)	Price gr. A601 (pce.)	Price gr. A489 (pce.)	Price gr. A723 (pair)	Price gr. A723 (pair)	neutral 1 <input checked="" type="checkbox"/>
5716-55140²	5716-55145²	5716-55141²	5716-S55143²	5716-55147/48²	5716-S55142²	5716-55146²	Price gr. A723 (pair) <input checked="" type="checkbox"/>
Price gr. A604 (pce.)	Price gr. A539 (pce.)	Price gr. A638 (pce.)	Price gr. A601 (pce.)	Price gr. A489 (pce.)	Price gr. A723 (pair)	Price gr. A723 (pair)	(deep black) <input checked="" type="checkbox"/>



¹ For the matching outlet valve "Silent W 2000", refer to page 86
² For reasons of production, differences in color between special pieces and standard tiles can occur.

Conic cuts for the products shown on this page are possible upon request.

No pallet rebate is granted for the products shown on this page.

The products shown on this page can also be produced in other colors of the series Chroma non-slip. We will be pleased to check the possibility of such a special production upon request.






In the version with small overflow channel without cover, Wiesbaden with decreased water level is primarily designed for the use in therapy facilities. In combination with an elevated pool edge, this results in a back-friendly effect for the staff, who can work with the patients without having to constantly adopt a stooped posture.

52 System Wiesbaden therapy pools

Therapy pool DRK-Krankenhaus (hospital), Langen-Debstedt, Germany / Architect: Westphal u. Partner Architekten
Series: Pool edge system Wiesbaden / Photo: Veit S. Müller



Wiesbaden, therapy pools



You will find the individual tiles and special pieces (= model numbers) of this system under

18120H = Chroma tile (page 148 ff)
55140 = Overflow channel (page 49)
55141 = Overflow channel with outlet (page 49)
18210H = Chroma strip tile (page 148 ff)
37125 = Profiled edging (page 100)
38110H = Chroma non-slip tile (page 155 ff)
18123H = Chroma tile (page 149 ff)
Outlet valve Silent W 2000 (page 86)

Legend:

- Legend:**

 - 01 UW-Silicone
 - 02 Closed-cell polyethylene foam round lace
 - 03 Elastic water-resistant filling material
 - 04 Joint band
 - 05 Slide bearing
 - 06 Agrob Buchtal plastic cover grating
 - 07 Capillary barrier/grouting (reaction resin filler)

- 08 Waterproof concrete (according to DIN EN 206/ DIN 1045/DAfStB WU Guideline)
 - 09 Conventional thick-bed laying
 - 10 Thin-bed laying on cement render
(P III, CS IV without added lime)
 - 11 Sealing layer
 - 12 Sealing tape
 - 13 Outlet valve „Silent W 2000“
of Agrob Buchtal
 - 14 Air inlet pipe for outlet „Silent 100“
 - 15 Epoxi for joints (for the projekt sector)
 - 16 Agrob Buchtal section stoneware pipe
 - 17 Casing for water inlet/outlet pipe and brazing collar






Sustainable innovation

Developed for Germany's first swimming pool satisfying the passive house requirements, the pool edge system Bamberg is convincing above all because of reduced water evaporation and a considerable decrease of the energy requirement. Additional advantages: elegant look without cover gratings and low noise level.

The versatile system shows its qualities in leisure and adventure pools just as well as in thermal, private and hotel pools. The large overflow channel with integrated handhold-piece makes cover gratings superfluous, directly adjoins the pool surround and thus creates a uniform overall picture. The profile of the overflow channel was developed in extensive, scientifically supervised tests.

Bamberg

While the splash water increases the evaporation rate in the case of conventional systems, the Bamberg Channel effects a considerable reduction thanks to its sophisticated design and thus makes an important contribution to energy saving: heat losses are reduced, the ventilation systems must circulate less air and thus consume less electricity. Bamberg offers additional possibilities for individual design by different colors for the handheld-piece and the channel, and special colors are also possible after a check.





You will find the individual tiles and special pieces (= model numbers) of this system under

18120H = Chroma tile (page 148 ff)
 86160 = Overflow channel (page 57)
 86161 = Overflow channel with outlet (\varnothing 75 mm) (page 57)
 55850 = Pool edging tile (page 57)
 55857/ = First piece left/right (page 57)
 55858
 Outlet valve Silent W 2000 (page 86)

Legend:

- 01 UW-Silicone
- 02 Closed-cell polyethylene foam round lace
- 03 Elastic water-resistant filling material
- 04 Joint band
- 05 Slide bearing
- 06 Agrob Buchtal plastic cover grating
- 07 Capillary barrier/grouting (reaction resin filler)
- 08 Waterproof concrete (according to DIN EN 206/DIN 1045/DAfStB WU Guideline)
- 09 Conventional thick-bed laying
- 10 Thin-bed laying on cement render (P III, CS IV without added lime)
- 11 Sealing layer
- 12 Sealing tape
- 13 Outlet valve „Silent W 2000“ of Agrob Buchtal
- 14 Air inlet pipe for outlet „Silent 100“
- 15 Epoxi for joints (for the projekt sector)
- 16 Agrob Buchtal section stoneware pipe
- 17 Casing for water inlet/outlet pipe and brazing collar




Overflow channel	"Half-size" overflow channel	Outlet (Ø 75 mm) ¹	Outlet (Ø 75 mm) ¹	Terminal inlay left/ terminal inlay right	Internal corner ² (mitred pair, 4 parts)	Art. no. 86160
86160	86165	86161	86163	86167/86168	86162	Model number
244 x 240 x 285	119 x 240 x 285	244 x 240 x 285	119 x 240 x 285	dim. as channel	(2x) 359/119 x 240 x 285	Nom. dim. - cm
4,000	8.000					Work size mm
18.250/pieces	8.900/pieces	17.750/pieces	8.600/pieces	0.300/pieces	45.000/pair	m - pieces
1 piece	2 pieces	1 piece	2 pieces		1 pair	Pce./pair - kg
0.250	0.250					Bundle - pce./pair
18.250	17.800	17.750	17.200		45.000	Bundle - m
Alb	Alb	Alb	Alb		Alb	Bundle - kg
700-86160	700-86165	700-86161	700-86163	700-86167/68	700-86162	Product standard
Price gr. A716 (pce.)	Price gr. A654 (pce.)	Price gr. A742 (pce.)	Price gr. A702 (pce.)	Price gr. A547 (pce.)	Price gr. A804 (pair)	neutral 10 (active white glossy) <input checked="" type="checkbox"/>
701-86160	701-86165	701-86161	701-86163	701-86167/68	701-86162	neutral 10 (active white matt) <input checked="" type="checkbox"/>
Price gr. A716 (pce.)	Price gr. A654 (pce.)	Price gr. A742 (pce.)	Price gr. A702 (pce.)	Price gr. A547 (pce.)	Price gr. A804 (pair)	active azure <input checked="" type="checkbox"/>
552001-86160	552001-86165	552001-86161	552001-86163	552001-86167/68	552001-86162	light azure <input checked="" type="checkbox"/>
Price gr. A723 (pce.)	Price gr. A663 (pce.)	Price gr. A748 (pce.)	Price gr. A705 (pce.)	Price gr. A556 (pce.)	Price gr. A814 (pair)	neutral 1 (deep black) <input checked="" type="checkbox"/>
552002-86160	552002-86165	552002-86161	552002-86163	552002-86167/68	552002-86162	Product standard
Price gr. A723 (pce.)	Price gr. A663 (pce.)	Price gr. A748 (pce.)	Price gr. A705 (pce.)	Price gr. A556 (pce.)	Price gr. A814 (pair)	neutral 10 (active white glossy) <input checked="" type="checkbox"/>
5716-86160²	5716-86165²	5716-86161²	5716-86163²	5716-86167/68²	5716-86162²	neutral 10 (active white matt) <input checked="" type="checkbox"/>
Price gr. A723 (pce.)	Price gr. A663 (pce.)	Price gr. A748 (pce.)	Price gr. A705 (pce.)	Price gr. A556 (pce.)	Price gr. A814 (pair)	active azure <input checked="" type="checkbox"/>



Handhold-piece (T-pieces)

Please note: use the XPS laying tool for the laying of the T-pieces



Accessory XPS laying tool	Pool edging tile	"Half-size" Pool edging tile	Internal corner (mitred pair)	External corner (mitred pair) Corner radius 30 mm	First piece left/right	Art. no. 55850
	55850	55855	55852	55856	55857/55858	Model number
	244 x 20/60 x 56	119 x 20/60 x 56	(2x) 119/175 x 20/60 x 56	(2x) 236/183 x 20/60 x 56	244 x 20/60 x 56	Nom. dim. - cm
0.020/pieces	4.000	8.000				Work size mm
	0.900/pieces	0.440/pieces	0.440/pair	0.800/pair	0.910/pieces	m - pieces
	18	36				Pce./pair - kg
	4.500	4.500				Paket - pieces
	16.200	15.840				Bundle - m
	Alb	Alb	Alb	Alb	Alb	Bundle - kg
F-190	700-55850	700-55855	700-55852	700-55856	700-55857/58	Product standard
Price gr. A434 (pce.)	Price gr. A467 (pce.)	Price gr. A438 (pce.)	Price gr. A577 (pair)	Price gr. A587 (pair)	Price gr. A480 (pce.)	neutral 10 (active white glossy) <input checked="" type="checkbox"/>
F-190	701-55850	701-55855	701-55852	701-55856	701-55857/58	neutral 10 (active white matt) <input checked="" type="checkbox"/>
Price gr. A434 (pce.)	Price gr. A467 (pce.)	Price gr. A438 (pce.)	Price gr. A577 (pair)	Price gr. A587 (pair)	Price gr. A480 (pce.)	active azure <input checked="" type="checkbox"/>
F-190	552001-55850	552001-55855	552001-55852	552001-55856	552001-55857/58	light azure <input checked="" type="checkbox"/>
Price gr. A434 (pce.)	Price gr. A471 (pce.)	Price gr. A441 (pce.)	Price gr. A581 (pair)	Price gr. A593 (pair)	Price gr. A484 (pce.)	neutral 1 (deep black) <input checked="" type="checkbox"/>
F-190	552002-55850	552002-55855	552002-55852	552002-55856	552002-55857/58	Product standard
Price gr. A434 (pce.)	Price gr. A471 (pce.)	Price gr. A441 (pce.)	Price gr. A581 (pair)	Price gr. A593 (pair)	Price gr. A484 (pce.)	neutral 10 (active white glossy) <input checked="" type="checkbox"/>
F-190	5716-55850²	5716-55855²	5716-55852²	5716-55856²	5716-55857/58²	neutral 10 (active white matt) <input checked="" type="checkbox"/>
Price gr. A434 (pce.)	Price gr. A471 (pce.)	Price gr. A441 (pce.)	Price gr. A581 (pair)	Price gr. A593 (pair)	Price gr. A484 (pce.)	active azure <input checked="" type="checkbox"/>



¹ For the matching outlet valve "Silent W 2000", refer to page 86

² For reasons of production, differences in color between special pieces and standard tiles can occur.

³ Please note: due to the shaping, external angles are not possible.

Conic cuts for the products shown on this page are possible upon request.
No pallet rebate is granted for the products shown on this page.

The products shown on this page can also be produced in other colors of the series Chroma non-slip. We will be pleased to check the possibility of such a special production upon request.





Bathing pleasure with panoramic view

The characteristic feature of the pool edge system St. Moritz is the elevated pool edge. This results in advantages not only with regard to pool construction. The bathers enjoy the view from their elevated position compared to the conventional construction method.

The system with integrated handhold-piece is tailored to the requirements of leisure and adventure pools, but also proves its worth in private and hotel pools. In the case of this construction, overflowing water flows down the outer walls of the pool into the channel on the outside, which is covered by a plastic grating. Cost advantages result above all from the lower foundation depth for the pool.


60 System St. Moritz

Hotel aja, Garmisch-Partenkirchen, Germany / Architect: SMAP SEEGER MÜLLER Berlin (Germany) und Büro Korb, Hamburg (Germany)
Series: Quarzit / Photo: Fotodesign Peters



St. Moritz

With the system St. Moritz, any pool edge widths with different edge covers can be realized. However, the "elevated" pool is also attractive for the bathers: they have an unobstructed view of the surroundings and can communicate with people outside the pool almost at eye level.



You will find the individual tiles and special pieces (= model numbers) of this system under

18120H = Chroma tile (page 148 ff)
 55830 = Handhold-piece (page 31)
 342580HK = Quarzit grid profile tile (page 209)
 37120 = Profiled edging (page 99)
 342550HK = Quarzit Fliese (page 209)
 37017 = Inclined shank-tile (page 113)
 18210H = Chroma tile (page 148 ff)
 37011 = Shank-tile gerade (page 113)
 59681 (59680) = Coved gutter tile (page 113)
 Outlet valve Silent 100 (page 86)
 Cover grating (page 84)

Legend:

- 01 UW-Silicone
- 02 Closed-cell polyethylene foam round lace
- 03 Elastic water-resistant filling material
- 04 Joint band

- 05 Slide bearing
- 06 Agrob Buchtal plastic cover grating
- 07 Capillary barrier/grouting (reaction resin filler)
- 08 Waterproof concrete (according to DIN EN 206/DIN 1045/DAfStB WU Guideline)
- 09 Conventional thick-bed laying
- 10 Thin-bed laying on cement render (P III, CS IV without added lime)
- 11 Sealing layer
- 12 Sealing tape
- 13 Outlet valve „Silent W 2000“ of Agrob Buchtal
- 14 Air inlet pipe for outlet „Silent 100“
- 15 Epoxi for joints (for the projekt sector)
- 16 Agrob Buchtal section stoneware pipe
- 17 Casing for water inlet/outlet pipe and brazing collar





Flexible alternative

In the case of this system, the elevated overflow edge is designed as a handhold. The covered channel, which collects the overflowing water, is located – viewed from the pool – directly behind it and ensures a smooth, low-noise water inflow thanks to its rounded shape.

Due to its design, the system Berlin is suitable for use in leisure and adventure pools, among others. With the overflow channel directly adjacent to the pool it can be considered as an alternative to the pool edge system Wiesbaden, but offers the advantage of greater flexibility: the width and depth of the channel are variable in the case of the pool edge system Berlin and can be exactly adapted to the local conditions.


64 System Berlin

Indoor swimming pool, Münster-Kinderhaus, Germany / Architect: Janßen Bär Partnerschaft
Series: Pool edge system Berlin, Chroma, Unique, Valley / Photo: Stephan Brendgen



Berlin

Plastic channel covers are available as accessories. The outlet valve Silent 100 from Agrob Buchtal, which is also suitable for combination with the system Berlin, helps to effectively reduce the noise level in the pool.



You will find the individual tiles and special pieces (= model numbers) of this system under

18120H = Chroma tile (page 148 ff)
55800 = Pool edging tile (page 93)
37031 = Supporting angle for grating (page 113)
Cover grating (page 84)

Legend:

- Legend:**

 - 01 UW-Silicone
 - 02 Closed-cell polyethylene foam round lace
 - 03 Elastic water-resistant filling material
 - 04 Joint band
 - 05 Slide bearing
 - 06 Agrob Buchtal plastic cover grating
 - 07 Capillary barrier/grouting (reaction resin filler)

08 Waterproof concrete (according to
DIN EN 206/DIN 1045/DAfStB WU Guideline)

09 Conventional thick-bed laying

19 Thin-bed laying on cement render

10 Thin bed laying on cement render
(P III, CS IV without added lime)
11 Sealing layer

11 Sealing layer
12 Sealing tape

12 Sealing tape
13 Outlet valve

13 Outlet valve „Silent W 2000“
of Agrob Buchtal

14 Air inlet pipe for outlet „Silent 100“

15 Epoxi for joints (for the projekt sector)

16 Agrob Buchtal section stoneware pipe

17 Casing for water inlet/outlet pipe and brazing collar






Designing with edging tiles


Like the pool edge system Berlin (presented on page 62), the Zürich system also has an elevated overflow edge, which serves as a handhold at the same time. However, the channel, which is covered with a plastic grating, is separated from the pool by edging tiles.

Thanks to the combination with pool edging tiles between the overflow edge and the drainage channel, the system is perfectly suitable for use in leisure and adventure pools. In addition, Zürich offers immense scope in terms of construction technique and aesthetic aspects. Thus, different channel volumes can be realized, depending on the requirements.

Kombibad Gropiusstadt, Berlin, Germany / Architect: Veauthier Meyer Architekten
Series: Pool edge system Zürich / Photo: Jochen Stüber



Zürich



You will find the individual tiles and special pieces (= model numbers) of this system under

18120H = Chroma tile (page 148 ff)
 55450 = Pool edging tile (page 92)
 37017 = Shank-tile (page 113)
 18210H = Chroma tile (page 148 ff)
 59681 = Coved gutter tile with outlet (page 113)
 59680 = Coved gutter tile (page 113)
 37011 = Shank-tile (page 113)
 Cover grating (page 84)
 Outlet valve Silent 100 (page 86)


Legend:

- 01 UW-Silicone
- 02 Closed-cell polyethylene foam round lace
- 03 Elastic water-resistant filling material
- 04 Joint band
- 05 Slide bearing
- 06 Agrob Buchtal plastic cover grating
- 07 Capillary barrier/grouting (reaction resin filler)

08 Waterproof concrete (according to
DIN EN 206/DIN 1045/DAfStB WU Guideline)

- 09 Conventional thick-bed laying
- 10 Thin-bed laying on cement render
(P III, CS IV without added lime)
- 11 Sealing layer
- 12 Sealing tape
- 13 Outlet valve „Silent W 2000“
of Agrob Buchtal
- 14 Air inlet pipe for outlet „Silent 100“
- 15 Epoxy for joints (for the projekt sector)
- 16 Agrob Buchtal section stoneware pipe
- 17 Casing for water inlet/outlet pipe and brazing collar





Low budget for private swimming pools


Wherever a low-cost solution for private pools is in demand, the Skimmer system is an ideal solution. For the water technology, only little effort is required. In terms of design, Skimmer offers individual freedom by different designs of the pool edge and the choice of suitable special pieces.

72 System Skimmer

Villa in Southern Germany / Architect: own planning / Series: Natural Ceramics / Photo: Herbert Bürger



Skimmer



You will find the individual tiles and special pieces (= model numbers) of this system under

18120H = Chroma tile (page 148 ff)
55520 = Pool edging tile Residence (page 93)

Legend:

- 01 UW-Silicone
- 02 Closed-cell polyethylene foam round lace
- 03 Elastic water-resistant filling material
- 04 Joint band
- 05 Slide bearing
- 06 Agrob Buchtal plastic cover grating
- 07 Capillary barrier/grouting (reaction resin filler)

08 Waterproof concrete (according to
DIN EN 206/DIN 1045/DAfStB WU Guideline)

09 Conventional thick-bed laying
10 Thin-bed laying on cement render
(P III, CS IV without added lime)

11 Sealing layer

12 Sealing tape


13 Outlet valve „Silent W 2000“
of Agrob Buchtal

14 Air inlet pipe for outlet „Silent 100“

15 Epoxi for joints (for the projekt sector)

16 Agrob Buchtal section stoneware pipe

17 Casing for water inlet/outlet pipe and brazing collar






Ceramics on the outside, carbon-reinforced concrete core

The new prefabricated parts for the refurbishment of older pool edges ensure very simple and time-saving construction processes. In addition, they enable long-lasting, resource-efficient and therefore sustainable renovation solutions.

In cooperation with the engineering service provider CARBOCON from Dresden, which is experienced in the field of the innovative building material carbon-reinforced concrete, Agrob Buchtal has developed a completely new renovation solution: a pool edge completely prefabricated with tiles and a core made of carbon-reinforced concrete.





Advantages of prefabrication

The prefabrication of the pool edges under controlled and quality-monitored workshop conditions enables energy- and resource-efficient production processes and minimized waste quantities – and a product quality which can not be achieved on construction sites. But also the construction processes on site are much simpler with the prefabricated parts because complicated work steps and the involvement of many different trades are not required. The overall construction time is also reduced because formwork, pouring and drying of the in-situ concrete are no longer necessary. To further improve the carbon footprint, Agrob Buchtal relies on short delivery routes and has the prefabricated parts produced with reusable formwork.

Pool edges as ceramic prefabricated parts: simple and quick installation on site

To be able to install the prefabricated parts, which usually are 2.5 metres long, the old pool edges, independent of the manufacturer or type, are cut out first of all. The result is precise horizontal and vertical cutting edges onto which – after pre-treatment of the cut steel reinforcement and sealing of the cut surface – the new prefabricated pool edges are simply placed in mortar. The position of existing channel drains is measured project-specifically and taken into account at the production of the prefabricated parts. Finally, the connection works to the pool surround (such as e.g. capillary barrier) and to the pool tiles are carried out. As the transition to the existing pool tiles – provided that these are retained – is considerably below the water level, possible differences in color between the tiles and the joints are hardly visible, so that the pool edge and the pool appear as a uniform whole as before.

Detailed information and prices on request.



to the film



Series: Pool edge system Wiesbaden Silent










Ceramic channel cover for private and hotel pools

Exclusive design options are opened up by the pool edge system "Wiesbaden Stil": by using the ceramic channel cover, the entire pool surround inclusive of the pool edge can be designed in a uniform look. The colors and the special surfaces of the tile series Area Pro, Ascona, Quarzit, Valley and Emotion are available. The supports and base plates of the channel cover are also supplied in matching colors. The cover is slip-resistant and very robust. Plug-in connections ensure quick and easy laying. On request, different formats and free forms are also available. Water flow rate: free cross-section 245 cm²/m in case of the standard hole pattern.

Rendering / Series: Area Pro


Cross-section

Cover tile 8 mm
(Quarzit)




Cross-section


Cover tile 10.5 mm (Area Pro)
Cover tile 10 mm (Valley)




External corner



Internal corner




Ceramic cover grating



Available surfaces:

Area Pro, Ascona, Emotion, Quarzit, Valley



Rendering / Series: Area Pro

Only applies to the ceramic covering material:
 Extruded Ceramic Tiles, Precision, DIN EN 14411, group Al_b, unglazed (UGL) for floor and wall coverings in indoor and outdoor areas (porcelain stoneware tiles) //
 Dry-pressed Ceramic Tiles, DIN EN 14411, group Bl_a, unglazed (UGL)
 for floor and wall coverings in indoor and outdoor areas (porcelain stoneware tiles)

External Corner



Internal Corner



External Corner



Internal Corner





Design Area Pro	Design Area Pro	Design Area Pro
53510H 25 x 50 / 10 x 20 253 x 500 x 37.5 ^{2/3} smooth, matt 2.000 13.540/m 1 0.500 6.770 Bla R11/B 430352-53510H¹ PG: A731(St.)	53512H 30 x 30 / 12 x 12 253 x 306/306 x 37.5 ^{2/4} smooth, matt 4.781/pieces 1 4.781 4.781 R11/B 430352-53512H¹ PG: A781(St.)	53511H 30 x 30 / 12 x 12 253 x 302/302 x 37.5 ^{2/4} smooth, matt 4.781/pieces 1 4.781 4.781 430352-53511H¹ PG: A781(St.)

Design Quarzit	Design Quarzit	Design Quarzit
53510H 25 x 50 / 10 x 20 253 x 500 x 35 ^{2/5} structured, matt 2 12.212/m 1 0.500 6.106 Alb R11/B 8462-53510H¹ Price gr. A731 (pce.)	53512H 30 x 30 / 12 x 12 253 x 306/306 x 35 ^{2/6} structured, matt 4.312/pieces 1 4.312 4.312 R11/B 8462-53512H¹ Price gr. A781 (pce.)	53511H 30 x 30 / 12 x 12 253 x 302/302 x 35 ^{2/6} structured, matt 4.312/pieces 1 8462-53511H¹ Price gr. A781 (pce.)

Model number

Nom. dim. - cm/in

Work size mm

Surface

m - pieces

m/pce. - kg

Bundle - pieces

Bundle - m

Bundle - kg

Product standard

Slip resistance

antracite V2

sand-beige V4



Model number

Nom. dim. - cm/in

Work size mm

Surface

m - pieces

m/pce. - kg

Bundle - pieces

Bundle - m

Bundle - kg

Product standard

Slip resistance

antracite V2


sand-beige V4



External Corner



Internal Corner





Design Valley structured, upgraded	Design Valley structured, upgraded	Design Valley structured, upgraded
53510 25 x 50 / 10 x 20 253 x 500 x 37 ^{2/7} structured, matt 2 13.274/m 1 0.500 6.637 Bla R11/B 052036-53510¹ Price gr. A731 (pce.)	53512 30 x 30 / 12 x 12 253 x 306/306 x 37 ^{2/8} structured, matt 4.687/pieces 1 4.687 4.687 Bla R11/B 052036-53512¹ Price gr. A781 (pce.)	53511 30 x 30 / 12 x 12 253 x 302/302 x 37 ^{2/8} structured, matt 4.687/pieces 1 052036-53511¹ Price gr. A781 (pce.)

Design Valley structured, upgraded	Design Valley structured, upgraded	Design Valley structured, upgraded
53510 25 x 50 / 10 x 20 253 x 500 x 37 ^{2/7} structured, matt 2 13.274/m 1 0.500 6.637 Bla R11/B 052036-53510¹ Price gr. A731 (pce.)	53512 30 x 30 / 12 x 12 253 x 306/306 x 37 ^{2/8} structured, matt 4.687/pieces 1 4.687 4.687 Bla R11/B 052036-53512¹ Price gr. A781 (pce.)	53511 30 x 30 / 12 x 12 253 x 302/302 x 37 ^{2/8} structured, matt 4.687/pieces 1 052036-53511¹ Price gr. A781 (pce.)

Model number

Nom. dim. - cm/in

Work size mm

Surface

m - pieces

m/pce. - kg

Bundle - pieces

Bundle - m

Bundle - kg

Product standard

Slip resistance

slate V2





Model number

Nom. dim. - cm/in

Work size mm

Surface

m - pieces

m/pce. - kg

Bundle - pieces

Bundle - m

Bundle - kg

Product standard

Slip resistance

slate V2







² Element size in built-in state incl. joint

³ complete element incl. plugs: 253 x 506 x 37.5 mm

⁴ complete element incl. plugs: 253 x 312/309 x 37.5 mm

⁵ complete element incl. plugs: 253 x 506 x 35 mm

⁶ complete element incl. plugs: 253 x 312/309 x 35 mm

⁷ complete element incl. plugs: 253 x 506 x 37 mm

⁸ complete element incl. plugs: 253 x 312/309 x 37 mm

Note: according to DIN 19643-1, the volume flow rates in relation to the free cross-section of the ceramic channel cover must be proved.
Free cross-section: approx. 245 cm²/m




Other colors / designs can be realized on request.


Top-quality cover gratings

Even with regard to details which are often hardly noticed, high quality pays off: cover gratings from Agrob Buchtal, available as transverse or parallel gratings, are made of high-quality, high impact strength plastics with UV absorber, connection of the individual slats by means of tear-resistant PUR round cord and intermediate rolls in a color matching the individual slats. The gratings are designed for the loads to be expected by being walked on barefoot. It is almost impossible to break individual rods.

Transverse gratings



Parallel gratings



Transverse gratings, flexible¹

Grating thickness	25 mm	25 mm
Grating width	191 mm	250 mm
Article-no.	R10000	R10100
Transverse grating, flexible	Price gr. A722 (lin. m.)	Price gr. A731 (lin. m.)


Transverse gratings, rigid, for the low-noise channel³

Grating thickness	25 mm	25 mm
Grating width	191 mm	250 mm
Article-no.	R20000	R20100
Transverse grating	Price gr. A731 (lin. m.)	Price gr. A757 (lin.m.)
Article-no.	R21000	R21100
Mitred corners 1E+AE+Special ²	Price gr. A750 (pce.)	Price gr. A766 (pce.)


¹ Also available as fan-shaped corner and curved grating. Prices on request.

² All corner elements are rigid.


³ Also available as curved grating. Price on request.



Fan-shaped corner, art. no.: R12100
Transverse grating, 250 mm wide




Mitred corner, art. no.: R21100
Transverse grating, 250 mm wide



Art. no.: R40100
Inclined transverse grating,
250 mm wide

Parallel gratings, rigid⁵

Grating thickness	25 mm
Grating width	250 mm
Article-No.	R50100
Parallel grating	Price gr. A748 (lin. m.)
Article-No.	R51100
Mitred corners 1E+AE+Special ⁴	Price gr. A791 (pce.)



Mitred corner, art. no.: R51100
Parallel grating, 250 mm wide

⁴ All corner elements are rigid.

⁵ Not available as curved gratings for technical reasons.

Survey of colors:

Distinction by the last figure of the article number




Last figure 0 = Standard colors (grey = RAL7001 / white = RAL9010 /

beige = RAL1001 /yellow = RAL1018)

Last figure 1 = Semi-colors (light ivory = RAL1015 / traffic blue = RAL5017 /

traffic red = RAL3020 / deep black = RAL9005)

Last figure 2 = Special colors according to RAL (except Metallic shades)

Outlet valve Silent W 2000
(patented)**Outlet valve Silent 100**
(patented)
With optimized connecting system**Outlet**
(brass with sieve
of V4A)


Draining volume
max. 2,4 m³/h
(installation with
gutter tile)

The water drainage takes place almost silently at a considerably increased flow rate. Silent W 2000 and Silent 100 consist of high-quality material (PVC-free) which is equally resistant to water treated with chlorine, salt, ozone, thermal and mineral water as to the cleaning agents normally used in swimming pools.

Ø 75 mm	Ø 86 mm	Ø 100 mm	1½ inches	Fits opening with
Fits overflow channel 55141, 86161	Fits overflow channels 55101, 85161, 55181, 85191, 95161, 87161, 85181	Fits coved gutter tile 59681	Fits coved gutter tile 54421	
178 Price gr. A723 (pce.)	179 Price gr. A723 (pce.)	177 Price gr. A723 (pce.)	182 Price gr. A668 (pce.)	Article-No.
178-S (black) Price gr. A731 (pce.)	179-S (black) Price gr. A731 (pce.)			Article-No.


Note: Rebate for accessories is separately regulated!
No pallet rebate is granted for the products shown on this page.

Paracelsus Bad & Kurhaus, Salzburg, Austria / Architect: Berger + Parkkinen / Series: Pool edge systems Wiesbaden, Savona / Photo: Christian Richters





Swimming pool special pieces




Variety of practical special pieces

No matter how complex a pool design may be – a variety of well thought-out and solid ceramic special pieces guarantee a problem-free realization. The appropriate pool end pieces can be combined from the various systems according to the modular principle. Special forms such as rounded edges with profiled edgings, skirtings or cove skirtings in diverse designs ensure a minimum risk of injury and maximum ease of cleaning and care as well as robustness.

- Pool edging tiles
- Skirtings
- Profiled edgings
- Profiled edgings
- Grooved tiles
- Special tiles

90 Pool edging tiles






At the pool edge

Pool edging tiles can be found in all pool edge designs at which the edge is not already part of the pool edge system, such as the system Wiesbaden, for example. Or for bordering the pool in places where no drainage channel is provided. They have several functions: in addition to a colored marking of the pool edge both inside and outside the pool, pool edging tiles offer above all a safe hold for the swimmer and therefore are an important safety feature. For different designs of the pool edge, several variants are available, some of which can be used across different types of design.

Terrassenbad, Baden, Switzerland / Architect: Bridevaux M. + Zimmermann M. Architekten AG, Baden / Series: Plural unglazed / Photo: Adriano Faragulo

e.g. for the Systems Zürich, Wiesbaden with decreased water level, "Skimmer" etc.³




Art. no. 55440

	Pool edging tile	"Half-size" Pool edging tile	Internal corner (mitred pair)	External corner (mitred pair) Corner radius 30 mm				
Model number	55440	55445	55442	55446				
Nom. dim. - cm								
Work size mm	244 x 119/50 x 20	119 x 119/50 x 20	(2x) 112 x 112/50 x 20	(2x) 236 x 119/50 x 20				
m - pieces	4.000	8.000						
Pce./pair - kg	1.550/pieces	0.780/pieces	0.600/pair	2.500/pair				
Bundle - pce./pair	10 pieces	20 pieces	2 pairs	5 pairs				
Bundle - m	2.500	2.500						
Bundle - kg	15.500	15.600	1.200	12.500				
Product standard	Alb	Alb	Alb	Alb				
Slip resistance	-/C	-/C	-/C	-/C				
grey-beige <input checked="" type="checkbox"/>	900-55440 Price gr. A511 (pce.)	900-55445 Price gr. A467 (pce.)	900-55442 Price gr. A533 (pair)	900-55446 Price gr. A608 (pair)				
900 grey-beige <input checked="" type="checkbox"/>	700-55440 Price gr. A528 (pce.)	700-55445 Price gr. A475 (pce.)	700-55442 Price gr. A545 (pair)	700-55446 Price gr. A625 (pair)				
700 n10/white gl. <input checked="" type="checkbox"/>	701-55440 Price gr. A528 (pce.)	701-55445 Price gr. A475 (pce.)	701-55442 Price gr. A545 (pair)	701-55446 Price gr. A625 (pair)				
900 grey-beige	701 n10/white matt <input checked="" type="checkbox"/>	552001-55440 Price gr. A545 (pce.)	552001-55445 Price gr. A484 (pce.)	552001-55442 Price gr. A560 (pair)	552001-55446 Price gr. A645 (pair)			
900 grey-beige	552001 act. azure <input checked="" type="checkbox"/>	552002-55440 Price gr. A545 (pce.)	552002-55445 Price gr. A484 (pce.)	552002-55442 Price gr. A560 (pair)	552002-55446 Price gr. A645 (pair)			
552002 light azure <input checked="" type="checkbox"/>	5716-55440² Price gr. A545 (pce.)	5716-55445² Price gr. A484 (pce.)	5716-55442² Price gr. A560 (pair)	5716-55446² Price gr. A645 (pair)				
900 grey-beige	5716 n1/black <input checked="" type="checkbox"/>	5716-55440² Price gr. A545 (pce.)						



e.g. for the Systems Zürich, Wiesbaden with decreased water level, "Skimmer" etc.⁴



Art. no. 55450

	Pool edging tile lower edge unglazed	"Half-size" Pool edging tile	Internal corner (mitred pair)	External corner (mitred pair) Corner radius 30 mm				
Model number	55450	55455	55452	55456				
Nom. dim. - cm								
Work size mm	244 x 180/119 x 28	119 x 180/119 x 28	(2x) 173 x 173 x 28	(2x) 236 x 180/119 x 28				
m - pieces	4.000	8.000						
Pce./pair - kg	3.700/pieces	1.800/pieces	1.800/pair	5.500/pair				
Bundle - pce./pair	4 pieces	8 pieces	2 pairs	1 pair				
Bundle - m	1.000	1.000						
Bundle - kg	14.800	14.400	3.600	5.500				
Product standard	Alb	Alb	Alb	Alb				
Slip resistance	-/C <input checked="" type="checkbox"/>							
81 n10/white	900039-55450 Price gr. A625 (pce.)	900039-55455 Price gr. A560 (pce.)	900039-55452 Price gr. A663 (pair)	900039-55456 Price gr. A748 (pair)				
700 n10/white gl. <input checked="" type="checkbox"/>	900464-55450 Price gr. A625 (pce.)	900464-55455 Price gr. A560 (pce.)	900464-55452 Price gr. A663 (pair)	900464-55456 Price gr. A748 (pair)				
81 n10/white	900674-55450 Price gr. A645 (pce.)	900674-55455 Price gr. A573 (pce.)	900674-55452 Price gr. A683 (pair)	900674-55456 Price gr. A766 (pair)				
552001 act. azure <input checked="" type="checkbox"/>	900615-55450² Price gr. A645 (pce.)	900615-55455² Price gr. A573 (pce.)	900615-55452² Price gr. A683 (pair)	900615-55456² Price gr. A766 (pair)				
81 n10/white	900615-55450² Price gr. A645 (pce.)							
552002 light azure <input checked="" type="checkbox"/>								
81 n10/white								
5716 n1/black <input checked="" type="checkbox"/>								

¹ For cover gratings, refer to page 84, coved gutter tiles refer to page 113

² For reasons of production, differences in color between special pieces and standard tiles can occur.

³ In the case of these special pieces, the overhang and the grooves are glazed in the respective colors.

⁴ In the case of these special pieces, the overhang and the grooves are glazed in the respective colors, the tread surface is white (81).








No pallet rebate is granted for the products shown on this page.



The products shown on this page can also be produced in other colors of the series Chroma and Chroma non-slip. We will be pleased to check the possibility of such a special production upon request.

e.g. for the Systems Zürich, Wiesbaden with decreased water level, "Skimmer" etc.⁴



25 x 30 cm



Residence ²	Internal corner 4 parts	External corner 4 parts	Pool edging tile	"Half-size" Pool edging tile	Internal corner (mitred pair)	External corner (mitred pair) Corner radius 30 mm	Model number
55520	55522	55526	55460	55465	55462	55466	Nom. dim. - cm/in
25 x 30 / 10 x 12			244 x 180/119 x 25	119 x 180/119 x 25	(2x) 173 x 173 x 25	(2x) 236 x 180/119 x 25	Work size mm
244 x 300 x 20/42	(2x) 398/102 x 300 x 20/42	(2x) 490 x 300 x 20/42	4.000	8.000			m - pieces
4.000			3.720/pieces	1.800/pieces	1.500/pair	5.700/pair	Pce./pair - kg
4.300/pieces	11.900/pieces	11.900/pieces	4 pieces	8 pieces	4 pairs	1 pair	Bundle - pce./pair
4 pieces	1 piece	1 piece	1.000	1.000			Bundle - m
1.000			14.880	14.400	6.000	5.700	Bundle - kg
17.200	11.900	11.900	Alb	Alb	Alb	Alb	Product standard
Alb	Alb	Alb					Slip resistance
-/B	-/B	-/B					neutral 10 (active white glossy) <input checked="" type="checkbox"/>
			700-55460 Price gr. A625 (pce.)	700-55465 Price gr. A560 (pce.)	700-55462 Price gr. A654 (pair)	700-55466 Price gr. A734 (pair)	neutral 10 (active white matt) <input checked="" type="checkbox"/>
			701-55460 Price gr. A625 (pce.)	701-55465 Price gr. A560 (pce.)	701-55462 Price gr. A654 (pair)	701-55466 Price gr. A734 (pair)	active azure <input checked="" type="checkbox"/>
			552001-55460 Price gr. A645 (pce.)	552001-55465 Price gr. A573 (pce.)	552001-55462 Price gr. A683 (pair)	552001-55466 Price gr. A748 (pair)	light azure <input checked="" type="checkbox"/>
			552002-55460 Price gr. A645 (pce.)	552002-55465 Price gr. A573 (pce.)	552002-55462 Price gr. A683 (pair)	552002-55466 Price gr. A748 (pair)	neutral 1 <input checked="" type="checkbox"/>
			5716-55460³ Price gr. A645 (pce.)	5716-55465³ Price gr. A573 (pce.)	5716-55462³ Price gr. A683 (pair)	5716-55466³ Price gr. A748 (pair)	(deep black) <input checked="" type="checkbox"/>
91-55520	91-55522	91-55526					neutral 10 (active white) <input checked="" type="checkbox"/>
Price gr. A514 (pce.)	Price gr. A668 (pair)	Price gr. A741 (pair)					active azure <input checked="" type="checkbox"/>
553001-55520	553001-55522	553001-55526	Price gr. A683 (pair)	Price gr. A757 (pair)			
Price gr. A528 (pce.)							



for System Berlin



			Pool edging tile	"Half-size" Pool edging tile	Internal corner (mitred pair)	External corner (mitred pair) Corner radius 30 mm	Art. no. 55800
			55800	55805	55802	55806	Model number
			244 x 150/119 x 25/30	119 x 150/119 x 25/30	(2x) 143 x 143/119	(2x) 236 x 150/119 x 25/30	Nom. dim. - cm/in
			4.000	8.000			Work size mm
			3.700/pieces	1.800/pieces	1.600/pair	5.400/pair	m - pieces
			3 pieces	6 pieces	1 pair	1 pair	Pce./pair - kg
			0.750	0.750			Bundle - pce./pair
			11.100	10.800	1.600	5.400	Bundle - m
			Alb	Alb	Alb	Alb	Bundle - kg
			700-55800 Price gr. A638 (pce.)	700-55805 Price gr. A577 (pce.)	700-55802 Price gr. A668 (pair)	700-55806 Price gr. A754 (pair)	Product standard
			701-55800 Price gr. A638 (pce.)	701-55805 Price gr. A577 (pce.)	701-55802 Price gr. A668 (pair)	701-55806 Price gr. A754 (pair)	neutral 10 (active white glossy) <input checked="" type="checkbox"/>
			552001-55800 Price gr. A654 (pce.)	552001-55805 Price gr. A587 (pce.)	552001-55802 Price gr. A683 (pair)	552001-55806 Price gr. A766 (pair)	neutral 10 (active white matt) <input checked="" type="checkbox"/>
			552002-55800 Price gr. A654 (pce.)	552002-55805 Price gr. A587 (pce.)	552002-55802 Price gr. A683 (pair)	552002-55806 Price gr. A766 (pair)	active azure <input checked="" type="checkbox"/>
			5716-55800³ Price gr. A654 (pce.)	5716-55805³ Price gr. A587 (pce.)	5716-55802³ Price gr. A683 (pair)	5716-55806³ Price gr. A766 (pair)	light azure <input checked="" type="checkbox"/>
			Price gr. A654 (pce.)	Price gr. A587 (pce.)	Price gr. A683 (pair)	Price gr. A766 (pair)	neutral 1 <input checked="" type="checkbox"/>



The products shown on this page can also be produced in other colors of the series Chroma and Chroma non-slip. We will be pleased to check the possibility of such a special production upon request.

¹ For cover gratings, refer to page 84, coved gutter tiles refer to page 113

² For this article, conic cuts are possible upon request.

³ For reasons of production, differences in color between special pieces and standard tiles can occur.


⁴ In the case of these special pieces, the overhang and the grooves are glazed in the respective colors.

No pallet rebate is granted for the products shown on this page.







Skirtings combined with profiled edgings



Cove skirting combined with profiled edgings




Radius 33 mm²



Skirting, r = 33 mm	Skirting "half-size"	End-skirting	Internal corner mitred pair	External corner mitred pair	Internal corner for skirtings for connection on 3 sides	Internal corner for the connection of cove skirting 37080 and skirting 17190	Model number
17190	17193	17191	17196	17194	17112	37088	Nom. dim.
244 x r33 x 6	119 x r33 x 6	244 x r33 x 6	244/244 x r33 x 6	127/127 x r33 x 6	33 x 33 x 33	125 x r33 x 8	Work size mm
4.000	8.000						m - pieces
0.300/pieces	0.140/pieces	0.300/pieces	0.550/pair	0.350/pair	0.090/pieces	0.300/pieces	Pce./pair - kg
54 pieces	108 pieces	54 pieces	27 pairs	24 pairs			Bundle - pce./pair
13.500	13.500						Bundle - m
16.200	15.120	16.200	14.850	8.400			Bundle - kg
Alb	Alb	Alb	Alb	Alb	Alb	Alb	Product standard
700-17190	700-17193	700-17191	700-17196	700-17194	700-17112	700-37088	4 neutral 10 (active white glossy) <input checked="" type="checkbox"/>
Price gr. A423 (pce.)	Price gr. A413 (pce.)	Price gr. A425 (pce.)	Price gr. A471 (pair)	Price gr. A471 (pair)	Price gr. A434 (pce.)	Price gr. A480 (pce.)	701-17190
701-17190	701-17193	701-17191	701-17196	701-17194	701-17112	701-37088	4 neutral 10 (active white matt) <input checked="" type="checkbox"/>
Price gr. A423 (pce.)	Price gr. A413 (pce.)	Price gr. A425 (pce.)	Price gr. A471 (pair)	Price gr. A471 (pair)	Price gr. A434 (pce.)	Price gr. A480 (pce.)	552001-17190
552001-17190	552001-17193	552001-17191	552001-17196	552001-17194	552001-17112	552001-37088	2
Price gr. A425 (pce.)	Price gr. A416 (pce.)	Price gr. A428 (pce.)	Price gr. A475 (pair)	Price gr. A475 (pair)	Price gr. A438 (pce.)	Price gr. A484 (pce.)	Price gr. A425 (pce.)
552002-17190	552002-17193	552002-17191	552002-17196	552002-17194	552002-17112	552002-37088	4 active azure <input checked="" type="checkbox"/>
Price gr. A425 (pce.)	Price gr. A416 (pce.)	Price gr. A428 (pce.)	Price gr. A475 (pair)	Price gr. A475 (pair)	Price gr. A438 (pce.)	Price gr. A484 (pce.)	5716-17190³
5716-17190³	5716-17193³	5716-17191³	5716-17196³	5716-17194³	5716-17112³	5716-37088³	1 neutral 1 <input checked="" type="checkbox"/>
Price gr. A425 (pce.)	Price gr. A416 (pce.)	Price gr. A428 (pce.)	Price gr. A475 (pair)	Price gr. A475 (pair)	Price gr. A438 (pce.)	Price gr. A484 (pce.)	900-17190²
900-17190²	900-17193²	900-17191²	900-17196²	900-17194²	900-17112²	900-37088²	(deep black) <input checked="" type="checkbox"/>
Price gr. A428 (pce.)	Price gr. A416 (pce.)	Price gr. A434 (pce.)	Price gr. A487 (pair)	Price gr. A487 (pair)	Price gr. A442 (pce.)	Price gr. A480 (pce.)	grey-beige <input checked="" type="checkbox"/>



Radius 60 mm



Skirting, r = 60 mm	Skirting "half-size"	End-skirting	Internal corner mitred pair	External corner mitred pair	Internal corner for skirtings for connection on 3 sides	External corner for connection skirting 18190 and profiled edging 37125	Model number
18190	18193	18191	18196	18194	18192	37186	Nom. dim.
244 x r60 x 8	119 x r60 x 8	244 x r60 x 8	244/244 x r60 x 8	127/127 x r60 x 8	60 x 60 x 60		Work size mm
4.000	8.000						m - pieces
0.700/pieces	0.340/pieces	0.700/pieces	1.300/pair	0.850/pair	0.100/pieces	0.350/pieces	Pce./pair - kg
18 pieces	36 pieces	18 pieces	9 pairs	7 pairs			Bundle - pce./pair
4.500	4.500						Bundle - m
12.600	12.240	12.600	11.700	5.950			Bundle - kg
Alb	Alb	Alb	Alb	Alb	Alb	Alb	Product standard
700-18190	700-18193	700-18191	700-18196	700-18194	700-18192	700-37186	4 neutral 10 (active white glossy) <input checked="" type="checkbox"/>
Price gr. A458 (pce.)	Price gr. A438 (pce.)	Price gr. A471 (pce.)	Price gr. A506 (pair)	Price gr. A506 (pair)	Price gr. A449 (pce.)	Price gr. A528 (pce.)	701-18190
701-18190	701-18193	701-18191	701-18196	701-18194	701-18192	701-37186	4 neutral 10 (active white matt) <input checked="" type="checkbox"/>
Price gr. A458 (pce.)	Price gr. A438 (pce.)	Price gr. A471 (pce.)	Price gr. A506 (pair)	Price gr. A506 (pair)	Price gr. A449 (pce.)	Price gr. A528 (pce.)	552001-18190
552001-18190	552001-18193	552001-18191	552001-18196	552001-18194	552001-18192	552001-37186	2
Price gr. A463 (pce.)	Price gr. A441 (pce.)	Price gr. A475 (pce.)	Price gr. A511 (pair)	Price gr. A511 (pair)	Price gr. A452 (pce.)	Price gr. A539 (pce.)	Price gr. A463 (pce.)
552002-18190	552002-18193	552002-18191	552002-18196	552002-18194	552002-18192	552002-37186	4 active azure <input checked="" type="checkbox"/>
Price gr. A463 (pce.)	Price gr. A441 (pce.)	Price gr. A475 (pce.)	Price gr. A511 (pair)	Price gr. A511 (pair)	Price gr. A452 (pce.)	Price gr. A539 (pce.)	5716-18190³
5716-18190³	5716-18193³	5716-18191³	5716-18196³	5716-18194³	5716-18192³	5716-37186³	1 neutral 1 <input checked="" type="checkbox"/>
Price gr. A463 (pce.)	Price gr. A441 (pce.)	Price gr. A475 (pce.)	Price gr. A511 (pair)	Price gr. A511 (pair)	Price gr. A452 (pce.)	Price gr. A539 (pce.)	900-18190¹
900-18190¹	900-18193¹	900-18191¹	900-18196¹	900-18194¹	900-18192¹	900-37186¹	(deep black) <input checked="" type="checkbox"/>
Price gr. A467 (pce.)	Price gr. A445 (pce.)	Price gr. A480 (pce.)	Price gr. A519 (pair)	Price gr. A519 (pair)	Price gr. A455 (pce.)	Price gr. A545 (pce.)	grey-beige <input checked="" type="checkbox"/>



¹ System also available in a length of 294 mm on request

² For reasons of production, differences in color between special pieces and standard tiles can occur.



The products shown on this page can also be produced in other colors of the series Chroma non-slip. We will be pleased to check the possibility of such a special production upon request.

Cove skirtings

25 x 6,6 cm



25 x 12,5 cm



	Berlin skirting	External corner	Internal corner	Skirting, <i>r</i> = 12 mm	External corner mitred pair	Internal corner mitred pair	
Model number	37090	37091	37092	37080	37081	37082	
Nom. dim. - cm/in	25 x 6,6 / 10 x 2 5/8			25 x 12,5 / 10 x 5			
Work size mm	244 x 60/8 x 6	(2x) 35 x 60/8 x 6	(2x) 25 x 60/8 x 6	244 x 125/12 x 8	(2x) 131 x 125/12 x 8	(2x) 119 x 125/12 x 8	
m - pieces	4.000			4.000			
Pce./pair - kg	0.230/piece	0.100/piece	0.100/piece	0.630/piece	0.600/pair	0.400/pair	
Bundle - pce./pair	40 pieces	72 pieces	192 pieces	20 pieces	10 pairs	10 pairs	
Bundle - m	10.000			5.000			
Bundle - kg	9.200	7.200	19.200	12.600	6.000	4.000	
Product standard				Alb	Alb	Alb	
neutral 10 (active white glossy)	<input checked="" type="checkbox"/>			700-37080	700-37081	700-37082	
neutral 10 (active white matt)	<input type="checkbox"/>	701-37090	701-37091	701-37092	701-37080	701-37081	701-37082
	Price gr. A434 (pce.)	Price gr. A463 (pce.)	Price gr. A463 (pce.)	Price gr. A434 (pce.)	Price gr. A475 (pair)	Price gr. A475 (pair)	Price gr. A475 (pair)



Skirtings

20 x 7.9 cm



25 x 7.9 cm



30 x 7.9 cm



25 x 6,2 cm



20 x 10 cm



25 x 12,5 cm



	44025	34020	44026	37024	37023	37021	
Model number							
Nom. dim. - cm/in	20 x 7,9 / 8 x 3 1/8	25 x 7,9 / 10 x 3 1/8	30 x 7,9 / 12 x 3 1/8	25 x 6,2 / 10 x 2 1/2	20 x 10 / 8 x 4	25 x 12,5 / 10 x 5	
Work size mm	194 x 73 x 8	244 x 73 x 8	294 x 73 x 8	244 x 56/56 x 8	194 x 94/56 x 8	244 x 119/56 x 8	
m - pieces	5.000	4.000	3.333	4.000	5.000	4.000	
Pieces - kg	0.240	0.290	0.360	0.440	0.510	0.730	
Bundle - pieces	33	33	30	24	10	10	
Bundle - m	6.600	8.250	9.000	6.000	2.000	2.500	
Bundle - kg	7.920	9.570	10.800	10.560	5.100	7.300	
Product standard				Alb	Alb	Alb	
neutral 10 (active white glossy)	<input checked="" type="checkbox"/>			700-37024	700-37023	700-37021	
neutral 10 (active white matt)	<input type="checkbox"/>	701-44025	701-34020	701-44026	701-37024	701-37023	701-37021
	Price gr. A410 (pce.)	Price gr. A410 (pce.)	Price gr. A411 (pce.)	Price gr. A423 (pce.)	Price gr. A434 (pce.)	Price gr. A441 (pce.)	Price gr. A441 (pce.)



Nosing Tiles

Radius 30 mm



244
119



125

Profiled edging, r = 30 mm	"half-size" profiled edging	Corner piece	External corner for the connection of skirting 17190 and profiled edging 37120	External corner for the connection of cove skirting 37080 and profiled edg. 37120	Internal corner for the connection of skirting 17190 and profiled edging 37120	Model number
37120	37121	37122	37180	37188	37182	Nom. dim. - cm
244 x r30 x 8	119 x r30 x 8					Work size mm
4.000	8.000					m - pieces
0.190	0.100	0.030	0.120	0.300	0.090	Pieces - kg
99	198					Bundle - pieces
24.750	24.750					Bundle - m
18.810	19.800					Bundle - kg
Alb	Alb	Alb	Alb	Alb	Alb	Product standard
see below	see below	see below	see below	see below	see below	Slip resistance
700-37120 Price gr. A438 (pce.)	700-37121 Price gr. A423 (pce.)	700-37122 Price gr. A467 (pce.)	700-37180 Price gr. A480 (pce.)	700-37188 Price gr. A519 (pce.)	700-37182 Price gr. A519 (pce.)	4 neutral 10 (active white glossy) V0
701-37120 Price gr. A438 (pce.)	701-37121 Price gr. A423 (pce.)	701-37122 Price gr. A467 (pce.)	701-37180 Price gr. A480 (pce.)	701-37188 Price gr. A519 (pce.)	701-37182 Price gr. A519 (pce.)	4 neutral 10 (active white matt) V0
552001-37120 Price gr. A441 (pce.)	552001-37121 Price gr. A425 (pce.)	552001-37122 Price gr. A471 (pce.)	552001-37180 Price gr. A484 (pce.)	552001-37188 Price gr. A528 (pce.)	552001-37182 Price gr. A528 (pce.)	2 active azure V0
552002-37120 Price gr. A441 (pce.)	552002-37121 Price gr. A425 (pce.)	552002-37122 Price gr. A471 (pce.)	552002-37180 Price gr. A484 (pce.)	552002-37188 Price gr. A528 (pce.)	552002-37182 Price gr. A528 (pce.)	4 light azure V0
5716-37120² Price gr. A441 (pce.)	5716-37121² Price gr. A425 (pce.)	5716-37122² Price gr. A471 (pce.)	5716-37180² Price gr. A484 (pce.)	5716-37188² Price gr. A528 (pce.)	5716-37182² Price gr. A528 (pce.)	1 neutral 1 (deep black) V0
-B ☒	-B ☒	-B ☒	-B ☒	-B ☒	-B ☒	-B ☒
91-37120 Price gr. A445 (pce.)	91-37121 Price gr. A428 (pce.)	91-37122 Price gr. A475 (pce.)	91-37180 Price gr. A489 (pce.)	91-37188 Price gr. A539 (pce.)	91-37182 Price gr. A539 (pce.)	neutral 10 (active white) V0
-B ☒	-B ☒	-B ☒	-B ☒	-B ☒	-B ☒	-B ☒
553001-37120 Price gr. A449 (pce.)	553001-37121 Price gr. A430 (pce.)	553001-37122 Price gr. A480 (pce.)	553001-37180 Price gr. A506 (pce.)	553001-37188 Price gr. A545 (pce.)	553001-37182 Price gr. A545 (pce.)	active azure V0
-B ☒	-B ☒	-B ☒	-B ☒	-B ☒	-B ☒	-B ☒
553002-37120 Price gr. A449 (pce.)	553002-37121 Price gr. A430 (pce.)	553002-37122 Price gr. A480 (pce.)	553002-37180 Price gr. A506 (pce.)	553002-37188 Price gr. A545 (pce.)	553002-37182 Price gr. A545 (pce.)	light azure V0
-B ☒	-B ☒	-B ☒	-B ☒	-B ☒	-B ☒	-B ☒
340-37120 Price gr. A449 (pce.)	340-37121 Price gr. A430 (pce.)	340-37122 Price gr. A480 (pce.)	340-37180 Price gr. A506 (pce.)	340-37188 Price gr. A545 (pce.)	340-37182 Price gr. A545 (pce.)	neutral 1 (deep black) V0
-C ☒	-C ☒	-C ☒	-C ☒	-C ☒	-C ☒	-C ☒
81-37120 Price gr. A445 (pce.)	81-37121 Price gr. A428 (pce.)	81-37122 Price gr. A475 (pce.)	81-37180 Price gr. A489 (pce.)	81-37188 Price gr. A539 (pce.)	81-37182 Price gr. A539 (pce.)	neutral 10 (active white) V0
-C ☒	-C ☒	-C ☒	-C ☒	-C ☒	-C ☒	-C ☒
554001-37120 Price gr. A449 (pce.)	554001-37121 Price gr. A430 (pce.)	554001-37122 Price gr. A480 (pce.)	554001-37180 Price gr. A506 (pce.)	554001-37188 Price gr. A545 (pce.)	554001-37182 Price gr. A545 (pce.)	active azure V0
-C ☒	-C ☒	-C ☒	-C ☒	-C ☒	-C ☒	-C ☒
554002-37120 Price gr. A449 (pce.)	554002-37121 Price gr. A430 (pce.)	554002-37122 Price gr. A480 (pce.)	554002-37180 Price gr. A506 (pce.)	554002-37188 Price gr. A545 (pce.)	554002-37182 Price gr. A545 (pce.)	light azure V0
-C ☒	-C ☒	-C ☒	-C ☒	-C ☒	-C ☒	-C ☒
554111-37120 Price gr. A449 (pce.)	554111-37121 Price gr. A430 (pce.)	554111-37122 Price gr. A480 (pce.)	554111-37180 Price gr. A506 (pce.)	554111-37188 Price gr. A545 (pce.)	554111-37182 Price gr. A545 (pce.)	neutral 1 (deep black) V0
R10/A	R10/A	R10/A	R10/A	R10/A	R10/A	R10/A
900-37120¹ Price gr. A438 (pce.)	900-37121¹ Price gr. A423 (pce.)	900-37122¹ Price gr. A467 (pce.)	900-37180¹ Price gr. A480 (pce.)	900-37188¹ Price gr. A519 (pce.)	900-37182¹ Price gr. A519 (pce.)	grey-beige V0



² For reasons of production, differences in color between special pieces and standard tiles can occur.



The products shown on this page can also be produced in other colors of the series Chroma and Chroma non-slip. We will be pleased to check the possibility of such a special production upon request.



Radius 60 mm



	Radiusleiste, r = 60 mm	"half-size" profiled edging	Corner piece	External corner for the connection of skirting 17190 and profiled edging 37125	External corner for the connection of cove skirting 37080 and profiled edg. 37125	Internal corner for the connection of skirting 17190 and profiled edging 37125	
Model number	37125	37126	37127	37183	37189	37185	
Norm. dim. - cm							
Work size mm	244 x r60 x 8	119 x r60 x 8					
m - pieces	4.000	8.000					
Pieces - kg	0.380	0.190	0.100	0.250	0.300	0.200	
Bundle - pieces	24	48					
Bundle - m	6.000	6.000					
Bundle - kg	9.120	9.120					
Product standard	Alb	Alb	Alb	Alb	Alb	Alb	
Slip resistance	see below	see below	see below	see below	see below	see below	
neutral 10 (active white glossy) VO	4 700-37125 Price gr. A467 (pce.)	700-37126 Price gr. A438 (pce.)	700-37127 Price gr. A511 (pce.)	700-37183 Price gr. A511 (pce.)	700-37189 Price gr. A533 (pce.)	700-37185 Price gr. A533 (pce.)	
neutral 10 (active white matt) VO	4 701-37125 Price gr. A467 (pce.)	701-37126 Price gr. A438 (pce.)	701-37127 Price gr. A511 (pce.)	701-37183 Price gr. A511 (pce.)	701-37189 Price gr. A533 (pce.)	701-37185 Price gr. A533 (pce.)	
active azure VO	2 552001-37125 Price gr. A471 (pce.)	552001-37126 Price gr. A441 (pce.)	552001-37127 Price gr. A519 (pce.)	552001-37183 Price gr. A519 (pce.)	552001-37189 Price gr. A545 (pce.)	552001-37185 Price gr. A545 (pce.)	
light azure VO	4 552002-37125 Price gr. A471 (pce.)	552002-37126 Price gr. A441 (pce.)	552002-37127 Price gr. A519 (pce.)	552002-37183 Price gr. A519 (pce.)	552002-37189 Price gr. A545 (pce.)	552002-37185 Price gr. A545 (pce.)	
neutral 1 (deep black) VO	1 5716-37125² Price gr. A471 (pce.)	5716-37126² Price gr. A441 (pce.)	5716-37127² Price gr. A519 (pce.)	5716-37183² Price gr. A519 (pce.)	5716-37189² Price gr. A545 (pce.)	5716-37185² Price gr. A545 (pce.)	
neutral 10 (active white) VO	91-37125 Price gr. A475 (pce.)	91-37126 Price gr. A445 (pce.)	91-37127 Price gr. A528 (pce.)	91-37183 Price gr. A528 (pce.)	91-37189 Price gr. A556 (pce.)	91-37185 Price gr. A556 (pce.)	
active azure VO	553001-37125 Price gr. A480 (pce.)	553001-37126 Price gr. A449 (pce.)	553001-37127 Price gr. A539 (pce.)	553001-37183 Price gr. A539 (pce.)	553001-37189 Price gr. A573 (pce.)	553001-37185 Price gr. A573 (pce.)	
light azure VO	553002-37125 Price gr. A480 (pce.)	553002-37126 Price gr. A449 (pce.)	553002-37127 Price gr. A539 (pce.)	553002-37183 Price gr. A539 (pce.)	553002-37189 Price gr. A573 (pce.)	553002-37185 Price gr. A573 (pce.)	
neutral 1 (deep black) VO	340-37125 Price gr. A480 (pce.)	340-37126 Price gr. A449 (pce.)	340-37127 Price gr. A539 (pce.)	340-37183 Price gr. A539 (pce.)	340-37189 Price gr. A573 (pce.)	340-37185 Price gr. A573 (pce.)	
neutral 10 (active white) VO	81-37125 Price gr. A475 (pce.)	81-37126 Price gr. A445 (pce.)	81-37127 Price gr. A528 (pce.)	81-37183 Price gr. A528 (pce.)	81-37189 Price gr. A556 (pce.)	81-37185 Price gr. A556 (pce.)	
active azure VO	554001-37125 Price gr. A480 (pce.)	554001-37126 Price gr. A449 (pce.)	554001-37127 Price gr. A539 (pce.)	554001-37183 Price gr. A539 (pce.)	554001-37189 Price gr. A573 (pce.)	554001-37185 Price gr. A573 (pce.)	
light azure VO	554002-37125 Price gr. A480 (pce.)	554002-37126 Price gr. A449 (pce.)	554002-37127 Price gr. A539 (pce.)	554002-37183 Price gr. A539 (pce.)	554002-37189 Price gr. A573 (pce.)	554002-37185 Price gr. A573 (pce.)	
neutral 1 (deep black) VO	554111-37125 Price gr. A480 (pce.)	554111-37126 Price gr. A449 (pce.)	554111-37127 Price gr. A539 (pce.)	554111-37183 Price gr. A539 (pce.)	554111-37189 Price gr. A573 (pce.)	554111-37185 Price gr. A573 (pce.)	
grey-beige VO	R10/A 900-37125 ¹ Price gr. A467 (pce.)	R10/A 900-37126 ¹ Price gr. A438 (pce.)	R10/A 900-37127 ¹ Price gr. A511 (pce.)	R10/A 900-37183 ¹ Price gr. A511 (pce.)	R10/A 900-37189 ¹ Price gr. A533 (pce.)	R10/A 900-37185 ¹ Price gr. A533 (pce.)	



² For reasons of production, differences in color between special pieces and standard tiles can occur.



The products shown on this page can also be produced in other colors of the series Chroma and Chroma non-slip. We will be pleased to check the possibility of such a special production upon request.

Ägeribad, Oberägeri, Switzerland / Architect: Scheitlin Syfrig Architekten AG
Series: Chroma, Chroma unglazed – Quantum, Loop, Plural, non-slip / Photo: Adriano Faragulo








For a safe foothold


Grooved tiles are used above all in those areas where there is an increased risk of falling for the bathers. Their grooved, particularly slip-resistant surface ensures a safe foothold, for example at stair edges, and prevents slipping. At the same time, these tiles send a clear signal to the user already by their haptics and usually contrasting color: watch out! Stairs leading into the water or permanently wet stairs and the marking of edges are typical areas for the use of grooved tiles. However, they are also suitable for haptic and visual delimitations or as orientation aids for visually impaired bathers.

Leisure pool, Baesweiler, Germany / Architect: Planteam Ruhr
Series: Pool edge system Wiesbaden, Valley / Photo: Jochen Stüber

8 mm thick, e.g. for stairs leading into the water and other wet stairs in indoor swimming pools




	grooved	"Half-size" tile, grooved	Grooved short side rounded	Grooved long side rounded	Grooved Corner left, rounded	Grooved Corner right, rounded	
Model number	34100	34109	34105	34106	34107	34108	
Nom. dim. - cm/in	25 x 12.5 / 10 x 5	12.5 x 12.5 / 5 x 5	25 x 12.5 / 10 x 5	25 x 12.5 / 10 x 5	25 x 12.5 / 10 x 5	25 x 12.5 / 10 x 5	
Work size	244 x 119 x 8 mm	119 x 119 x 8 mm	244 x 119 x 8 mm				
m - pieces	4.000	8.000	4.000	4.000	4.000	4.000	
Pieces - kg	0.460	0.230	0.460	0.460	0.460	0.460	
Bundle - pieces	33	66	33	33	33	33	
Bundle - m	8.250	8.250	8.250	8.250	8.250	8.250	
Bundle - kg	15.180	15.180	15.180	15.180	15.180	15.180	
Product standard	Alb	Alb	Alb	Alb	Alb	Alb	
Slip resistance	-/C	-/C	-/C	-/C	-/C	-/C	
	900-34100	900-34109	900-34105	900-34106	900-34107	900-34108	
grey-beige	<input checked="" type="checkbox"/>	Price gr. A410 (pce.)	Price gr. A406 (pce.)	Price gr. A413 (pce.)	Price gr. A413 (pce.)	Price gr. A418 (pce.)	Price gr. A418 (pce.)
neutral 10	<input type="checkbox"/>	91i-34100H¹ ☒	91i-34109H¹ ☒	91i-34105H¹ ☒	91i-34106H¹ ☒	91i-34107H¹ ☒	91i-34108H¹ ☒
(active white)	<input checked="" type="checkbox"/>	Price gr. A423 (pce.)	Price gr. A413 (pce.)	Price gr. A434 (pce.)	Price gr. A434 (pce.)	Price gr. A445 (pce.)	Price gr. A445 (pce.)



	grooved	"Half-size" tile, grooved	Grooved short side rounded	Grooved long side rounded	Grooved Corner left, rounded	Grooved Corner right, rounded	
Model number	34110	34119	34115	34116	34117	34118	
Nom. dim. - cm/in	25 x 15.6 / 10 x 6 1/4	12.5 x 15.6 / 5 x 6 1/4	25 x 15.6 / 10 x 6 1/4	25 x 15.6 / 10 x 6 1/4	25 x 15.6 / 10 x 6 1/4	25 x 15.6 / 10 x 6 1/4	
Work size	244 x 150 x 8 mm	119 x 150 x 8 mm	244 x 150 x 8 mm				
m - pieces	4.000	8.000	4.000	4.000	4.000	4.000	
Pieces - kg	0.580	0.280	0.580	0.580	0.580	0.580	
Bundle - pieces	33	66	33	33	33	33	
Bundle - m	8.250	8.250	8.250	8.250	8.250	8.250	
Bundle - kg	19.140	18.480	19.140	19.140	19.140	19.140	
Product standard	Alb	Alb	Alb	Alb	Alb	Alb	
Slip resistance	-/C	-/C	-/C	-/C	-/C	-/C	
	900-34110	900-34119	900-34115	900-34116	900-34117	900-34118	
grey-beige	<input checked="" type="checkbox"/>	Price gr. A425 (pce.)	Price gr. A413 (pce.)	Price gr. A434 (pce.)	Price gr. A434 (pce.)	Price gr. A445 (pce.)	Price gr. A445 (pce.)
neutral 10	<input type="checkbox"/>	91i-34110H¹ ☒	91i-34119H¹ ☒	91i-34115H¹ ☒	91i-34116H¹ ☒	91i-34117H¹ ☒	91i-34118H¹ ☒
(active white)	<input checked="" type="checkbox"/>	Price gr. A452 (pce.)	Price gr. A434 (pce.)	Price gr. A475 (pce.)	Price gr. A475 (pce.)	Price gr. A506 (pce.)	Price gr. A506 (pce.)






¹ with Hytect
No pallet rebate is granted for the products shown on this page.



Rounded corners				
Replace last figure 0 of standard model no. by 7 = corner left	... 8 = corner right	rounded corners	Example: Standard model no. 34100 = 244 x 119 x 8 mm, Model no. 34107 = rounded corner left

8 mm thick, with non-slip safety marking



Grooved
long side rounded

"Half-size" tile grooved,
long side rounded

Grooved
Corner left, rounded

Grooved
Corner right, rounded

				Model number
				Nom. dim. - cm/in
				Work size
				m - pieces
				Pieces - kg
				Bundle - pieces
				Bundle - m
				Bundle - kg
				Product standard
				Slip resistance
				900 grey-beige
				553001 act. azure <input checked="" type="checkbox"/>
				900 grey-beige
				553002 light azure <input checked="" type="checkbox"/>
				900 grey-beige
				340 n1/black <input checked="" type="checkbox"/>
				91 n10/white
				553001 act. azure <input checked="" type="checkbox"/>
				91 n10/white
				553002 light azure <input checked="" type="checkbox"/>
				91 n10/white
				340 n1/black <input checked="" type="checkbox"/>

34146H

25 x 12.5 / 10 x 5

244 x 119 x 8 mm

4.000

0.460

33

8.250

15.180

Alb

-/C

553001-34146H

Price gr. A423 (pce.)

553002-34146H

Price gr. A423 (pce.)

340i-34146H

Price gr. A423 (pce.)

900567-34146H

Price gr. A445 (pce.)

900588-34146H

Price gr. A445 (pce.)

900044-34146H

Price gr. A445 (pce.)

34149H

12.5 x 12.5 / 5 x 5

119 x 119 x 8 mm

8.000

0.230

66

15.180

Alb

-/C

553001-34149H

Price gr. A413 (pce.)

553002-34149H

Price gr. A413 (pce.)

340i-34149H

Price gr. A413 (pce.)

900567-34149H

Price gr. A434 (pce.)

900588-34149H

Price gr. A434 (pce.)

900044-34149H

Price gr. A434 (pce.)

34147H

25 x 12.5 / 10 x 5

244 x 119 x 8 mm

4.000

0.460

33

8.250

15.180

Alb

-/C

553001-34147H

Price gr. A430 (pce.)

553002-34147H

Price gr. A430 (pce.)

340i-34147H

Price gr. A430 (pce.)

900567-34147H

Price gr. A456 (pce.)

900588-34147H

Price gr. A456 (pce.)

900044-34147H

Price gr. A456 (pce.)

34148H

25 x 12.5 / 10 x 5

244 x 119 x 8 mm

4.000

0.460

33

8.250

15.180

Alb

-/C

553001-34148H

Price gr. A430 (pce.)

553002-34148H

Price gr. A430 (pce.)

340i-34148H

Price gr. A430 (pce.)

900567-34148H

Price gr. A456 (pce.)

900588-34148H

Price gr. A456 (pce.)

900044-34148H

Price gr. A456 (pce.)



34156H

25 x 15.6 / 10 x 6 1/4

244 x 150 x 8 mm

4.000

0.580

33

8.250

19.140

Alb

-/C

553001-34156H

Price gr. A438 (pce.)

553002-34156H

Price gr. A438 (pce.)

340i-34156H

Price gr. A438 (pce.)

900567-34156H

Price gr. A480 (pce.)

900588-34156H

Price gr. A480 (pce.)

900044-34156H

Price gr. A480 (pce.)

34159H

12.5 x 15.6 / 5 x 6 1/4

119 x 150 x 8 mm

8.000

0.280

66

18.480

19.140

Alb

-/C

553001-34159H

Price gr. A423 (pce.)

553002-34159H

Price gr. A423 (pce.)

340i-34159H

Price gr. A423 (pce.)

900567-34159H

Price gr. A445 (pce.)

900588-34159H

Price gr. A445 (pce.)

900044-34159H

Price gr. A445 (pce.)

34157H

25 x 15.6 / 10 x 6 1/4

244 x 150 x 8 mm

4.000

0.580

33

8.250

19.140

Alb

-/C

553001-34157H

Price gr. A449 (pce.)

553002-34157H

Price gr. A449 (pce.)

340i-34157H

Price gr. A449 (pce.)

900567-34157H

Price gr. A506 (pce.)

900588-34157H

Price gr. A506 (pce.)

900044-34157H

Price gr. A506 (pce.)

34158H

25 x 15.6 / 10 x 6 1/4

244 x 150 x 8 mm

4.000

0.580

33

8.250

19.140

Alb

-/C

553001-34158H

Price gr. A449 (pce.)

553002-34158H

Price gr. A449 (pce.)

340i-34158H

Price gr. A449 (pce.)

900567-34158H

Price gr. A506 (pce.)

900588-34158H

Price gr. A506 (pce.)

900044-34158H

Price gr. A506 (pce.)



The products shown on this page can also be produced in other colors of the series Chroma non-slip. We will be pleased to check the possibility of such a special production upon request.

No pallet rebate is granted for the products shown on this page.



Rounded corners








Replace last figure 0 of standard model no. by... ... 7 = corner left ... 8 = corner right







rounded corners

Example: Standard model no. 34146 = 119 x 244 x 8 mm,
Model no. 34147 = rounded corner left

15 mm thick, e.g. for continuing the Pool Edge System "Finnland", for starting blocks etc.



	grooved	"Half-size" tile, grooved	Grooved short side rounded	Grooved long side rounded	Grooved Corner left, rounded	Grooved Corner right, rounded	
Model number	53130	53139	53135	53136	53137	53138	
Nom. dim. - cm/in	25 x 12.5 / 10 x 5	12.5 x 12.5 / 5 x 5	25 x 12.5 / 10 x 5	25 x 12.5 / 10 x 5	25 x 12.5 / 10 x 5	25 x 12.5 / 10 x 5	
Work size	244 x 119 x 15 mm	119 x 119 x 15 mm	244 x 119 x 15 mm	244 x 119 x 15 mm	244 x 119 x 15 mm	244 x 119 x 15 mm	
m - pieces	4.000	8.000	4.000	4.000	4.000	4.000	
Pieces - kg	0.830	0.420	0.830	0.830	0.830	0.830	
Bundle - pieces	16	32	16	16	16	16	
Bundle - m	4.000	4.000	4.000	4.000	4.000	4.000	
Bundle - kg	13.280	13.440	13.280	13.280	13.280	13.280	
Product standard	Alb	Alb	Alb	Alb	Alb	Alb	
Slip resistance	-/C	-/C	-/C	-/C	-/C	-/C	
900-53130	900-53139	900-53135	900-53136	900-53137	900-53138		
grey-beige	V0	Price gr. A410 (pce.)	Price gr. A406 (pce.)	Price gr. A413 (pce.)	Price gr. A418 (pce.)	Price gr. A418 (pce.)	
neutral 10		91-53130 ☒	91-53139 ☒	91-53135 ☒	91-53136 ☒	91-53137 ☒	91-53138 ☒
(active white)	V0	Price gr. A423 (pce.)	Price gr. A413 (pce.)	Price gr. A434 (pce.)	Price gr. A434 (pce.)	Price gr. A445 (pce.)	Price gr. A445 (pce.)



	grooved	"Half-size" tile, grooved	Grooved short side rounded	Grooved long side rounded	Grooved Corner left, rounded	Grooved Corner right, rounded	
Model number	53190	53199	53195	53196	53197	53198	
Nom. dim. - cm/in	25 x 15.6 / 10 x 6 1/4	12.5 x 15.6 / 5 x 6 1/4	25 x 15.6 / 10 x 6 1/4	25 x 15.6 / 10 x 6 1/4	25 x 15.6 / 10 x 6 1/4	25 x 15.6 / 10 x 6 1/4	
Work size	244 x 150 x 15 mm	119 x 150 x 15 mm	244 x 150 x 15 mm	244 x 150 x 15 mm	244 x 150 x 15 mm	244 x 150 x 15 mm	
m - pieces	4.000	8.000	4.000	4.000	4.000	4.000	
Pieces - kg	1.000	0.490	1.000	1.000	1.000	1.000	
Bundle - pieces	18	36	18	18	18	18	
Bundle - m	4.500	4.500	4.500	4.500	4.500	4.500	
Bundle - kg	18.000	17.640	18.000	18.000	18.000	18.000	
Product standard	Alb	Alb	Alb	Alb	Alb	Alb	
Slip resistance	-/C	-/C	-/C	-/C	-/C	-/C	
900-53190	900-53199	900-53195	900-53196	900-53197	900-53198		
grey-beige	V0	Price gr. A425 (pce.)	Price gr. A413 (pce.)	Price gr. A434 (pce.)	Price gr. A445 (pce.)	Price gr. A445 (pce.)	
neutral 10		91-53190 ☒	91-53199 ☒	91-53195 ☒	91-53196 ☒	91-53197 ☒	91-53198 ☒
(active white)	V0	Price gr. A452 (pce.)	Price gr. A434 (pce.)	Price gr. A475 (pce.)	Price gr. A475 (pce.)	Price gr. A506 (pce.)	Price gr. A506 (pce.)






No pallet rebate is granted for the products shown on this page.







The products shown on this page can also be produced in other colors of the series Chroma non-slip. We will be pleased to check the possibility of such a special production upon request.

Rounded corners			rounded corners	Example: Standard model no. 53130 = 119 x 244 x 15 mm, Model no. 53137 = rounded corner left
Replace last figure 0 of standard model no. by 7 = corner left	... 8 = corner right	rounded corners	

15 mm thick, with non-slip safety marking



	<i>Grooved long side rounded</i>	<i>"Half-size" tile grooved, long side rounded</i>	<i>Grooved corner left, rounded</i>	<i>Grooved corner right, rounded</i>	
	59620	59629	59627	59628	Model number
	25 x 12.5 / 10 x 5	12.5 x 12.5 / 5 x 5	25 x 12.5 / 10 x 5	25 x 12.5 / 10 x 5	Nom. dim. - cm/in
	244 x 119 x 15 mm	119 x 119 x 15 mm	244 x 119 x 15 mm	244 x 119 x 15 mm	Work size
	4.000	8.000	4.000	4.000	m - pieces
	0.830	0.420	0.830	0.830	Pieces - kg
	16	32	16	16	Bundle - pieces
	4.000	4.000	4.000	4.000	Bundle - m
	13.280	13.440	13.280	13.280	Bundle - kg
	Alb	Alb	Alb	Alb	Product standard
	-/C ✕	-/C ✕	-/C ✕	-/C ✕	Slip resistance
	553001-59620	553001-59629	553001-59627	553001-59628	900 grey-beige
	Price gr. A423 (pce.)	Price gr. A413 (pce.)	Price gr. A430 (pce.)	Price gr. A430 (pce.)	553001 act. azure <input checked="" type="checkbox"/>
	553002-59620	553002-59629	553002-59627	553002-59628	900 grey-beige
	Price gr. A423 (pce.)	Price gr. A413 (pce.)	Price gr. A430 (pce.)	Price gr. A430 (pce.)	553002 light azure <input checked="" type="checkbox"/>
	340-59620	340-59629	340-59627	340-59628	900 grey-beige
	Price gr. A423 (pce.)	Price gr. A413 (pce.)	Price gr. A430 (pce.)	Price gr. A430 (pce.)	340 n1/black <input checked="" type="checkbox"/>
	900567-59620	900567-59629	900567-59627	900567-59628	91 n10/white
	Price gr. A445 (pce.)	Price gr. A434 (pce.)	Price gr. A456 (pce.)	Price gr. A456 (pce.)	553001 act. azure <input checked="" type="checkbox"/>
	900588-59620	900588-59629	900588-59627	900588-59628	91 n10/white
	Price gr. A445 (pce.)	Price gr. A434 (pce.)	Price gr. A456 (pce.)	Price gr. A456 (pce.)	553002 light azure <input checked="" type="checkbox"/>
	900044-59620	900044-59629	900044-59627	900044-59628	91 n10/white
	Price gr. A445 (pce.)	Price gr. A434 (pce.)	Price gr. A456 (pce.)	Price gr. A456 (pce.)	340 n1/black <input checked="" type="checkbox"/>



	<i>Grooved long side rounded</i>	<i>"Half-size" tile grooved, long side rounded</i>	<i>Grooved corner left, rounded</i>	<i>Grooved corner right, rounded</i>	
	59630	59639	59637	59638	Model number
	25 x 15.6 / 10 x 6 1/4	12.5 x 15.6 / 5 x 6 1/4	25 x 15.6 / 10 x 6 1/4	25 x 15.6 / 10 x 6 1/4	Nom. dim. - cm/in
	244 x 150 x 15 mm	119 x 150 x 15 mm	244 x 150 x 15 mm	244 x 150 x 15 mm	Work size
	4.000	8.000	4.000	4.000	m - pieces
	1.000	0.490	1.000	1.000	Pieces - kg
	18	36	18	18	Bundle - pieces
	4.500	4.500	4.500	4.500	Bundle - m
	18.000	17.640	18.000	18.000	Bundle - kg
	Alb	Alb	Alb	Alb	Product standard
	-/C ✕	-/C ✕	-/C ✕	-/C ✕	Slip resistance
	553001-59630	553001-59639	553001-59637	553001-59638	900 grey-beige
	Price gr. A438 (pce.)	Price gr. A423 (pce.)	Price gr. A449 (pce.)	Price gr. A449 (pce.)	553001 act. azure <input checked="" type="checkbox"/>
	553002-59630	553002-59639	553002-59637	553002-59638	900 grey-beige
	Price gr. A438 (pce.)	Price gr. A423 (pce.)	Price gr. A449 (pce.)	Price gr. A449 (pce.)	553002 light azure <input checked="" type="checkbox"/>
	340-59630	340-59639	340-59637	340-59638	900 grey-beige
	Price gr. A438 (pce.)	Price gr. A423 (pce.)	Price gr. A449 (pce.)	Price gr. A449 (pce.)	340 n1/black <input checked="" type="checkbox"/>
	900567-59630	900567-59639	900567-59637	900567-59638	91 n10/white
	Price gr. A480 (pce.)	Price gr. A445 (pce.)	Price gr. A506 (pce.)	Price gr. A506 (pce.)	553001 act. azure <input checked="" type="checkbox"/>
	900588-59630	900588-59639	900588-59637	900588-59638	91 n10/white
	Price gr. A480 (pce.)	Price gr. A445 (pce.)	Price gr. A506 (pce.)	Price gr. A506 (pce.)	553002 light azure <input checked="" type="checkbox"/>
	900044-59630	900044-59639	900044-59637	900044-59638	91 n10/white
	Price gr. A480 (pce.)	Price gr. A445 (pce.)	Price gr. A506 (pce.)	Price gr. A506 (pce.)	340 n1/black <input checked="" type="checkbox"/>



 The products shown on this page can also be produced in other colors of the series Chroma non-slip. We will be pleased to check the possibility of such a special production upon request.

No pallet rebate is granted for the products shown on this page.

Rounded corners		
Replace last figure 0 of standard model no. by 7 = corner left	... 8 = corner right

Example: Standard model no. 59620 = 119 x 244 x 15 mm,
Model no. 59627 = rounded corner left



WT. 2.2




Ceramic specialists

The construction of swimming pools requires some very special solutions which cannot be used in any other area of application and which a premium supplier of swimming pool ceramics should have in its product range in order to cover the full spectrum of requirements of swimming pool architecture with a holistic programme. This includes stair tread tiles for pool ladders, letter tiles for indicating pool depths or for marking non-swimmer sections, or gutter tiles for the drainage of areas. All these special tiles are details, which can be found in almost every swimming pool and which would otherwise only be realizable by changing the material, e.g. to stainless steel.

Solebad, Werne, Germany / Architect: Geising + Böker GmbH
Series: Pool edge system Finnland, Chroma, Quarzit / Photo: Jochen Stüber


Stair Tiles with non-slip safety marking



	Stair tread, long side rounded	"Half-size" stair tread, long side rounded	Stair tread, corner left, rounded	Stair tread, corner right, rounded				
Model number	34166H	34169H	34167H	34168H				
Nom. dim. - cm/in	25 x 12.5 / 10 x 5	12.5 x 12.5 / 5 x 5	25 x 12.5 / 10 x 5	25 x 12.5 / 10 x 5				
Work size	244 x 119 x 8 mm	119 x 119 x 8 mm	244 x 119 x 8 mm	244 x 119 x 8 mm				
m - pieces	4.000	8.000	4.000	4.000				
Pieces - kg	0.490	0.240	0.490	0.490				
Bundle - pieces	33	66	33	33				
Bundle - m	8.250	8.250	8.250	8.250				
Bundle - kg	16.170	15.840	16.170	16.170				
Product standard	Alb	Alb	Alb	Alb				
Slip resistance	-/C	✗	-/C	✗	-/C	✗	-/C	✗
81 n10/white	900568-34166H	900568-34169H	900568-34167H	900568-34168H				
554001 act. azure [V0]	Price gr. A445 (pce.)	Price gr. A425 (pce.)	Price gr. A456 (pce.)	Price gr. A456 (pce.)				
81 n10/white	900671-34166H	900671-34169H	900671-34167H	900671-34168H				
554002 light azure [V0]	Price gr. A445 (pce.)	Price gr. A425 (pce.)	Price gr. A456 (pce.)	Price gr. A456 (pce.)				
81 n10/white	900634-34166H	900634-34169H	900634-34167H	900634-34168H				
554111 n1/black [V0]	Price gr. A445 (pce.)	Price gr. A425 (pce.)	Price gr. A456 (pce.)	Price gr. A456 (pce.)				



Stair Tiles with non-slip safety marking



	Stair tread, long side rounded	"Half-size" stair tread, long side rounded	Stair tread, corner left, rounded	Stair tread, corner right, rounded				
Model number	34136H	34139H	34137H	34138H				
Nom. dim. - cm/in	25 x 15.6 / 10 x 6 1/4	12.5 x 15.6 / 5 x 6 1/4	25 x 15.6 / 10 x 6 1/4	25 x 15.6 / 10 x 6 1/4				
Work size	244 x 150 x 8 mm	119 x 150 x 8 mm	244 x 150 x 8 mm	244 x 150 x 8 mm				
m - pieces	4.000	8.000	4.000	4.000				
Pieces - kg	0.620	0.300	0.620	0.620				
Bundle - pieces	33	66	33	33				
Bundle - m	8.250	8.250	8.250	8.250				
Bundle - kg	20.460	19.800	20.460	20.460				
Product standard	Alb	Alb	Alb	Alb				
Slip resistance	-/C	✗	-/C	✗	-/C	✗	-/C	✗
81 n10/white	900568-34136H	900568-34139H	900568-34137H	900568-34138H				
554001 act. azure [V0]	Price gr. A452 (pce.)	Price gr. A428 (pce.)	Price gr. A467 (pce.)	Price gr. A467 (pce.)				
81 n10/white	900671-34136H	900671-34139H	900671-34137H	900671-34138H				
554002 light azure [V0]	Price gr. A452 (pce.)	Price gr. A428 (pce.)	Price gr. A467 (pce.)	Price gr. A467 (pce.)				
81 n10/white	900634-34136H	900634-34139H	900634-34137H	900634-34138H				
554111 n1/black [V0]	Price gr. A452 (pce.)	Price gr. A428 (pce.)	Price gr. A467 (pce.)	Price gr. A467 (pce.)				




No pallet rebate is granted for the products shown on this page.

 The products shown on this page can also be produced in other colors of the series Chroma non-slip. We will be pleased to check the possibility of such a special production upon request.

Rounded corners				
Replace last figure 0 of standard model no. by 7 = corner left	... 8 = corner right	rounded corners	Example: Standard model no. 34166 = 119 x 244 x 15 mm, Model no. 34167 = rounded corner left

E.g. for standing steps, ladder recesses, small radii, turning surfaces etc.



Ripple tile	Strip tile		Short side rounded	Long side rounded	Corner left, rounded	Corner right, rounded	Stress group	Model number
34170H	34070H	34120H	34125H	34126H	34127H	34128H	25	25 x 12.5 / 10 x 5
25 x 12.5 / 10 x 5	12.5 x 6.2 / 5 x 2 1/2	25 x 15.6 / 10 x 6 1/4	25 x 15.6 / 10 x 6 1/4	25 x 15.6 / 10 x 6 1/4	25 x 15.6 / 10 x 6 1/4	25 x 15.6 / 10 x 6 1/4	4	25 x 12.5 cm
244 x 119 x 8 mm	119 x 56 x 8 mm	244 x 150 x 8 mm	244 x 150 x 8 mm	244 x 150 x 8 mm	244 x 150 x 8 mm	244 x 150 x 8 mm	4	12.5 x 6.2 cm ²
244 x 119 x 8 mm	119 x 56 x 8 mm	244 x 150 x 8 mm	244 x 150 x 8 mm	244 x 150 x 8 mm	244 x 150 x 8 mm	244 x 150 x 8 mm	4	25 x 15.6 cm
32.000/m ²	128.000/m ²	25.000/m ²	6.410/m	4.000/m	6.420	6.420	4	25 x 15.6 cm
0.460	0.120	0.620	0.620	0.620	0.620	0.620	4	25 x 15.6 cm
33	132	33	33	33	33	33	4	25 x 15.6 cm
1.031 m ²	1.031 m ²	1.320 m ²	5.148 m	8.250 m			4	25 x 15.6 cm
15.180	15.840	20.460	20.460	20.460	20.460	20.460	4	25 x 15.6 cm
Alb	Alb	Alb	Alb	Alb	Alb	Alb	4	25 x 15.6 cm
see below	see below	see below	see below	see below	see below	see below	4	25 x 15.6 cm
700i-34170H	700i-34070H	700i-34120H	700i-34125H	700i-34126H	700i-34127H	700i-34128H	4	neutral 10 (active white glossy) V0
Price gr. A304 (m ²)	Price gr. A244 (m ²)	Price gr. A211 (m ²)	Price gr. A416 (pce.)	Price gr. A416 (pce.)	Price gr. A423 (pce.)	Price gr. A423 (pce.)	4	700i-34170H
701i-34170H	701i-34070H	701i-34120H	701i-34125H	701i-34126H	701i-34127H	701i-34128H	4	neutral 10 (active white matt) V0
Price gr. A304 (m ²)	Price gr. A244 (m ²)	Price gr. A211 (m ²)	Price gr. A416 (pce.)	Price gr. A416 (pce.)	Price gr. A423 (pce.)	Price gr. A423 (pce.)	4	701i-34170H
552001-34170H	552001-34070H	552001-34120H	552001-34125H	552001-34126H	552001-34127H	552001-34128H	2	active azure V0
Price gr. A337 (m ²)	Price gr. A277 (m ²)	Price gr. A250 (m ²)	Price gr. A419 (pce.)	Price gr. A419 (pce.)	Price gr. A425 (pce.)	Price gr. A425 (pce.)	2	552001-34170H
552002-34170H	552002-34070H	552002-34120H	552002-34125H	552002-34126H	552002-34127H	552002-34128H	4	light azure V0
Price gr. A337 (m ²)	Price gr. A277 (m ²)	Price gr. A250 (m ²)	Price gr. A419 (pce.)	Price gr. A419 (pce.)	Price gr. A425 (pce.)	Price gr. A425 (pce.)	4	552002-34170H
5716i-34170H¹	5716i-34070H¹	5716i-34120H¹	5716i-34125H¹	5716-34126H¹	5716i-34127H¹	5716i-34128H¹	1	neutral 1 (deep black) V0
Price gr. A346 (m ²)	Price gr. A277 (m ²)	Price gr. A250 (m ²)	Price gr. A419 (pce.)	Price gr. A419 (pce.)	Price gr. A425 (pce.)	Price gr. A425 (pce.)	1	5716i-34170H ¹
-/B ☒	-/B ☒	-/B ☒	-/B ☒	-/B ☒	-/B ☒	-/B ☒	4	5716i-34070H ¹
91i-34070H	91i-34120H	91i-34125H	91i-34126H	91i-34127H	91i-34128H	91i-34129H	4	neutral 10 (active white) V0
Price gr. A289 (m ²)	Price gr. A256 (m ²)	Price gr. A423 (pce.)	Price gr. A423 (pce.)	Price gr. A428 (pce.)	Price gr. A428 (pce.)	Price gr. A428 (pce.)	4	91i-34070H
-/B ☒	-/B ☒	-/B ☒	-/B ☒	-/B ☒	-/B ☒	-/B ☒	4	553001-34070H
553001-34070H	553001-34120H	553001-34125H	553001-34126H	553001-34127H	553001-34128H	553001-34129H	4	553001-34070H
Price gr. A298 (m ²)	Price gr. A265 (m ²)	Price gr. A425 (pce.)	Price gr. A425 (pce.)	Price gr. A430 (pce.)	Price gr. A430 (pce.)	Price gr. A430 (pce.)	4	553001-34120H
-/B ☒	-/B ☒	-/B ☒	-/B ☒	-/B ☒	-/B ☒	-/B ☒	4	553002-34070H
553002-34070H	553002-34120H	553002-34125H	553002-34126H	553002-34127H	553002-34128H	553002-34129H	4	553002-34070H
Price gr. A298 (m ²)	Price gr. A265 (m ²)	Price gr. A425 (pce.)	Price gr. A425 (pce.)	Price gr. A430 (pce.)	Price gr. A430 (pce.)	Price gr. A430 (pce.)	4	553002-34120H
-/B ☒	-/B ☒	-/B ☒	-/B ☒	-/B ☒	-/B ☒	-/B ☒	4	340i-34070H
340i-34070H	340i-34120H	340i-34125H	340-34126	340i-34127H	340i-34128H	340i-34129H	4	340i-34070H
Price gr. A298 (m ²)	Price gr. A265 (m ²)	Price gr. A425 (pce.)	Price gr. A425 (pce.)	Price gr. A430 (pce.)	Price gr. A430 (pce.)	Price gr. A430 (pce.)	4	340i-34120H



Safety Strip Tiles (especially suitable for slip-resistant and clearly visible (stair) edge design)



Grooved long side rounded	"Half-size" tile grooved, long side rounded	Grooved Corner left, rounded	Grooved Corner right, rounded	Model number
34306	34309	34307	34308	Model number
25 x 6.2 / 10 x 2 1/2	12.5 x 6.2 / 5 x 2 1/2	25 x 6.2 / 10 x 2 1/2	25 x 6.2 / 10 x 2 1/2	Nom. dim. - cm/in
244 x 56 x 8 mm	119 x 56 x 8 mm	244 x 56 x 8 mm	244 x 56 x 8 mm	Work size
4.000	8.000	4.000	4.000	m - pieces
0.200	0.100	0.200	0.200	Pieces - kg
66	132	66	66	Bundle - pieces
16.500	16.500	16.500	16.500	Bundle - m
13.200	13.200	13.200	13.200	Bundle - kg
Alb	Alb	Alb	Alb	Product standard
-/C ☒	-/C ☒	-/C ☒	-/C ☒	Slip resistance
91-34306	91-34309	91-34307	91-34308	neutral 10 (active white) V0
Price gr. A431 (pce.)	Price gr. A416 (pce.)	Price gr. A434 (pce.)	Price gr. A434 (pce.)	Price gr. A431 (pce.)
553001-34306	553001-34309	553001-34307	553001-34308	active azure V0
Price gr. A434 (pce.)	Price gr. A418 (pce.)	Price gr. A438 (pce.)	Price gr. A438 (pce.)	Price gr. A434 (pce.)
553002-34306	553002-34309	553002-34307	553002-34308	light azure V0
Price gr. A434 (pce.)	Price gr. A418 (pce.)	Price gr. A438 (pce.)	Price gr. A438 (pce.)	Price gr. A434 (pce.)
340-34306	340-34309	340-34307	340-34308	neutral 1 (deep black) V0
Price gr. A434 (pce.)	Price gr. A418 (pce.)	Price gr. A438 (pce.)	Price gr. A438 (pce.)	Price gr. A434 (pce.)

The products shown on this page can also be produced in other colors of the series Chroma and Chroma non-slip. We will be pleased to check the possibility of such a special production upon request.

¹ For reasons of production, differences in color between special pieces and standard tiles can occur.

² Strip tile, supplied as quadruple strip tile; to be broken by customer.
No pallet rebate is granted for the products shown on this page.




Stair Tread Tiles, tread unglazed in 900 grey-beige, grooved



	Stair tread tile	Stair tread tile	Stair tread tile	Stair tread tile			
Model number	55565 ¹	55563 ¹	55567 ¹	55566 ¹			
Nom. dim. - cm/in							
Work size mm	282 x 80 x 50	244 x 80 x 50	282 x 160 x 50	244 x 160 x 50			
m - pieces							
Pieces - kg	1.830	1.600	3.500	3.150			
Bundle - pieces	9	10	4	5			
Bundle - kg	16.470	16.000	14.000	15.750			
Product standard	Alb	Alb	Alb	Alb			
Slip resistance	-/C	-/C	-/C	-/C			
900 grey-beige	700-55565	700-55563	700-55567	700-55566			
700 n10/white gl. <input checked="" type="checkbox"/>	Price gr. A593 (pce.)	Price gr. A581 (pce.)	Price gr. A708 (pce.)	Price gr. A698 (pce.)			
900 grey-beige	701-55565	701-55563	701-55567	701-55566			
701 n10/white matt <input checked="" type="checkbox"/>	Price gr. A593 (pce.)	Price gr. A581 (pce.)	Price gr. A708 (pce.)	Price gr. A698 (pce.)			
900 grey-beige	552001-55565	552001-55563	552001-55567	552001-55566			
552001 act. azure <input checked="" type="checkbox"/>	Price gr. A601 (pce.)	Price gr. A587 (pce.)	Price gr. A716 (pce.)	Price gr. A708 (pce.)			
900 grey-beige	552002-55565	552002-55563	552002-55567	552002-55566			
552002 light azure <input checked="" type="checkbox"/>	Price gr. A601 (pce.)	Price gr. A587 (pce.)	Price gr. A716 (pce.)	Price gr. A708 (pce.)			
900 grey-beige	5716-55565²	5716-55563²	5716-55567²	5716-55566²			
5716 n1/black <input checked="" type="checkbox"/>	Price gr. A601 (pce.)	Price gr. A587 (pce.)	Price gr. A716 (pce.)	Price gr. A708 (pce.)			



Letter Tiles



	Number tile Type height 7 cm	Number tile Type height 20 cm	Letter tiles Type height 7 cm		Shank-tile grooved	„Half size“ shank-tile grooved
Model number	38119	32059	S10002		37150	37155
Nom. dim. - cm/in	25 x 12.5 / 10 x 5	25 x 25 / 10 x 10	25 x 12.5 / 10 x 5		25 x 12.5 / 10 x 5	12.5 x 12.5 / 5 x 5
Work size mm	244 x 119 x 8	244 x 244 x 8	244 x 119 x 8		244 x 119/19 x 8	119 x 119/19 x 8
m - pieces			4.000		4.000	8.000
Pieces - kg	0.490	1.060	0.490		2.000	2.000
Bundle - pieces					20	40
Bundle - m					5.000	5.000
Bundle - kg					10.000	10.000
Product standard	Alb	Alb	Alb		Alb	Alb
Slip resistance			-/B		-/C	-/C
700 n10/white gl.	900659-38119	900659-32059				
552001 act. azure <input checked="" type="checkbox"/>	Price gr. A587 (pce.)	Price gr. A601 (pce.)				
701 n10/white matt	900672-38119	900672-32059				
552001 act. azure <input checked="" type="checkbox"/>	Price gr. A587 (pce.)	Price gr. A601 (pce.)				
700 n10/white gl.	900673-38119	900673-32059				
5716 n1/black <input checked="" type="checkbox"/>	Price gr. A587 (pce.)	Price gr. A601 (pce.)				
701 n10/white matt	900644-38119	900644-32059				
5716 n1/black <input checked="" type="checkbox"/>	Price gr. A587 (pce.)	Price gr. A601 (pce.)				
91 n10/white			900567-S10002			
553001 act. azure <input checked="" type="checkbox"/>			Price gr. A649 (pce.)			
91 n10/white			900044-S10002			
340 n1/black <input checked="" type="checkbox"/>			Price gr. A649 (pce.)			
grey-beige					900-37150	900-37155
neutral 10 / white					Price gr. A434 (pce.)	Price gr. A419 (pce.)
					91-37150	91-37155
					Price gr. A438 (pce.)	Price gr. A428 (pce.)

¹ In the case of these special pieces, the tread is unglazed in 900; all other surfaces are in the respective Chroma color.






² For reasons of production, differences in color between special pieces and standard tiles can occur.

No pallet rebate is granted for the products shown on this page.

The products shown on this page can also be produced in other colors of the series Chroma and Chroma non-slip. We will be pleased to check the possibility of such a special production upon request.






Shank-Tiles (as support for cover gratings)¹



Shank-tile	"Half-size" shank-tile	inclined shank-tile	"Half size" inclined shank-tile	Supporting angle for grating	"Half-size" supporting angle for grating	Model number
37011	37015	37017	37018	37031	37035	Nom. dim. - cm/in
25 x 12.5 / 10 x 5	12.5 x 12.5 / 5 x 5	25 x 12.5 / 10 x 5	12.5 x 12.5 / 5 x 5	25 x 3.3 / 10 x 1 3/8	12.5 x 3.3 / 5 x 1 3/8	Work size mm
244 x 119/25 x 8	119 x 119/25 x 8	244 x 125/25 x 8	119 x 125/25 x 8	244 x 33/22 x 8	119 x 33/22 x 8	m - pieces
4.000	8.000	4.000	8.000	4.000	8.000	Pieces - kg
0.600	0.290	0.620	0.300	0.200	0.100	Bundle - pieces
16	32	16	32	72	144	Bundle - m
4.000	4.000	4.000	4.000	18.000	18.000	Bundle - kg
9.600	9.280	9.920	9.600	14.400	14.400	Product standard
Alb	Alb	Alb	Alb	Alb	Alb	neutral 10 (active white glossy) <input checked="" type="checkbox"/> V0
700-37011	700-37015	700-37017	700-37018	700-37031	700-37035	neutral 10 (active white matt) <input type="checkbox"/> V0
Price gr. A445 (pce.)	Price gr. A423 (pce.)	Price gr. A452 (pce.)	Price gr. A425 (pce.)	Price gr. A445 (pce.)	Price gr. A425 (pce.)	
701-37011	701-37015	701-37017	701-37018	701-37031	701-37035	
Price gr. A445 (pce.)	Price gr. A423 (pce.)	Price gr. A452 (pce.)	Price gr. A425 (pce.)	Price gr. A445 (pce.)	Price gr. A425 (pce.)	



„Half-size“ supporting angle for grating



Art. no. 59680	"Half-size" coved gutter tile	Coved gutter tile with outlet ($\varnothing 100 \text{ mm}$) ²	Model number
59680	59685	59681	Nom. dim. - cm/in
244 x 160 x 55/15	119 x 160 x 55/15	244 x 160 x 55/15	Work size mm
4.000	8.000	1.550	m - pieces
1.700	0.850	4	Pieces - kg
4	8	6.200	Bundle - pieces
1.000	1.000	Alb	Bundle - m
6.800	6.800	Alb	Bundle - kg
Alb	Alb	Alb	Product standard
700-59680	700-59685	700-59681	neutral 10 (active white glossy) <input checked="" type="checkbox"/> V0
Price gr. A489 (pce.)	Price gr. A449 (pce.)	Price gr. A560 (pce.)	neutral 10 (active white matt) <input type="checkbox"/> V0
701-59680	701-59685	701-59681	
Price gr. A489 (pce.)	Price gr. A449 (pce.)	Price gr. A560 (pce.)	







The products shown on this page can also be produced in other colors of the series Chroma and Chroma non-slip. We will be pleased to check the possibility of such a special production upon request.

¹ For cover gratings, refer to page 84

² For the matching outlet valve "Silent W 2000", refer to page 86

No pallet rebate is granted for the products shown on this page.



Gutter Tiles^{1/2/4} (trough depth 5 mm)

Art. no. 53320	Gutter tile	Gutter tile with Outlet 110 / 110 mm	Gutter tile Mitred pair	Gutter tile Terminal piece				
Model number	53320	53321	53322	53323				
Nom. dim. - cm/in	50 x 25 / 20 x 10	50 x 25 / 20 x 10		50 x 25 / 20 x 10				
Work size mm	494 x 244 x 14	494 x 244 x 14	(2x) 490 x 244 x 14	494 x 244 x 14				
m - pieces	2.000							
Pce./pair - kg	2.500/pieces	2.300/pieces	3.800/pair	2.500/pieces				
Bundle - pce./pair	5 pieces	5 pieces	2 pairs	5 pieces				
Bundle - m	2.500							
Bundle - kg	12.500	11.500	7.600	12.500				
Product standard	Alb ⁶	Alb ⁶	Alb ⁶	Alb ⁶				
Slip resistance	see below	see below	see below	see below				
neutral 10 (white) ³	-/B	-/B	-/B	-/B				
	91-53320H	91-53321H	91-53322H	91-53323H				
	Price gr. A514 (pce.)	Price gr. A587 (pce.)	Price gr. A638 (pair)	Price gr. A587 (pce.)				
	-/B	-/B	-/B	-/B				
	553002-53320H	553002-53321H	553002-53322H	553002-53323H				
azur light ³	V0	Price gr. A519 (pce.)	Price gr. A593 (pce.)	Price gr. A645 (pair)	Price gr. A593 (pce.)			
Area Pro anthracite	V2	R11/B 435637H Price gr. A519 (pce.)	R11/B 435649H Price gr. A593 (pce.)	R11/B 435661H Price gr. A645 (pair)	R11/B 435673H Price gr. A593 (pair)			
Area Pro basalt	V2	R11/B 435638H Price gr. A519 (pce.)	R11/B 435650H Price gr. A593 (pce.)	R11/B 435662H Price gr. A645 (pair)	R11/B 435674H Price gr. A593 (pair)			
Area Pro pebble	V2	R11/B 435639H Price gr. A519 (pce.)	R11/B 435651H Price gr. A593 (pce.)	R11/B 435663H Price gr. A645 (pair)	R11/B 435675H Price gr. A593 (pair)			
Area Pro stone	V2	R11/B 435640H Price gr. A519 (pce.)	R11/B 435652H Price gr. A593 (pce.)	R11/B 435664H Price gr. A645 (pair)	R11/B 435676H Price gr. A593 (pair)			
Area Pro sand-white	V2	R11/B 435641H Price gr. A519 (pce.)	R11/B 435653H Price gr. A593 (pce.)	R11/B 435665H Price gr. A645 (pair)	R11/B 435677H Price gr. A593 (pair)			
Area Pro sand-grey	V2	R11/B 435642H Price gr. A519 (pce.)	R11/B 435654H Price gr. A593 (pce.)	R11/B 435666H Price gr. A645 (pair)	R11/B 435678H Price gr. A593 (pair)			
Area Pro sand	V2	R11/B 435643H Price gr. A519 (pce.)	R11/B 435655H Price gr. A593 (pce.)	R11/B 435667H Price gr. A645 (pair)	R11/B 435679H Price gr. A593 (pair)			
Area Pro nutmeg	V2	R11/B 435644H Price gr. A519 (pce.)	R11/B 435656H Price gr. A593 (pce.)	R11/B 435668H Price gr. A645 (pair)	R11/B 435680H Price gr. A593 (pair)			
Area Pro platinum	V2	R11/B 435645H Price gr. A519 (pce.)	R11/B 435657H Price gr. A593 (pce.)	R11/B 435669H Price gr. A645 (pair)	R11/B 435681H Price gr. A593 (pair)			
Area Pro sand-beige	V2	R11/B 435646H Price gr. A519 (pce.)	R11/B 435658H Price gr. A593 (pce.)	R11/B 435670H Price gr. A645 (pair)	R11/B 435682H Price gr. A593 (pair)			
Area Pro brick	V2	R11/B 435647H Price gr. A519 (pce.)	R11/B 435659H Price gr. A593 (pce.)	R11/B 435671H Price gr. A645 (pair)	R11/B 435683H Price gr. A593 (pair)			
Area Pro clay	V2	R11/B 435648H Price gr. A519 (pce.)	R11/B 435660H Price gr. A593 (pce.)	R11/B 435672H Price gr. A645 (pair)	R11/B 435684H Price gr. A593 (pair)			



1




³ Also available as special production in the series Chroma non-slip or Chroma unglazed - Quantum.

⁴ Also available in a length of 497 mm on request.

⁵ Minimum order quantity: 10 pieces. In case of smaller quantities, the price must be individually calculated.

⁶ All articles of the series Area Pro comply with the product standard DIN EN 14411, group Al_a, unglazed (UGL).

Gutter Tiles^{1/2/3} (trough depth 5 mm)



Gutter tile	Gutter tile with outlet 110 / 110 mm	Gutter tile Mitred pair	Gutter tile Terminal piece	Art. no. 53320
53320	53321	53322	53323	Model number
50 x 25 / 20 x 10	50 x 25 / 20 x 10		50 x 25 / 20 x 10	Nom. dim. - cm/in
494 x 244 x 14	494 x 244 x 14	(2x) 490 x 244 x 14	494 x 244 x 14	Work size mm
2.000				m - pieces
2.500/pieces	2.300/pieces	3.800/pair	2.500/pieces	Pce./pair - kg
5 pieces	5 pieces	2 pairs	5 pieces	Bundle - pce./pair
2.500				Bundle - m
12.500	11.500	7.600	12.500	Bundle - kg
Ala	Ala	Ala	Ala	Product standard
R11/B	R11/B	R11/B	R11/B	Slip resistance
430810H	430814H	430818H	430822H	Ascona
Price gr. A519 (pce.)	Price gr. A593 (pce.)	Price gr. A645 (pair)	Price gr. A593 (pce.)	pearl <input checked="" type="checkbox"/>
430811H	430815H	430819H	430823H	Ascona
Price gr. A519 (pce.)	Price gr. A593 (pce.)	Price gr. A645 (pair)	Price gr. A593 (pce.)	mud <input checked="" type="checkbox"/>
430812H	430816H	430820H	430824H	Ascona
Price gr. A519 (pce.)	Price gr. A593 (pce.)	Price gr. A645 (pair)	Price gr. A593 (pce.)	stone <input checked="" type="checkbox"/>
430813H	430817H	430821H	430825H	Ascona
Price gr. A519 (pce.)	Price gr. A593 (pce.)	Price gr. A645 (pair)	Price gr. A593 (pce.)	graphite <input checked="" type="checkbox"/>
431559H	431561H	431563H	431565H	Ascona
Price gr. A519 (pce.)	Price gr. A593 (pce.)	Price gr. A645 (pair)	Price gr. A593 (pce.)	shell <input checked="" type="checkbox"/>
431560H	431562H	431564H	431566H	Ascona
Price gr. A519 (pce.)	Price gr. A593 (pce.)	Price gr. A645 (pce.)	Price gr. A593 (pce.)	sand <input checked="" type="checkbox"/>
8460-53320H	8460-53321H	8460-53322H	8460-53323H	Quarzit
Price gr. A519 (pce.)	Price gr. A593 (pce.)	Price gr. A645 (pair)	Price gr. A593 (pce.)	basalt-grey <input checked="" type="checkbox"/>
8461-53320H	8461-53321H	8461-53322H	8461-53323H	Quarzit
Price gr. A519 (pce.)	Price gr. A593 (pce.)	Price gr. A645 (pair)	Price gr. A593 (pce.)	quarz-grey <input checked="" type="checkbox"/>
8462-53320H	8462-53321H	8462-53322H	8462-53323H	Quarzit
Price gr. A519 (pce.)	Price gr. A593 (pce.)	Price gr. A645 (pair)	Price gr. A593 (pce.)	sand-beige <input checked="" type="checkbox"/>
8463-53320H	8463-53321H	8463-53322H	8463-53323H	Quarzit
Price gr. A519 (pce.)	Price gr. A593 (pce.)	Price gr. A645 (pair)	Price gr. A593 (pce.)	sepia-brown <input checked="" type="checkbox"/>
8464-53320H	8464-53321H	8464-53322H	8464-53323H	Quarzit
Price gr. A519 (pce.)	Price gr. A593 (pce.)	Price gr. A645 (pair)	Price gr. A593 (pce.)	white-grey <input checked="" type="checkbox"/>


1 2 Short edge rectified



³ Can also be produced in a length of 497 mm on request.

⁴ Minimum order quantity: 10 pieces. In case of smaller quantities, the price must be individually calculated

Gutter Tiles (trough depth 15 mm)



Art. no. 54420	Gutter tile	Gutter tile with outlet 1 1/2"	Gutter tile Mitred pair	Gutter tile Terminal piece				
Model number	54420	54421	54422	54423				
Nom. dim. - cm/in	25 x 15.6 / 10 x 6 1/4	25 x 15.6 / 10 x 6 1/4		25 x 15.6 / 10 x 6 1/4				
Work size mm	244 x 150 x 30	244 x 150 x 30	(2x) 240 x 150 x 30	244 x 150 x 30				
m - pieces	4.000							
Pce./pair - kg	1.800/pieces	1.530/pieces	3.030/pair	1.950/pieces				
Bundle - pce./pair	8 pieces	8 pieces	4 pairs	8 pieces				
Bundle - m	2.000							
Bundle - kg	14.400	12.240	12.120	15.600				
Product standard	Alb	Alb	Alb	Alb				
Slip resistance	see below	see below	see below	see below				
	R10/A	R10/A	R10/A	R10/A				
grey-beige	900-54420²	900-54421²	900-54422²	900-54423²				
	Price gr. A458 (pce.)	Price gr. A560 (pce.)	Price gr. A581 (pair)	Price gr. A560 (pce.)				
	-/B	⊗	-/B	⊗				
	91-54420	91-54421	91-54422	91-54423				
neutral 10 (white)	V0	Price gr. A475 (pce.)	Price gr. A577 (pce.)	Price gr. A601 (pair)	Price gr. A577 (pce.)			

¹ Fitting insert for the outlet: Article no. 182, see page 86 (installation prior to laying)² These articles comply with DIN EN 14411, group Alb, unglazed (UGL)

No pallet rebate is granted for the products shown on this page.



The products shown on this page can also be produced in other colors of the series Chroma and Chroma non-slip. We will be pleased to check the possibility of such a special production upon request.

Bybadet, Alesund, Norway / Architect: Invit Arkitekter AS, Alesund, Norway / Photo: Tove Lauluten, Oslo





Around the pool



Expertise around the pool

Contemporary swimming pool architecture must satisfy high standards. And that not only in terms of design: sports pools, spas and private pools should be comfortable and safe, inexpensive to maintain, easy to clean and permanently hygienic.

Tiles meet these functional requirements: for example, with slip-resistant special surfaces which ensure a safe foothold even when wet. Modularly combinable tiles and special pieces are important for a consistent design from the pool and pool surround to all adjacent areas such as showers, saunas, changing rooms or restaurants.

As algae, moss and microbes feel very much at home in the warm and humid indoor climate of swimming pools, maintaining high hygiene standards often becomes a challenge. The proven Hytect technology of our ceramic tiles solves the problem. It has a permanent antibacterial effect, eliminates unpleasant odours and facilitates cleaning.

Quality ceramics forms the basis of convincing solutions in all the points mentioned above and is therefore superior to other materials such as metal or natural stone. This applies all the more to swimming pool ceramics from Agrob Buchtal, because every tile and every special piece contains the experience of decades in which the company has realized tens of thousands of the most diverse sports, leisure and therapy pools world-wide.

Paracelsus Bad & Kurhaus, Salzburg, Austria
Architect: Berger + Parkkinen / Series: Pool edge system Wiesbaden, Savona / Photo: Fotodesign Peters, Amerang





Slip-resistant and stylish at the pool edge as well

There are special requirements with regard to accident prevention which have to be met by the pool surround. Anyone who walks barefoot on the usually wet pool edge must be protected against the risk of slipping. The tile series from Agrob Buchta, available in XS to XXL formats, offer the legally required slip resistance for accident-free walking into and out of the pool. This is guaranteed by the special "GRIP quality seal". A wide range of different colors and surfaces opens up a great variety of design options.

Design concepts for swimming pools can be consistently realized with tiles from Agrob Buchta at the pool surround as well. The Agrob Buchta range offers a variety of products for small-sized solutions from mini to medium format. The range extends from XS formats (from 2.5 x 2.5 cm in the series Plural non-slip, Plural unglazed, Marble & More, Loop, Fresh) to a wide range of octametric formats of Chroma non-slip and Chroma unglazed through to the 60 x 120 cm large format of the Area Pro series. Decorative surfaces include a variety of series (Area Pro, Ascona, Basic Stone, Emotion, Marble & More, Nova, Quarzit, Savona, Valley).


Most of the products are available with joint widths of 3 and 6 mm. This allows the realization of harmonious transitions from the pool surround to the wider standard joint dimensions of the underwater area. Hytect and the Protecta surface upgrading (depending on the type of material) ensure a permanently attractive appearance and offer economic and ecological advantages thanks to easy cleaning.

The right edge for every pool

Not all baths are the same: different types of use of sports, leisure and adventure pools, therapy baths, private and hotel pools or sports and competition pools require different pool planning concepts. They all demand a sophisticated design of the pool and its surround. This works with modularly combinable components. Besides tiles for the surface, this also applies to ceramic pool edge systems or special pieces such as profiled edgings, skirtings and cove skirtings. They enable a consistent design of the pool wall, floor and edge.

Large formats with natural-looking surfaces are in demand for the pool surround. And tiles with different slip-resistance classes, which guarantee the legally required standard in swimming pools. An advantage which only high-quality ceramics can offer.

The series listed on the following pages are suitable for use in pool surrounds. Thanks to the variety of colors, formats and looks, they offer enormous architectural design freedom.



Chiemgau Thermen, Bad Endorf, Germany
Architect: Architekturwerkstatt Zopf, Salzburg, Austria
Series: Pool edge system Finnland,
pool edge system St. Moritz, Quarzit
Photo: Peters Fotodesign, Amerang

The grid profile of the series Ascona, Chroma unglazed and Quarzit is advantageous in two respects: it guarantees the required slip resistance in the pool surround area and at the same time conveys a pleasantly soft barefoot walking feeling. The embossed structure is particularly robust and durable. The finely processed mass gives these tiles a pleasantly velvety surface feel. The tiles give bathers a feeling of safety also visually, as their structure signals a slip-resistant surface.



Grid profile



Area Pro

For details, refer to the 2025 programme of delivery

anthracite	basalt	pebble	stone	sand-white	sand-grey	sand	nutmeg
platinum	sand-beige	brick	clay				
							R10/B R11/B R11/C R12/C R12V4

Ascona

Details on page 135 and the following

pearl	mud	stone	graphite	shell	sand

Nova

For details, refer to the 2025 programme of delivery

cream-beige	mid-brown	mid-grey	basalt	anthracite

R10/B R11/C

Quarzit

Details on page 215 and the following

basalt-grey	quarz-grey	sand-beige	sepia-brown	white-grey

R11/B R11/C

Savona

Details on page 222

lime	beige	brown	grey	anthracite

R11/B R11/C

Valley

For details, refer to the 2025 programme of delivery

slate	pebble-grey	earth-brown	sand-beige

R10/B R11/B



Emotion




deep anthracite light-beige mid-grey basalt

For details, refer to the 2025 programme of delivery

R11/B

Basic Stone




black medium grey light grey mud beige

For details, refer to the 2025 programme of delivery

R10/B

Marble & More




carrara white illusion beige cielo labradorit blue verde alpi illusion dark

For details, refer to the 2025 programme of delivery

R10/B

Fresh




snow white silver grey mix warm grey mix light grey-mix white grey mix desert sand-mix taupe-mix medium grey-mix
 midnight black-mix graphite black mix deep blue mix caribbean blue mix denim blue-mix light blue-mix pacific blue-mix midnight blue-mix
 vivid violet-mix sunset orange-mix coral red-mix brick red mix mystic red-mix forest green mix lime green-mix sunshine yellow-mix

Details on page 240

R10/B **R11/C**

Loop



night black arctic white light ivory light diamond grey light aqua blue aqua blue sea green

Details on page 249

R10/B

**Ocean**

Details on page 174



R10/B

Chroma non-slip

Details on page 155 and the following



B

Chroma unglazed

Details on page 167




R11/B



Plural non-slip

Details on page 200 and the following



R10/B

Plural unglazed

Details on page 208 and the following



R10/B R11/C



Havel-Therme, Werder (Havel), Germany / Architect: Geising & Böker GmbH Architekten BDA, Hamburg
Series: Fresh, Savona / Photo: Jochen Stüber







Experience diversity

Ascona is made for spas, wellness areas and swimming pools in hotels, but also for private homes. This stems from the versatility of the series. Visually, the series offers mosaics and oblong formats, small and large sizes for walls and floors, and a refined selection of colors, providing a wide range of design possibilities. The series also stands out for its functional versatility and technical solutions, making it ideal for all swimming pool areas or spas—both indoors and outdoors, in entrance areas, and spaces where visitors walk barefoot or in dedicated wet areas. With its clean lines and grounded colors, a wide variety of style worlds can be created. The series accommodates both minimalist architecture and classic or modern country house designs. The Ascona series can be perfectly combined with our mosaic series Marble & More.

Rendering



pearl




Floor tile 15 x 15 cm, 6 x 6 in, structured, R10/B



mud



stone



graphite



shell




sand



Floor tile 25 x 50 cm, 10 x 20 in, structured, R11/B

Floor tile 30 x 60 cm, 12 x 24 in, structured, R10/A
Floor tile 30 x 60 cm, 12 x 24 in, structured, R11/B

Grid profile tile 25 x 50 cm, 10 x 20 in, relief, R11/C



Letter tile 25 x 50 cm, 10 x 20 in, structured, R11/B

Mosaic 5 x 5 cm, 2 x 2 in

Mosaic sheet 30 x 30 cm, 12 x 12 in,
pearl, structured, R10/BMosaic sheet 30 x 30 cm, 12 x 12 in,
mud, structured, R10/BMosaic sheet 30 x 30 cm, 12 x 12 in,
stone, structured, R10/BMosaic sheet 30 x 30 cm, 12 x 12 in,
graphite, structured, R10/BMosaic sheet 30 x 30 cm, 12 x 12 in,
shell, structured, R10/BMosaic sheet 30 x 30 cm, 12 x 12 in,
sand, structured, R10/B

Mosaics glued thermoplastically on back of Agrob Buchtal can be used not only in dry zones but also without any problems in underwater areas (e.g. swimming pools/whirlpools) as well as in permanently wet areas (e.g. pool surrounds/showers).



Floor tile 60 x 60 cm, 24 x 24 in, structured, R10/A
Floor tile 60 x 60 cm, 24 x 24 in, structured, R11/B



Cove skirting 10 x 50 cm, 4 x 20 in, structured, R10/A



Cove skirting 10 x 60 cm, 4 x 24 in, structured, R10/A



Skirting, cut, 6 x 50 cm, 2 3/8 x 20 in



Skirting, cut, 6 x 60 cm, 2 3/8 x 24 in



Stair tile with bevel and grooves, 31 x 145 cm, 12.4 x 58 in, structured, R10/A



Stair tile with bevel 31 x 145 cm, 12.4 x 58 in, structured, R10/A




Riser 28 x 145 cm, 11.2 x 58 in, structured, R10/A




Grid profile




pearl

Floor tile 12.5 x 12.5 cm, 5 x 5 in,
structured, R11/BGrid profile tile 12.5 x 12.5 cm, 5 x 5 in,
relief, R11/C

stone

Floor tile 12.5 x 25 cm, 5 x 10 in,
structured, R11/BGrid profile tile 12.5 x 25 cm, 5 x 10 in,
relief, R11/C


graphite

Floor tile 25 x 25 cm, 10 x 10 in,
structured, R11/BGrid profile tile 25 x 25 cm, 10 x 10 in,
relief, R11/C

sand



Floor tile 25 x 50 cm, 10 x 20 in, structured, R11/B



Grid profile tile 25 x 50 cm, 10 x 20 in, relief, R11/C



Wall tile 12.5 x 25 cm, 5 x 10 in, structured



Wall tile 25 x 50 cm, 10 x 20 in, structured



Grooved tile 12.5 x 25 cm,
5 x 10 in, grooved, R11/C



Grooved tile 25 x 25 cm,
10 x 10 in, grooved, R11/C



Grooved tile 50 x 25 cm, 10 x 20 in,
grooved, R11/C



Cove skirting 10 x 25 cm, 4 x 10 in, structured, R10/A

Gutter tile (trough depth 5 mm)



Gutter tile, 50 x 25 cm, 20 x 10 in,
structured, R11/B



Gutter tile, mitred pair
structured, R11/B



Gutter tile with outlet
structured, R11/B



Terminal piece
structured, R11/B

For details concerning gutter tiles, refer to the Pool + Spa programme of delivery.



R11/B

hytect®
clever clean




pearl



mud



stone



graphite




sand





Patio tile 50 x 100 cm, 20 x 40 in, structured, R11/B

Floor Tiles – joint 3 mm

Mosaic¹




Floor Tiles




25 x 50 cm²



25 x 50 cm^{2/3}



30 x 60 cm²



30 x 60 cm²



Sheet: 297 x 297 mm


5 x 5 / 2 x 2	15 x 15 / 6 x 6	25 x 50 / 10 x 20	25 x 50 / 10 x 20	30 x 60 / 12 x 24	30 x 60 / 12 x 24	Nom. dim. - cm/in
47 x 47 x 6.5 mm structured, matt	147 x 147 x 8 mm structured, matt	247 x 497 x 8 mm structured, matt	247 x 497 x 8 mm relief, matt	297 x 597 x 8 mm structured, matt	297 x 597 x 8 mm structured, matt	Work size
11 sheets	44.444	8.000	8.000	5.556	5.556	Surface
12.331	17.555	17.040	17.040	17.413	17.413	m ² - pieces
11	35	9	9	6	6	m ² - kg
1.000	0.788	1.125	1.125	1.080	1.080	Bundle - pieces
12.331	13.825	19.170	19.170	18.804	18.804	Bundle - kg
64.000	63.001	40.500	40.500	43.197	43.197	Pallet - m ²
789.184	1,106.000	690.120	690.120	752.160	752.160	Pallet - kg
Bla	Bla	Ala	Ala	Ala	Ala	Product standard
R10/B	R10/B	R11/B	R11/C	R10/A	R11/B	Slip resistance
1	2	2	2	2	2	Stress group
430701H	430705H	430709H	430713H	430721H	430725H	pearl <input checked="" type="checkbox"/>
Price gr. A226 (m ²)	Price gr. A154 (m ²)	Price gr. A166 (m ²)	Price gr. A187 (m ²)	Price gr. A124 (m ²)	Price gr. A142 (m ²)	
430702H	430706H	430710H	430714H	430722H	430726H	mud <input checked="" type="checkbox"/>
Price gr. A226 (m ²)	Price gr. A154 (m ²)	Price gr. A166 (m ²)	Price gr. A187 (m ²)	Price gr. A124 (m ²)	Price gr. A142 (m ²)	
430703H	430707H	430711H	430715H	430723H	430727H	stone <input checked="" type="checkbox"/>
Price gr. A226 (m ²)	Price gr. A154 (m ²)	Price gr. A166 (m ²)	Price gr. A187 (m ²)	Price gr. A124 (m ²)	Price gr. A142 (m ²)	
430704H	430708H	430712H	430716H	430724H	430728H	graphite <input checked="" type="checkbox"/>
Price gr. A226 (m ²)	Price gr. A154 (m ²)	Price gr. A166 (m ²)	Price gr. A187 (m ²)	Price gr. A124 (m ²)	Price gr. A142 (m ²)	
431501H	431503H	431505H	431507H	431509H	431511H	shell <input checked="" type="checkbox"/>
Price gr. A226 (m ²)	Price gr. A154 (m ²)	Price gr. A166 (m ²)	Price gr. A187 (m ²)	Price gr. A124 (m ²)	Price gr. A142 (m ²)	
431502H	431504H	431506H	431508H	431510H	431512H	sand <input checked="" type="checkbox"/>
Price gr. A226 (m ²)	Price gr. A154 (m ²)	Price gr. A166 (m ²)	Price gr. A187 (m ²)	Price gr. A124 (m ²)	Price gr. A142 (m ²)	




Floor Tiles – joint 3 mm

Floor Tiles¹


60 x 60 cm



60 x 60 cm

Stair Tile with
bevel and
grooves^{2/3/4}

31 x 145 cm

Stair Tile with
bevel^{2/3/4}
Riser^{2/3/4}

31 x 145 cm



28 x 145 cm



Nom. dim. - cm/in	60 x 60 / 24 x 24	60 x 60 / 24 x 24	31 x 145 / 12 3/8 x 58	31 x 145 / 12 3/8 x 58	28 x 145 / 11 3/16 x 58		
Work size	597 x 597 x 8 mm	597 x 597 x 8 mm	307 x 1447 x 10.5 mm	307 x 1447 x 10.5 mm	280 x 1447 x 10.5 mm		
Surface	structured, matt	structured, matt	structured, matt	structured, matt	structured, matt		
m²/m - pieces	2.778/m ²	2.778/m ²	0.690/m	0.690/m	0.690/m		
m²/m - kg	18.001/m ²	18.001/m ²	7.480/m	7.480/m	6.716/m		
Bundle - pieces	4	4	2	2	2		
Bundle - m²/m	1.440 m ²	1.440 m ²	2.899 m	2.899 m	2.899 m		
Bundle - kg	25.920	25.920	21.682	21.682	19.466		
Pallet - m²	43.197	43.197					
Pallet - kg	777.600	777.600					
Product standard	Ala	Ala	Ala	Ala	Ala		
Slip resistance	R10/A	R11/B	R10/A	R10/A	R10/A		
Stress group	2	2	2	2	2		
pearl	430729H V3	430733H Price gr. A136 (m ²)	431576H-TF Price gr. A577 (pce.)	431576H Price gr. A560 (pce.)	431582H Price gr. A528 (pce.)		
mud	430730H V3	430734H Price gr. A136 (m ²)	431577H-TF Price gr. A577 (pce.)	431577H Price gr. A560 (pce.)	431583H Price gr. A528 (pce.)		
stone	430731H V3	430735H Price gr. A136 (m ²)	431578H-TF Price gr. A577 (pce.)	431578H Price gr. A560 (pce.)	431584H Price gr. A528 (pce.)		
graphite	430732H V3	430736H Price gr. A136 (m ²)	431579H-TF Price gr. A577 (pce.)	431579H Price gr. A560 (pce.)	431585H Price gr. A528 (pce.)		
shell	431513H V3	431515H Price gr. A136 (m ²)	431580H-TF Price gr. A577 (pce.)	431580H Price gr. A560 (pce.)	431586H Price gr. A528 (pce.)		
sand	431514H V3	431516H Price gr. A136 (m ²)	431581H-TF Price gr. A577 (pce.)	431581H Price gr. A560 (pce.)	431587H Price gr. A528 (pce.)		

³ Rectified only on the two short sides. The long side can not be rectified.⁴ For details, refer to page 538. For more solutions concerning stair design, refer to the series Area Pro.

**Cove Skirting,
decorated^{1/2/7}**

10 x 50 cm



10 x 60 cm



Skirting, cut¹

6 x 50 cm



6 x 60 cm



Letter Tile^{1/2/3}


25 x 50 cm

WT. 1.35m



Type height 7 cm

	10 x 50 / 4 x 20	10 x 60 / 4 x 24	6 x 50 / 2 3/8 x 20	6 x 60 / 2 3/8 x 24	25 x 50 / 10 x 20	Nom. dim. - cm/in
	100 x 497/35 x 9 mm structured, matt	100 x 597/35 x 9 mm structured, matt	60 x 497 x 8 mm structured, matt	60 x 597 x 8 mm structured, matt	247 x 497 x 8 mm structured, matt	Work size
	2.000 2.000/m	1.667 2.000/m	2.000 1.098/m	1.667 1.100/m	2.000 2.130/piece	Surface
	20 10.000 20.000	20 11.998 24.000	30 15.000 16.470	34 20.396 22.440		m - pieces
	Alb R10/A	Alb R10/A	Ala	Ala	Ala R11/B 2	m/pce. - kg
	430741H ⁶ Price gr. A441 (pce.)	430737H ⁶ Price gr. A445 (pce.)	430984H Price gr. A434 (pce.)	430988H Price gr. A434 (pce.)	430717H Price gr. A668 (pce.)	Bundle - pieces
	430742H ⁵ Price gr. A441 (pce.)	430738H ⁵ Price gr. A445 (pce.)	430985H Price gr. A434 (pce.)	430989H Price gr. A434 (pce.)	430718H Price gr. A668 (pce.)	Bundle - m
	430743H ⁶ Price gr. A441 (pce.)	430739H ⁶ Price gr. A445 (pce.)	430986H Price gr. A434 (pce.)	430990H Price gr. A434 (pce.)	430719H Price gr. A668 (pce.)	Bundle - kg
	430744H ⁴ Price gr. A441 (pce.)	430740H ⁴ Price gr. A445 (pce.)	430987H Price gr. A434 (pce.)	430991H Price gr. A434 (pce.)	430720H Price gr. A668 (pce.)	Pallet - m ²
	431523H ⁵ Price gr. A441 (pce.)	431525H ⁵ Price gr. A445 (pce.)	431527H Price gr. A434 (pce.)	431529H Price gr. A434 (pce.)	431531H Price gr. A668 (pce.)	Pallet - kg
	431524H ⁶ Price gr. A441 (pce.)	431526H ⁶ Price gr. A445 (pce.)	431528H Price gr. A434 (pce.)	431530H Price gr. A434 (pce.)	431532H Price gr. A668 (pce.)	Product standard
						Slip resistance
						Stress group
						pearl <input checked="" type="checkbox"/> V3
						mud <input checked="" type="checkbox"/> V3
						stone <input checked="" type="checkbox"/> V3
						graphite <input checked="" type="checkbox"/> V3
						shell <input checked="" type="checkbox"/> V3
						sand <input checked="" type="checkbox"/> V3



³ Only figures/letters in color 91 are available (neutral 10 / active white).

⁴ Stress group: 2


⁵ Stress group: 3

⁶ Stress group: 4

⁷ Color deviations compared to the adjoining covering due to production are no reason for complaint in case of horizontal laying.

Wall and Floor Tiles – joint 6 mm

Wall Tile Floor Tiles






Nom. dim. - cm/in	12.5 x 25 / 5 x 10	12.5 x 12.5 / 5 x 5	12.5 x 12.5 / 5 x 5	12.5 x 25 / 5 x 10	12.5 x 25 / 5 x 10	25 x 25 / 10 x 10	25 x 25 / 10 x 10
Work size	119 x 244 x 8 mm	119 x 119 x 8 mm	119 x 119 x 8 mm	119 x 244 x 8 mm	119 x 244 x 8 mm	244 x 244 x 8 mm	244 x 244 x 8 mm
Surface	structured, matt	structured, matt	relief, matt	structured, matt	relief, matt	structured, matt	relief, matt
m² - pieces	32.000	64.000	64.000	32.000	32.000	16.000	16.000
m² - kg	15.680	15.360	15.360	15.680	15.680	16.960	16.960
Bundle - pieces	33	66	66	33	33	14	14
Bundle - m²	1.031	1.031	1.031	1.031	1.031	0.875	0.875
Bundle - kg	16.170	15.840	15.840	16.170	16.170	14.840	14.840
Pallet - m²	86.625	86.625	86.625	86.625	86.625	70.875	70.875
Pallet - kg	1,358.280	1,330.560	1,330.560	1,358.280	1,358.280	1,202.040	1,202.040
Product standard	Ala	Ala	Ala	Ala	Ala	Ala	Ala
Slip resistance	-	R11/B	R11/C	R11/B	R11/C	R11/B	R11/C
Stress group	2	2	2	2	2	2	2
430761H	430753H	430757H	430763H	430767H	430771H	430775H	
pearl	V3	Price gr. A127 (m ²)	Price gr. A166 (m ²)	Price gr. A166 (m ²)	Price gr. A136 (m ²)	Price gr. A148 (m ²)	Price gr. A175 (m ²)
mud	V3		Price gr. A166 (m ²)	Price gr. A166 (m ²)	Price gr. A136 (m ²)	Price gr. A148 (m ²)	Price gr. A175 (m ²)
stone	V3		430754H	430758H	430764H	430768H	430772H
graphite	V3		430755H	430759H	430765H	430769H	430773H
shell	V3		430762H	430756H	430760H	430766H	430774H
sand	V3		431533H	431534H	431536H	431538H	431542H
			Price gr. A127 (m ²)	Price gr. A166 (m ²)	Price gr. A166 (m ²)	Price gr. A136 (m ²)	Price gr. A175 (m ²)
			Price gr. A166 (m ²)	Price gr. A166 (m ²)	Price gr. A136 (m ²)	Price gr. A148 (m ²)	Price gr. A142 (m ²)
			Price gr. A166 (m ²)	Price gr. A166 (m ²)	Price gr. A136 (m ²)	Price gr. A148 (m ²)	Price gr. A142 (m ²)
			Price gr. A166 (m ²)	Price gr. A166 (m ²)	Price gr. A136 (m ²)	Price gr. A148 (m ²)	Price gr. A142 (m ²)
			Price gr. A166 (m ²)	Price gr. A166 (m ²)	Price gr. A136 (m ²)	Price gr. A148 (m ²)	Price gr. A142 (m ²)





² Supplied as double-tiles; to be broken by customer.

Wall Tile² Floor Tiles²



Grooved Tiles 12.5 mm thick,
for continuing the pool edge system
„Finnland II“^{1/3/4}








Grid profile tile

25 x 50 / 10 x 20	25 x 50 / 10 x 20	25 x 50 / 10 x 20		50 x 25 / 20 x 10	25 x 25 / 10 x 10	12.5 x 25 / 5 x 10	Nom. dim. - cm/in
244 x 494 x 8 mm	244 x 494 x 8 mm	244 x 494 x 8 mm		494 x 244 x 12.5 mm	244 x 244 x 12.5 mm	119 x 244 x 12.5 mm	Work size - mm
structured, matt	structured, matt	relief, matt		grooved, matt	grooved, matt	grooved, matt	Surface
8.000/m ²	8.000/m ²	8.000/m ²		2.000/m	4.000/m	8.000/m	m ² /m - pieces
17.040/m ²	17.040/m ²	17.040/m ²		3.550/piece	1.775/piece	0.888/piece	m ² /pce. - kg
9	9	9		6	9	21	Bundle - pieces
1.125/m ²	1.125/m ²	1.125/m ²		3.000/m	2.250/m	2.625/m	Bundle - m ² / m
19.170	19.170	19.170		21.300	15.975	18.648	Bundle - kg
40.500	40.500	40.500					Pallet - m ²
690.120	690.120	690.120					Pallet - kg
Ala	Ala	Ala		Ala	Ala	Ala	Product standard
-	R11/B	R11/C		R11/C	R11/C	R11/C	Slip resistance
	2	2					Stress group
430779H	430781H	430785H		430789H	430793H	430802H	pearl <input checked="" type="checkbox"/>
Price gr. A154 (m ²)	Price gr. A166 (m ²)	Price gr. A187 (m ²)		Price gr. A560 (pce.)	Price gr. A480 (pce.)	Price gr. A430 (pce.)	
				430782H	430786H	430790H	430794H
	Price gr. A166 (m ²)	Price gr. A187 (m ²)		Price gr. A560 (pce.)	Price gr. A480 (pce.)	Price gr. A430 (pce.)	mud <input checked="" type="checkbox"/>
	430783H	430787H		430791H	430795H	430804H	430803H
430780H	430784H	430788H		430792H	430796H	430805H	stone <input checked="" type="checkbox"/>
Price gr. A154 (m ²)	Price gr. A166 (m ²)	Price gr. A187 (m ²)		Price gr. A560 (pce.)	Price gr. A480 (pce.)	Price gr. A430 (pce.)	graphite <input checked="" type="checkbox"/>
431546H	431547H	431549H		431551H	431553H	431555H	431556H
Price gr. A154 (m ²)	Price gr. A166 (m ²)	Price gr. A187 (m ²)		Price gr. A560 (pce.)	Price gr. A480 (pce.)	Price gr. A430 (pce.)	shell <input checked="" type="checkbox"/>
	431548H	431550H		431552H	431554H	431556H	431557H
	Price gr. A166 (m ²)	Price gr. A187 (m ²)		Price gr. A560 (pce.)	Price gr. A480 (pce.)	Price gr. A430 (pce.)	sand <input checked="" type="checkbox"/>



³ Short edge rectified

⁴ For more details concerning the pool edge system Finnland II, refer to the Pool + Spa programme of delivery.

**Cove Skirting,
decorated^{1/2/10}****Gutter Tiles^{2/3/4/6}**

Gutter Tile


Gutter tile with outlet
110 / 110 mmGutter tile,
mitered pairGutter tile,
terminal piece

Nom. dim. - cm/in	10 x 25 / 4 x 10	50 x 25 / 20 x 10	50 x 25 / 20 x 10	50 x 25 / 20 x 10
Work size - mm	100 x 244/35 x 9 mm	494 x 244 x 14 mm	494 x 244 x 14 mm	(2x) 490 x 244 x 14 mm
Surface	structured, matt	structured, matt	structured, matt	structured, matt
m - pieces	4.000	2.000	2.000	2.000
pce./pair - kg	0.500/piece	2.500/piece	2.300/piece	3.800/pair
Bundle - pce./pair	20 piece	5 piece	5 piece	2 pair
Bundle - m		2.500		5 piece
Bundle - kg	10.000	12.500	11.500	7.600
Pallet - m ²				12.500
Pallet - kg				
Product standard	Alb	Ala	Ala	Ala
Slip resistance	R10/A	R11/B	R11/B	R11/B
pearl	V3 <i>430806H⁹ Price gr. A423 (pce.)</i>	<i>430810H Price gr. A519 (pce.)</i>	<i>430814H Price gr. A593 (pce.)</i>	<i>430818H Price gr. A645 (pair)</i>
mud	V3 <i>430807H⁸ Price gr. A423 (pce.)</i>	<i>430811H Price gr. A519 (pce.)</i>	<i>430815H Price gr. A593 (pce.)</i>	<i>430819H Price gr. A645 (pair)</i>
stone	V3 <i>430808H⁹ Price gr. A423 (pce.)</i>	<i>430812H Price gr. A519 (pce.)</i>	<i>430816H Price gr. A593 (pce.)</i>	<i>430820H Price gr. A645 (pair)</i>
graphite	V3 <i>430809H⁷ Price gr. A423 (pce.)</i>	<i>430813H Price gr. A519 (pce.)</i>	<i>430817H Price gr. A593 (pce.)</i>	<i>430821H Price gr. A645 (pair)</i>
shell	V3 <i>431557H⁹ Price gr. A423 (pce.)</i>	<i>431559H Price gr. A519 (pce.)</i>	<i>431561H Price gr. A593 (pce.)</i>	<i>431563H Price gr. A645 (pair)</i>
sand	V3 <i>431558H⁹ Price gr. A423 (pce.)</i>	<i>431560H Price gr. A519 (pce.)</i>	<i>431562H Price gr. A593 (pce.)</i>	<i>431564H Price gr. A645 (pair)</i>
				<i>431566H Price gr. A593 (pce.)</i>

³ Also available in a length of 497 mm on request⁴ Short edges rectified⁵ Minimum order quantity: 10 pieces. In case of smaller quantities, the price must be individually calculated.⁶ For further details concerning gutter tiles, refer to the Pool + Spa programme of delivery.⁷ Stress group: 2⁸ Stress group: 3⁹ Stress group: 4¹⁰ Color deviations compared to the adjoining covering due to production are no reason for complaint in case of horizontal laying.

Patio Tiles – joint 3 mm¹

50 x 100 cm



					50 x 100 / 20 x 40	Nom. dim. - cm/in
					497 x 997 x 20 mm	Work size - mm
					structured, matt	Surface
					2.000	m² - pieces
					43.060	m² - kg
					1	Bundle - pieces
					0.500	Bundle - m²
					21.530	Bundle - kg
					22.500	Pallet - m²
					968.850	Pallet - kg
					Alla	Product standard
					R11/B	Slip resistance
					3	Stress group
				430826H	4	
				Price gr. A277 (m²)		pearl <input checked="" type="checkbox"/> V3
				430827H	4	
				Price gr. A277 (m²)		mud <input checked="" type="checkbox"/> V3
				430828H	4	
				Price gr. A277 (m²)		stone <input checked="" type="checkbox"/> V3
				430829H	4	
				Price gr. A277 (m²)		graphite <input checked="" type="checkbox"/> V3
				431567H	4	
				Price gr. A277 (m²)		sand <input checked="" type="checkbox"/> V3







In its element: Chroma

Especially under water, ceramics face significant architectural demands. Chroma consolidates extensive expertise in swimming pool construction in a product series specially designed for underwater use for architects and planners. The standard joint width of 6 mm, which is widely used above all in pool construction, is used.

Stability in the pool: 6 mm joint



Physical stresses create high loads in the pool area, which make a specific joint width advisable. Installing the tiles with a 6 mm joint ensures maximum safety.

Safety without compromises

Accident prevention has the highest priority in every swimming pool – especially in areas with a particularly high risk of slipping, such as stairs leading into the water or walk-through pools. That is why Chroma also offers the slip-resistance classes of category "C". In this way, the highest design and safety requirements can be implemented uniformly and without compromise.


Oasia Hotel, Singapore / Architect: WOHA Architects + Patricia Urquiola
Series: Chroma non-slip, Chroma / Photo: Infinitude

COLOR SYSTEM UNICOLOR – A color sphere becomes a sphere of possibilities

Series of active shades				
active azure NCS S 5030-R80B or RAL 5000	active blue NCS S 6030-R90B	active turquoise NCS S 4030-B50G or RAL 6033	active green NCS S 3050-G50Y	active yellow NCS S 3050-Y10R
light azure NCS S 2030-R80B	light blue NCS S 1510-R80B	light turquoise NCS S 1010-B50G	light green NCS S 0510-G	light yellow NCS S 1010-Y10R or RAL 1015
Series of color values “light, medium, dark”				
medium azure NCS S 4030-R90B	medium blue NCS S 2020-R80B	medium turquoise NCS S 2020-B30G	medium green NCS S 1515-G20Y or RAL 6019	medium yellow NCS S 2030-Y10R
dark azure NCS S 4040-R90B or RAL 5007	dark blue NCS S 4030-R80B	dark turquoise NCS S 4020-B30G	dark green NCS S 3020-G10Y or RAL 6021	dark yellow NCS S 2050-Y20R
Series of neutral shades				
neutral 10 (active white) NCS S 1000-N or RAL 9003	neutral 9 (white-grey) NCS S 1502-R50B	neutral 8 (light-grey) NCS S 2502-B	neutral 7 (pebble-grey) NCS S 4000-N or RAL 7004	neutral 5 (basalt-grey) NCS S 5502-B or RAL 7046

Contrasting colors (glossy)






Contrasting colors (glossy)






Floor/Wall tile
6.2 x 25 cm, 2 1/2 x 10 in,
smooth



Floor/Wall tile
25 x 25 cm, 10 x 10 in,
smooth



Floor/Wall tile
12.5 x 12.5 cm, 5 x 5 in,
smooth



Floor/Wall tile
12.5 x 25 cm, 5 x 10 in,
smooth




Floor/Wall tile
25 x 50 cm, 10 x 20 in, smooth



Floor/Wall tile
12.5 x 50 cm, 5 x 20 in,
smooth




Floor/Wall Tiles

6.2 x 25 cm^{3/6}12.5 x 12.5 cm^{3/6}12.5 x 25 cm³12.5 x 50 cm¹25 x 25 cm³25 x 50 cm¹

Model number	18210H	12020H	18120H	41550HK	12050H	42550HK
Nom. dim. - cm/in	6.2 x 25 / 2 1/2 x 10	12.5 x 12.5 / 5 x 5	12.5 x 25 / 5 x 10	12.5 x 50 / 5 x 20	25 x 25 / 10 x 10	25 x 50 / 10 x 20
Work size	56 x 244 x 6 mm	119 x 119 x 6 mm	119 x 244 x 6 mm	119 x 494 x 8 mm	244 x 244 x 6 mm	244 x 494 x 8 mm
Surface	smooth, silky-matt ⁵	smooth, silky-matt ⁵	smooth, silky-matt ⁵	smooth, silky-matt ⁵	smooth, silky-matt ⁵	smooth, silky-matt ⁵
m ² - pieces	64.000	64.000	32.000	16.000	16.000	8.000
m ² - kg	10.880	12.160	12.160	17.040	12.800	17.040
Bundle - pieces	88	88	44	8	18	9
Bundle - m ²	1.375	1.375	1.375	0.500	1.125	1.125
Bundle - kg	14.960	16.720	16.720	8.520	14.400	19.170
Pallet - m ²	132.000	115.500	115.500	55.000	91.125	40.500
Pallet - kg	1,436.160	1,404.480	1,404.480	937.200	1,166.400	690.120
Product standard	Alb	Alb	Alb	Alb	Alb	Alb
neutral 10 (active white glossy) <input checked="" type="checkbox"/>	4 700i-18210H Price gr. A157 (m ²)	700i-12020H Price gr. A157 (m ²)	700i-18120H Price gr. A94 (m ²)	700i-41550HK Price gr. A178 (m ²)	700i-12050H Price gr. A157 (m ²)	700i-42550HK Price gr. A157 (m ²)
neutral 10 (active white matt) <input checked="" type="checkbox"/>	4 701i-18210H Price gr. A157 (m ²)	701i-12020H Price gr. A157 (m ²)	701i-18120H Price gr. A94 (m ²)	701i-41550HK Price gr. A178 (m ²)	701i-12050H Price gr. A157 (m ²)	701i-42550HK Price gr. A157 (m ²)
neutral 9 (white grey) <input checked="" type="checkbox"/>	4 552119-18210H² Price gr. A217 (m ²)	552119-12020H² Price gr. A217 (m ²)	552119-18120H Price gr. A121 (m ²)	552119-41550HK² Price gr. A235 (m ²)	552119-12050H² Price gr. A217 (m ²)	552119-42550HK² Price gr. A217 (m ²)
neutral 8 (light-grey) <input checked="" type="checkbox"/>	4 552118-18210H Price gr. A187 (m ²)	552118-12020H² Price gr. A217 (m ²)	552118-18120H Price gr. A121 (m ²)	552118-41550HK² Price gr. A235 (m ²)	552118-12050H² Price gr. A217 (m ²)	552118-42550HK² Price gr. A217 (m ²)
neutral 7 (pebble-grey) <input checked="" type="checkbox"/>	4 552117-18210H Price gr. A187 (m ²)	552117-12020H² Price gr. A217 (m ²)	552117-18120H Price gr. A121 (m ²)	552117-41550HK² Price gr. A235 (m ²)	552117-12050H Price gr. A187 (m ²)	552117-42550HK² Price gr. A217 (m ²)
neutral 5 (basalt grey) <input checked="" type="checkbox"/>	3 552115-18210H² Price gr. A217 (m ²)	552115-12020H² Price gr. A217 (m ²)	552115-18120H² Price gr. A151 (m ²)	552115-41550HK² Price gr. A235 (m ²)	552115-12050H² Price gr. A217 (m ²)	552115-42550HK² Price gr. A217 (m ²)
neutral 3 (asphalt black) <input checked="" type="checkbox"/>	3 552113-18210H² Price gr. A217 (m ²)	552113-12020H² Price gr. A217 (m ²)	552113-18120H Price gr. A121 (m ²)	552113-41550HK² Price gr. A235 (m ²)	552113-12050H² Price gr. A217 (m ²)	552113-42550HK² Price gr. A217 (m ²)
neutral 2 (anthracite) <input checked="" type="checkbox"/>	2 552112-18210H Price gr. A187 (m ²)	552112-12020H² Price gr. A217 (m ²)	552112-18120H Price gr. A121 (m ²)	552112-41550HK² Price gr. A235 (m ²)	552112-12050H Price gr. A187 (m ²)	552112-42550HK Price gr. A187 (m ²)
neutral 1 (deep black) <input checked="" type="checkbox"/>	1 5716i-18210H⁴ Price gr. A187 (m ²)	5716i-12020H⁴ Price gr. A187 (m ²)	5716i-18120H⁴ Price gr. A121 (m ²)	5716-41550HK⁴ Price gr. A208 (m ²)	5716i-12050H⁴ Price gr. A187 (m ²)	5716i-42550HK⁴ Price gr. A187 (m ²)
active azure <input checked="" type="checkbox"/>	2 552001-18210H Price gr. A187 (m ²)	552001-12020H Price gr. A187 (m ²)	552001-18120H Price gr. A121 (m ²)	552001-41550HK Price gr. A208 (m ²)	552001-12050H Price gr. A187 (m ²)	552001-42550HK Price gr. A187 (m ²)
light azure <input checked="" type="checkbox"/>	4 552002-18210H Price gr. A187 (m ²)	552002-12020H Price gr. A187 (m ²)	552002-18120H Price gr. A121 (m ²)	552002-41550HK Price gr. A208 (m ²)	552002-12050H Price gr. A187 (m ²)	552002-42550HK Price gr. A187 (m ²)
medium azure <input checked="" type="checkbox"/>	3 552003-18210H Price gr. A187 (m ²)	552003-12020H Price gr. A187 (m ²)	552003-18120H Price gr. A121 (m ²)	552003-41550HK² Price gr. A235 (m ²)	552003-12050H Price gr. A187 (m ²)	552003-42550HK Price gr. A187 (m ²)
dark azure <input checked="" type="checkbox"/>	2 552004-18210H Price gr. A187 (m ²)	552004-12020H Price gr. A187 (m ²)	552004-18120H Price gr. A121 (m ²)	552004-41550HK² Price gr. A235 (m ²)	552004-12050H² Price gr. A217 (m ²)	552004-42550HK² Price gr. A217 (m ²)
active blue <input checked="" type="checkbox"/>	2 552005-18210H² Price gr. A217 (m ²)	552005-12020H Price gr. A187 (m ²)	552005-18120H Price gr. A121 (m ²)	552005-41550HK² Price gr. A235 (m ²)	552005-12050H Price gr. A187 (m ²)	552005-42550HK² Price gr. A217 (m ²)
light blue <input checked="" type="checkbox"/>	4 552006-18210H² Price gr. A217 (m ²)	552006-12020H Price gr. A187 (m ²)	552006-18120H Price gr. A121 (m ²)	552006-41550HK² Price gr. A235 (m ²)	552006-12050H Price gr. A187 (m ²)	552006-42550HK Price gr. A187 (m ²)
medium blue <input checked="" type="checkbox"/>	3 552007-18210H Price gr. A187 (m ²)	552007-12020H Price gr. A187 (m ²)	552007-18120H Price gr. A121 (m ²)	552007-41550HK² Price gr. A235 (m ²)	552007-12050H Price gr. A187 (m ²)	552007-42550HK Price gr. A187 (m ²)
dark blue <input checked="" type="checkbox"/>	2 552008-18210H Price gr. A187 (m ²)	552008-12020H² Price gr. A217 (m ²)	552008-18120H Price gr. A121 (m ²)	552008-41550HK² Price gr. A235 (m ²)	552008-12050H² Price gr. A217 (m ²)	552008-42550HK² Price gr. A217 (m ²)
active turquoise <input checked="" type="checkbox"/>	2 552009-18210H Price gr. A187 (m ²)	552009-12020H² Price gr. A217 (m ²)	552009-18120H Price gr. A121 (m ²)	552009-41550HK² Price gr. A235 (m ²)	552009-12050H² Price gr. A217 (m ²)	552009-42550HK² Price gr. A217 (m ²)
light turquoise <input checked="" type="checkbox"/>	4 552010-18210H Price gr. A187 (m ²)	552010-12020H Price gr. A187 (m ²)	552010-18120H Price gr. A121 (m ²)	552010-41550HK² Price gr. A235 (m ²)	552010-12050H² Price gr. A217 (m ²)	552010-42550HK² Price gr. A217 (m ²)
medium turquoise <input checked="" type="checkbox"/>	3 552011-18210H Price gr. A187 (m ²)	552011-12020H Price gr. A187 (m ²)	552011-18120H Price gr. A121 (m ²)	552011-41550HK² Price gr. A235 (m ²)	552011-12050H Price gr. A187 (m ²)	552011-42550HK² Price gr. A217 (m ²)
dark turquoise <input checked="" type="checkbox"/>	2 552012-18210H⁴ Price gr. A187 (m ²)	552012-12020H⁴ Price gr. A187 (m ²)	552012-18120H⁴ Price gr. A121 (m ²)	552012-41550HK^{2/4} Price gr. A235 (m ²)	552012-12050H^{2/4} Price gr. A217 (m ²)	552012-42550HK^{2/4} Price gr. A217 (m ²)

³ Overglazed edges / corners, refer to page 147⁴ Color deviations from the standard due to production reasons are possible.⁵ Exception neutral 10 (active white glossy): smooth, glossy⁶ Supplied as double-tiles; to be broken by customer.

Overglazed Edges/Corners^{1/2}
Floor/Wall Tiles



overglazed
corner left

overglazed
corner right

overglazed
corner left

overglazed
corner left

overglazed
corner right


overglazed
corner left

Stress group

18213H	18214H	12023H	18123H	18124H	12053H	Model number
6.2 x 25 / 2 1/2 x 10	6.2 x 25 / 2 1/2 x 10	12.5 x 12.5 / 5 x 5	12.5 x 25 / 5 x 10	12.5 x 25 / 5 x 10	25 x 25 / 10 x 10	Nom. dim. - cm/in
56 x 244 x 6 mm	56 x 244 x 6 mm	119 x 119 x 6 mm	119 x 244 x 6 mm	119 x 244 x 6 mm	244 x 244 x 6 mm	Work size
smooth, silky-matt ⁴	Surface					
64.000	64.000	64.000	32.000	32.000	16.000	m ² - pieces
10.880	10.880	12.160	12.160	12.160	12.800	m ² - kg
88	88	88	44	44	18	Bundle - pieces
1.375	1.375	1.375	1.375	1.375	1.125	Bundle - m ²
14.960	14.960	16.720	16.720	16.720	14.400	Pallet - m ²
132.000	132.000	115.500	115.500	115.500	91.125	Pallet - kg
1.436.160	1.436.160	1.404.480	1.404.480	1.404.480	1.166.400	Product standard
Alb	Alb	Alb	Alb	Alb	Alb	4 neutral 10 (active white glossy) <input checked="" type="checkbox"/>
<i>700i-18213H</i>	<i>700i-18214H</i>	<i>700i-12023H</i>	<i>700i-18123H</i>	<i>700i-18124H</i>	<i>700i-12053H</i>	4 neutral 10 (active white matt) <input type="checkbox"/>
<i>Price gr. A157 (m²)</i>	<i>Price gr. A157 (m²)</i>	<i>Price gr. A157 (m²)</i>	<i>Price gr. A109 (m²)</i>	<i>Price gr. A109 (m²)</i>	<i>Price gr. A157 (m²)</i>	
<i>701i-18213H</i>	<i>701i-18214H</i>	<i>701i-12023H</i>	<i>701i-18123H</i>	<i>701i-18124H</i>	<i>701i-12053H</i>	
<i>Price gr. A157 (m²)</i>	<i>Price gr. A157 (m²)</i>	<i>Price gr. A157 (m²)</i>	<i>Price gr. A109 (m²)</i>	<i>Price gr. A109 (m²)</i>	<i>Price gr. A157 (m²)</i>	
5716i-18213H ³	5716i-18214H ³	5716i-12023H ³	5716i-18123H ³	5716i-18124H ³	5716i-12053H ³	1 neutral 1 (deep black) <input type="checkbox"/>
<i>Price gr. A187 (m²)</i>	<i>Price gr. A187 (m²)</i>	<i>Price gr. A187 (m²)</i>	<i>Price gr. A136 (m²)</i>	<i>Price gr. A136 (m²)</i>	<i>Price gr. A187 (m²)</i>	
552001-18213H	552001-18214H	552001-12023H	552001-18123H	552001-18124H	552001-12053H	2 active azure <input type="checkbox"/>
<i>Price gr. A187 (m²)</i>	<i>Price gr. A187 (pce.)</i>	<i>Price gr. A187 (m²)</i>	<i>Price gr. A136 (m²)</i>	<i>Price gr. A136 (m²)</i>	<i>Price gr. A187 (m²)</i>	
552002-18213H	552002-18214H	552002-12023H	552002-18123H	552002-18124H	552002-12053H	4 light azure <input type="checkbox"/>
<i>Price gr. A187 (m²)</i>	<i>Price gr. A187 (m²)</i>	<i>Price gr. A187 (m²)</i>	<i>Price gr. A136 (m²)</i>	<i>Price gr. A136 (m²)</i>	<i>Price gr. A187 (m²)</i>	



1



3 Production-related color deviations from the standard are possible.

4 Exception neutral 10 (active white glossy): smooth, glossy



Overglazed edges
available on request:



Replace last figure 0 of
Standard model no. by ...

... 3 = corner left

... 4 = corner right

overglazed edges

Example: Standard model no. 18120 = 119 x 244 x 6 mm,
model no. 18123 = overglazed corner left

Floor/Wall Tiles

6.2 x 25 cm^{3/5}12.5 x 12.5 cm^{3/5}12.5 x 25 cm³12.5 x 50 cm¹25 x 25 cm³25 x 50 cm¹

Model number	18210H	12020H	18120H	41550HK	12050H	42550HK	
Nom. dim. - cm/in	6.2 x 25 / 2 1/2 x 10	12.5 x 12.5 / 5 x 5	12.5 x 25 / 5 x 10	12.5 x 50 / 5 x 20	25 x 25 / 10 x 10	25 x 50 / 10 x 20	
Work size	56 x 244 x 6 mm	119 x 119 x 6 mm	119 x 244 x 6 mm	119 x 494 x 8 mm	244 x 244 x 6 mm	244 x 494 x 8 mm	
Surface	smooth, silky-matt	smooth, silky-matt	smooth, silky-matt	smooth, silky-matt	smooth, silky-matt	smooth, silky-matt	
m ² - pieces	64.000	64.000	32.000	16.000	16.000	8.000	
m ² - kg	10.880	12.160	12.160	17.040	12.800	17.040	
Bundle - pieces	88	88	44	8	18	9	
Bundle - m ²	1.375	1.375	1.375	0.500	1.125	1.125	
Bundle - kg	14.960	16.720	16.720	8.520	14.400	19.170	
Pallet - m ²	132.000	115.500	115.500	55.000	91.125	40.500	
Pallet - kg	1,436.160	1,404.480	1,404.480	937.200	1,166.400	690.120	
Product standard	Alb	Alb	Alb	Alb	Alb	Alb	
active green	2 552013-18210H Price gr. A187 (m ²)	552013-12020H Price gr. A187 (m ²)	552013-41550HK² Price gr. A121 (m ²)	552013-12050H² Price gr. A235 (m ²)	552013-42550HK² Price gr. A217 (m ²)	552013-42550HK² Price gr. A217 (m ²)	
light green	4 552014-18210H Price gr. A187 (m ²)	552014-12020H Price gr. A187 (m ²)	552014-41550HK² Price gr. A121 (m ²)	552014-12050H Price gr. A235 (m ²)	552014-42550HK² Price gr. A187 (m ²)	552014-42550HK² Price gr. A217 (m ²)	
medium green	3 552015-18210H Price gr. A187 (m ²)	552015-12020H Price gr. A187 (m ²)	552015-41550HK² Price gr. A121 (m ²)	552015-12050H Price gr. A235 (m ²)	552015-42550HK Price gr. A187 (m ²)	552015-42550HK Price gr. A187 (m ²)	
dark green	2 552016-18210H Price gr. A187 (m ²)	552016-12020H Price gr. A187 (m ²)	552016-41550HK² Price gr. A121 (m ²)	552016-41550HK² Price gr. A235 (m ²)	552016-12050H Price gr. A187 (m ²)	552016-42550HK² Price gr. A217 (m ²)	
active yellow	2 552017-18210H^{2/4} Price gr. A217 (m ²)	552017-12020H^{2/4} Price gr. A217 (m ²)	552017-18120H⁴ Price gr. A217 (m ²)	552017-41550HK^{2/4} Price gr. A121 (m ²)	552017-12050H^{2/4} Price gr. A235 (m ²)	552017-42550HK^{2/4} Price gr. A217 (m ²)	
light yellow	4 552018-18210H² Price gr. A217 (m ²)	552018-12020H Price gr. A217 (m ²)	552018-41550HK² Price gr. A121 (m ²)	552018-12050H Price gr. A235 (m ²)	552018-42550HK Price gr. A187 (m ²)	552018-42550HK Price gr. A187 (m ²)	
medium yellow	3 552019-18210H Price gr. A187 (m ²)	552019-12020H Price gr. A187 (m ²)	552019-41550HK² Price gr. A121 (m ²)	552019-12050H Price gr. A235 (m ²)	552019-42550HK² Price gr. A187 (m ²)	552019-42550HK² Price gr. A217 (m ²)	
dark yellow	2 552020-18210H⁴ Price gr. A217 (m ²)	552020-12020H^{2/4} Price gr. A217 (m ²)	552020-18120H⁴ Price gr. A217 (m ²)	552020-41550HK^{2/4} Price gr. A121 (m ²)	552020-12050H^{2/4} Price gr. A235 (m ²)	552020-42550HK^{2/4} Price gr. A217 (m ²)	
active ochre	2 552021-18210H^{2/4} Price gr. A217 (m ²)	552021-12020H^{2/4} Price gr. A217 (m ²)	552021-18120H^{2/4} Price gr. A217 (m ²)	552021-41550HK^{2/4} Price gr. A151 (m ²)	552021-12050H^{2/4} Price gr. A235 (m ²)	552021-42550HK^{2/4} Price gr. A217 (m ²)	
light ochre	4 552022-18210H Price gr. A187 (m ²)	552022-12020H² Price gr. A217 (m ²)	552022-18120H² Price gr. A217 (m ²)	552022-41550HK² Price gr. A151 (m ²)	552022-12050H² Price gr. A235 (m ²)	552022-42550HK² Price gr. A217 (m ²)	
medium ochre	3 552023-18210H² Price gr. A217 (m ²)	552023-12020H² Price gr. A217 (m ²)	552023-18120H Price gr. A217 (m ²)	552023-41550HK² Price gr. A121 (m ²)	552023-12050H² Price gr. A235 (m ²)	552023-42550HK² Price gr. A217 (m ²)	
dark ochre	2 552024-18210H² Price gr. A217 (m ²)	552024-12020H² Price gr. A217 (m ²)	552024-18120H Price gr. A217 (m ²)	552024-41550HK² Price gr. A121 (m ²)	552024-12050H² Price gr. A235 (m ²)	552024-42550HK² Price gr. A217 (m ²)	
active salmon	2 552025-18210H⁴ Price gr. A187 (m ²)	552025-12020H^{2/4} Price gr. A217 (m ²)	552025-18120H^{2/4} Price gr. A217 (m ²)	552025-41550HK^{2/4} Price gr. A151 (m ²)	552025-12050H^{2/4} Price gr. A235 (m ²)	552025-42550HK^{2/4} Price gr. A217 (m ²)	
light salmon	4 552026-18210H Price gr. A187 (m ²)	552026-12020H² Price gr. A217 (m ²)	552026-18120H Price gr. A217 (m ²)	552026-41550HK² Price gr. A121 (m ²)	552026-12050H² Price gr. A235 (m ²)	552026-42550HK² Price gr. A217 (m ²)	
medium salmon	3 552027-18210H Price gr. A187 (m ²)	552027-12020H² Price gr. A217 (m ²)	552027-18120H² Price gr. A217 (m ²)	552027-41550HK² Price gr. A151 (m ²)	552027-12050H Price gr. A235 (m ²)	552027-42550HK² Price gr. A217 (m ²)	
dark salmon	2 552028-18210H² Price gr. A217 (m ²)	552028-12020H² Price gr. A217 (m ²)	552028-18120H² Price gr. A217 (m ²)	552028-41550HK² Price gr. A151 (m ²)	552028-12050H² Price gr. A235 (m ²)	552028-42550HK² Price gr. A217 (m ²)	
active oxide red	2 552029-18210H Price gr. A187 (m ²)	552029-12020H² Price gr. A217 (m ²)	552029-18120H Price gr. A217 (m ²)	552029-41550HK² Price gr. A121 (m ²)	552029-12050H Price gr. A235 (m ²)	552029-42550HK² Price gr. A217 (m ²)	
light oxide red	4 552030-18210H² Price gr. A217 (m ²)	552030-12020H² Price gr. A217 (m ²)	552030-18120H² Price gr. A217 (m ²)	552030-41550HK² Price gr. A151 (m ²)	552030-12050H Price gr. A235 (m ²)	552030-42550HK² Price gr. A217 (m ²)	
medium oxide red	3 552031-18210H Price gr. A187 (m ²)	552031-12020H² Price gr. A217 (m ²)	552031-18120H² Price gr. A217 (m ²)	552031-41550HK² Price gr. A121 (m ²)	552031-12050H Price gr. A235 (m ²)	552031-42550HK² Price gr. A217 (m ²)	
dark oxide red	2 552032-18210H Price gr. A187 (m ²)	552032-12020H² Price gr. A217 (m ²)	552032-18120H Price gr. A217 (m ²)	552032-41550HK² Price gr. A121 (m ²)	552032-12050H² Price gr. A235 (m ²)	552032-42550HK² Price gr. A217 (m ²)	



1



2

³ Overglazed edges / corners, refer to page 149⁴ Color deviations from the standard due to production reasons are possible.⁵ Supplied as double-tiles; to be broken by customer.

Floor/Wall Tiles

6.2 x 25 cm^{3/4}



12.5 x 12.5 cm^{3/4}



12.5 x 25 cm³



12.5 x 50 cm¹



25 x 25 cm³



25 x 50 cm¹



							Model number
							Nom. dim. - cm/in
							Work size
18210H	12020H	18120H	41550HK	12050H	42550HK	25 x 50 / 10 x 20	Surface
6.2 x 25 / 2 1/2 x 10	12.5 x 12.5 / 5 x 5	12.5 x 25 / 5 x 10	12.5 x 50 / 5 x 20	25 x 25 / 10 x 10	25 x 50 / 10 x 20	25 x 50 / 10 x 20	m² - pieces
56 x 244 x 6 mm	119 x 119 x 6 mm	119 x 244 x 6 mm	119 x 494 x 8 mm	244 x 244 x 6 mm	244 x 494 x 8 mm	244 x 494 x 8 mm	m² - kg
smooth, silky-matt ⁶	smooth, silky-matt ⁶	smooth, silky-matt ⁶	smooth, silky-matt ⁶	smooth, silky-matt ⁶	smooth, silky-matt ⁶	smooth, silky-matt ⁶	Bundle - pieces
64.000	64.000	32.000	16.000	16.000	8.000	8.000	Bundle - m²
10.880	12.160	12.160	17.040	12.800	17.040	17.040	Bundle - kg
88	88	44	8	18	9	9	Pallet - m²
1.375	1.375	1.375	0.500	1.125	1.125	1.125	Pallet - kg
14.960	16.720	16.720	8.520	14.400	19.170	19.170	Pallet - m²
132.000	115.500	115.500	55.000	91.125	40.500	40.500	Pallet - kg
1,436.160	1,404.480	1,404.480	937.200	1,166.400	690.120	690.120	Pallet - kg
Alb	Alb	Alb	Alb	Alb	Alb	Alb	Product standard
552033-18210H	552033-12020H²	552033-18120H	552033-41550HK²	552033-12050H²	552033-42550HK²	2	active stone grey <input checked="" type="checkbox"/>
Price gr. A187 (m ²)	Price gr. A217 (m ²)	Price gr. A21 (m ²)	Price gr. A235 (m ²)	Price gr. A217 (m ²)	Price gr. A217 (m ²)	2	active stone grey <input checked="" type="checkbox"/>
552034-18210H²	552034-12020H²	552034-18120H²	552034-41550HK²	552034-12050H²	552034-42550HK²	4	light stone grey <input checked="" type="checkbox"/>
Price gr. A217 (m ²)	Price gr. A217 (m ²)	Price gr. A151 (m ²)	Price gr. A235 (m ²)	Price gr. A217 (m ²)	Price gr. A217 (m ²)	4	light stone grey <input checked="" type="checkbox"/>
552035-18210H	552035-12020H	552035-18120H	552035-41550HK²	552035-12050H²	552035-42550HK²	3	medium stone grey <input checked="" type="checkbox"/>
Price gr. A187 (m ²)	Price gr. A187 (m ²)	Price gr. A121 (m ²)	Price gr. A235 (m ²)	Price gr. A217 (m ²)	Price gr. A217 (m ²)	3	medium stone grey <input checked="" type="checkbox"/>
552036-18210H²	552036-12020H²	552036-18120H	552036-41550HK²	552036-12050H²	552036-42550HK²	2	dark stone grey <input checked="" type="checkbox"/>
Price gr. A217 (m ²)	Price gr. A217 (m ²)	Price gr. A21 (m ²)	Price gr. A235 (m ²)	Price gr. A217 (m ²)	Price gr. A217 (m ²)	2	dark stone grey <input checked="" type="checkbox"/>
552037-18210H²	552037-12020H²	552037-18120H	552037-41550HK²	552037-12050H²	552037-42550HK²	2	active sand-grey <input checked="" type="checkbox"/>
Price gr. A217 (m ²)	Price gr. A217 (m ²)	Price gr. A21 (m ²)	Price gr. A235 (m ²)	Price gr. A217 (m ²)	Price gr. A217 (m ²)	2	active sand-grey <input checked="" type="checkbox"/>
552038-18210H	552038-12020H	552038-18120H	552038-41550HK²	552038-12050H²	552038-42550HK²	4	light sand-grey <input checked="" type="checkbox"/>
Price gr. A187 (m ²)	Price gr. A187 (m ²)	Price gr. A121 (m ²)	Price gr. A235 (m ²)	Price gr. A187 (m ²)	Price gr. A187 (m ²)	4	light sand-grey <input checked="" type="checkbox"/>
552039-18210H²	552039-12020H²	552039-18120H	552039-41550HK²	552039-12050H²	552039-42550HK²	3	medium sand-grey <input checked="" type="checkbox"/>
Price gr. A217 (m ²)	Price gr. A217 (m ²)	Price gr. A21 (m ²)	Price gr. A235 (m ²)	Price gr. A217 (m ²)	Price gr. A217 (m ²)	3	medium sand-grey <input checked="" type="checkbox"/>
552040-18210H²	552040-12020H²	552040-18120H	552040-41550HK²	552040-12050H²	552040-42550HK	2	dark sand-grey <input checked="" type="checkbox"/>
Price gr. A217 (m ²)	Price gr. A217 (m ²)	Price gr. A21 (m ²)	Price gr. A235 (m ²)	Price gr. A217 (m ²)	Price gr. A187 (m ²)	2	dark sand-grey <input checked="" type="checkbox"/>
717i-18210H ²	717i-12020H ²	717i-18120H ²	717i-41550HK ²	717i-12050H ²	717i-42550HK ²	1	black glossy <input checked="" type="checkbox"/>
Price gr. A217 (m ²)	Price gr. A217 (m ²)	Price gr. A21 (m ²)	Price gr. A235 (m ²)	Price gr. A217 (m ²)	Price gr. A217 (m ²)	1	black glossy <input checked="" type="checkbox"/>
151i-18210H ²	151i-12020H ²	151i-18120H ²	151i-41550HK ²	151i-12050H ²	151i-42550HK ²	1	orange glossy <input checked="" type="checkbox"/>
Price gr. A217 (m ²)	Price gr. A217 (m ²)	Price gr. A21 (m ²)	Price gr. A235 (m ²)	Price gr. A217 (m ²)	Price gr. A217 (m ²)	1	orange glossy <input checked="" type="checkbox"/>
150i-18210H ²	150i-12020H ²	150i-18120H ²	150i-41550HK ²	150i-12050H ²	150i-42550HK ²	2	lemon-yellow glossy <input checked="" type="checkbox"/>
Price gr. A217 (m ²)	Price gr. A217 (m ²)	Price gr. A21 (m ²)	Price gr. A235 (m ²)	Price gr. A217 (m ²)	Price gr. A217 (m ²)	2	lemon-yellow glossy <input checked="" type="checkbox"/>
154i-18210H ²	154i-12020H ²	154i-18120H ²	154i-41550HK ²	154i-12050H ²	154i-42550HK ²	1	contrasting red glossy <input checked="" type="checkbox"/>
Price gr. A217 (m ²)	Price gr. A217 (m ²)	Price gr. A21 (m ²)	Price gr. A235 (m ²)	Price gr. A217 (m ²)	Price gr. A217 (m ²)	1	contrasting red glossy <input checked="" type="checkbox"/>
144-18210 ^{2/5}	144-12020 ^{2/5}	144-18120 ^{2/5}	144-41550K ^{2/5}	144-12050 ^{2/5}	144-42550K ^{2/5}	1	intense blue glossy <input checked="" type="checkbox"/>
Price gr. A217 (m ²)	Price gr. A217 (m ²)	Price gr. A21 (m ²)	Price gr. A235 (m ²)	Price gr. A217 (m ²)	Price gr. A217 (m ²)	1	intense blue glossy <input checked="" type="checkbox"/>
152i-18210H ²	152i-12020H ²	152i-18120H ²	152i-41550HK ²	152i-12050H ²	152i-42550HK ²	2	apple-green glossy <input checked="" type="checkbox"/>
Price gr. A217 (m ²)	Price gr. A217 (m ²)	Price gr. A21 (m ²)	Price gr. A235 (m ²)	Price gr. A217 (m ²)	Price gr. A217 (m ²)	2	apple-green glossy <input checked="" type="checkbox"/>
153i-18210H ²	153i-12020H ²	153i-18120H ²	153i-41550HK ²	153i-12050H ²	153i-42550HK ²	1	violet glossy <input checked="" type="checkbox"/>
Price gr. A217 (m ²)	Price gr. A217 (m ²)	Price gr. A21 (m ²)	Price gr. A235 (m ²)	Price gr. A217 (m ²)	Price gr. A217 (m ²)	1	violet glossy <input checked="" type="checkbox"/>



³ Overglazed edges / corners, see below

⁴ Supplied as double-tiles; to be broken by customer.

⁵ without Hytect coating

⁶ Exception: contrasting colors black, orange, lemon-yellow, contrasting red, intense blue, apple-green, violet: smooth, glossy



Overglazed edges available on request:



Replace last figure 0 of Standard model no. by 3 = corner left	... 4 = corner right	overglazed edges	Example: Standard model no. 18120 = 119 x 244 x 6 mm, model no. 18123 = overglazed corner left
--	---------------------	----------------------	------------------	--



Solebad, Werne, Germany / Architect: Geising + Böker GmbH, Büro Vechta
Photo: Jochen Stüber





Slip resistance "B"

-/B

 91
 white / neutral 10 (active white)

-/B

 553004
 dark azure

 553003
 medium azure


 553002
 light azure

-/B


 553001
 active azure

-/B

 77
 contrasting red


 553119
 neutral 9 (white-grey)

 553118
 neutral 8 (light-grey)


 553008
 dark blue

 553007
 medium blue

 553006
 light blue




 553011
 medium turquoise

 553010
 light turquoise


 553014
 light green



 553117
 neutral 7 (pebble-grey)

 553116
 dark green


 553015
 medium green

 553019
 medium yellow

 553018
 light yellow


 Floor tile
 12.5 x 12.5 cm, 5 x 5 in,
 smooth, -/B


 553113
 neutral 3 (asphalt black)


 553023
 medium ochre


 553027
 medium salmon

 553026
 light salmon


 Floor tile
 12.5 x 25 cm, 5 x 10 in,
 smooth, -/B



 553112
 neutral 2 (anthracite)


 553036
 dark stone grey


 553033
 active stone grey

 553037
 active sand-grey


 340
 black / neutral 1 (deep black)


 553031
 medium oxid red


 553040
 dark sand-grey

 553039
 medium sand-grey

 553038
 light sand-grey


 On request, other
 colors of the series
 Chroma are also
 available as non-
 slip glazes with a
 joint width of 6 mm.

Slip resistance „B“

Floor Tiles²

12.5 x 12.5 cm³



12.5 x 25 cm



25 x 25 cm



				32020H 12.5 x 12.5 / 5 x 5 119 x 119 x 8 mm smooth, silky-matt 64.000	38110H 12.5 x 25 / 5 x 10 119 x 244 x 8 mm smooth, silky-matt 32.000	32050H 25 x 25 / 10 x 10 244 x 244 x 8 mm smooth, silky-matt 16.000	Model number Nom. dim. - cm/in
				15.360	15.680	16.960	Work size
				66	33	14	Surface
				1.031	1.031	0.875	m² - pieces
				15.840	16.170	14.840	m² - kg
				86.625	86.625	70.875	Bundle - pieces
				1.330.560	1.358.280	1.202.040	Bundle - m ²
				Alb	Alb	Alb	Bundle - kg
				-/B	-/B	-/B	Pallet - m ²
				2	2	2	Pallet - kg
				91i-32020H	91i-38110H	91i-32050H	Product standard
				Price gr. A217 (m ²)	Price gr. A199 (m ²)	Price gr. A217 (m ²)	Slip resistance
				340i-32020H	340i-38110H	340i-32050H	Stress group
				Price gr. A217 (m ²)	Price gr. A199 (m ²)	Price gr. A217 (m ²)	neutral 10
				553001-32020H	553001-38110H	553001-32050H	(active white) <input checked="" type="checkbox"/>
				Price gr. A217 (m ²)	Price gr. A199 (m ²)	Price gr. A217 (m ²)	neutral 1 <input type="checkbox"/>
				553002-32020H	553002-38110H	553002-32050H	(deep black) <input type="checkbox"/>
				Price gr. A217 (m ²)	Price gr. A199 (m ²)	Price gr. A217 (m ²)	active azure <input type="checkbox"/>
				553003-32020H	553003-38110H	553003-32050H	light azure <input type="checkbox"/>
				Price gr. A217 (m ²)	Price gr. A199 (m ²)	Price gr. A217 (m ²)	medium azure <input type="checkbox"/>
				553004-32020H	553004-38110H	553004-32050H	dark azure <input type="checkbox"/>
				Price gr. A217 (m ²)	Price gr. A199 (m ²)	Price gr. A217 (m ²)	light blue <input type="checkbox"/>
				553006-32020H	553006-38110H	553006-32050H	medium blue <input type="checkbox"/>
				Price gr. A217 (m ²)	Price gr. A199 (m ²)	Price gr. A217 (m ²)	dark blue <input type="checkbox"/>
				553007-32020H	553007-38110H	553007-32050H	light turquoise <input type="checkbox"/>
				Price gr. A217 (m ²)	Price gr. A199 (m ²)	Price gr. A217 (m ²)	medium turquoise <input type="checkbox"/>
				553008-32020H	553008-38110H¹	553008-32050H¹	dark turquoise <input type="checkbox"/>
				Price gr. A217 (m ²)	Price gr. A199 (m ²)	Price gr. A217 (m ²)	light green <input type="checkbox"/>
				553010-32020H	553010-38110H	553010-32050H¹	medium green <input type="checkbox"/>
				Price gr. A217 (m ²)	Price gr. A199 (m ²)	Price gr. A217 (m ²)	dark green <input type="checkbox"/>
				553011-32020H	553011-38110H	553011-32050H	light yellow <input type="checkbox"/>
				Price gr. A217 (m ²)	Price gr. A199 (m ²)	Price gr. A217 (m ²)	medium yellow <input type="checkbox"/>
				553014-32020H	553014-38110H¹	553014-32050H¹	medium ochre <input type="checkbox"/>
				Price gr. A217 (m ²)	Price gr. A199 (m ²)	Price gr. A217 (m ²)	light salmon <input type="checkbox"/>
				553015-32020H	553015-38110H	553015-32050H	medium oxide red <input type="checkbox"/>
				Price gr. A217 (m ²)	Price gr. A199 (m ²)	Price gr. A217 (m ²)	active stone grey <input type="checkbox"/>
				553016-32020H	553016-38110H	553016-32050H	light stone grey <input type="checkbox"/>
				Price gr. A217 (m ²)	Price gr. A199 (m ²)	Price gr. A217 (m ²)	medium stone grey <input type="checkbox"/>
				553018-32020H¹	553018-38110H¹	553018-32050H¹	dark stone grey <input type="checkbox"/>
				Price gr. A217 (m ²)	Price gr. A199 (m ²)	Price gr. A217 (m ²)	
				553019-32020H	553019-38110H	553019-32050H	
				Price gr. A217 (m ²)	Price gr. A199 (m ²)	Price gr. A217 (m ²)	
				553023-32020H¹	553023-38110H	553023-32050H	
				Price gr. A217 (m ²)	Price gr. A199 (m ²)	Price gr. A217 (m ²)	
				553026-32020H¹	553026-38110H¹	553026-32050H¹	
				Price gr. A217 (m ²)	Price gr. A199 (m ²)	Price gr. A217 (m ²)	
				553027-32020H¹	553027-38110H	553027-32050H	
				Price gr. A217 (m ²)	Price gr. A199 (m ²)	Price gr. A217 (m ²)	
				553031-32020H	553031-38110H¹	553031-32050H¹	
				Price gr. A217 (m ²)	Price gr. A199 (m ²)	Price gr. A217 (m ²)	
				553033-32020H¹	553033-38110H¹	553033-32050H¹	
				Price gr. A217 (m ²)	Price gr. A199 (m ²)	Price gr. A217 (m ²)	
				553034-32020H	553034-38110H¹	553034-32050H¹	
				Price gr. A217 (m ²)	Price gr. A199 (m ²)	Price gr. A217 (m ²)	
				553035-32020H	553035-38110H	553035-32050H¹	
				Price gr. A217 (m ²)	Price gr. A199 (m ²)	Price gr. A217 (m ²)	
				553036-32020H	553036-38110H	553036-32050H¹	
				Price gr. A217 (m ²)	Price gr. A199 (m ²)	Price gr. A217 (m ²)	



² Rounded edges / corners refer to page 155

³ Supplied as double-tiles; to be broken by customer.



Slip resistance „B“

Floor Tiles²12.5 x 12.5 cm³

12.5 x 25 cm



25 x 25 cm



Model number	32020H	38110H	32050H				
Nom. dim. - cm/in	12.5 x 12.5 / 5 x 5	12.5 x 25 / 5 x 10	25 x 25 / 10 x 10				
Work size	119 x 119 x 8 mm	119 x 244 x 8 mm	244 x 244 x 8 mm				
Surface	smooth, silky-matt	smooth, silky-matt	smooth, silky-matt				
m ² - pieces	64.000	32.000	16.000				
m ² - kg	15.360	15.680	16.960				
Bundle - pieces	66	33	14				
Bundle - m ²	1.031	1.031	0.875				
Bundle - kg	15.840	16.170	14.840				
Pallet - m ²	86.625	86.625	70.875				
Pallet - kg	1,330.500	1,358.280	1,202.040				
Product standard	Alb	Alb	Alb				
Slip resistance	-/B	⊗	-/B	⊗	-/B	⊗	
Stress group	2	2	2				
active sand-grey	<input checked="" type="checkbox"/> V0	553037-32020H ¹ Price gr. A217 (m ²)	553037-38110H ¹ Price gr. A199 (m ²)	553037-32050H ¹ Price gr. A217 (m ²)			
light sand-grey	<input checked="" type="checkbox"/> V0	553038-32020H Price gr. A217 (m ²)	553038-38110H Price gr. A199 (m ²)	553038-32050H¹ Price gr. A217 (m ²)			
medium sand-grey	<input checked="" type="checkbox"/> V0	553039-32020H Price gr. A217 (m ²)	553039-38110H¹ Price gr. A199 (m ²)	553039-32050H¹ Price gr. A217 (m ²)			
dark sand-grey	<input checked="" type="checkbox"/> V0	553040-32020H Price gr. A217 (m ²)	553040-38110H¹ Price gr. A199 (m ²)	553040-32050H¹ Price gr. A217 (m ²)			
neutral 9 (white grey)	<input checked="" type="checkbox"/> V0	553119-32020H ¹ Price gr. A217 (m ²)	553119-38110H ¹ Price gr. A199 (m ²)	553119-32050H Price gr. A217 (m ²)			
neutral 8 (light-grey)	<input checked="" type="checkbox"/> V0	553118-32020H Price gr. A217 (m ²)	553118-38110H¹ Price gr. A199 (m ²)	553118-32050H Price gr. A217 (m ²)			
neutral 7 (pebble-grey)	<input checked="" type="checkbox"/> V0	553117-32020H Price gr. A217 (m ²)	553117-38110H Price gr. A199 (m ²)	553117-32050H Price gr. A217 (m ²)			
neutral 5 (basalt grey)	<input checked="" type="checkbox"/> V0	553115-32020H ¹ Price gr. A217 (m ²)	553115-38110H ¹ Price gr. A199 (m ²)	553115-32050H ¹ Price gr. A217 (m ²)			
neutral 3 (asphalt black)	<input checked="" type="checkbox"/> V0	553113-32020H Price gr. A217 (m ²)	553113-38110H Price gr. A199 (m ²)	553113-32050H Price gr. A217 (m ²)			
neutral 2 (anthracite)	<input checked="" type="checkbox"/> V0	553112-32020H Price gr. A217 (m ²)	553112-38110H Price gr. A199 (m ²)	553112-32050H Price gr. A217 (m ²)			
contrasting red	<input checked="" type="checkbox"/> V0	77i-32020H Price gr. A217 (m ²)	77i-38110H Price gr. A199 (m ²)	77i-32050H Price gr. A217 (m ²)			

² Rounded edges / corners refer to page 155³ Supplied as double-tiles; to be broken by customer.

Slip resistance „B“ – rounded edges/corners^{1/2}

Floor Tiles

12.5 x 12.5 cm



12.5 x 12.5 cm



12.5 x 25 cm



12.5 x 25 cm



12.5 x 25 cm



12.5 x 25 cm



rounded edge

32025H

12.5 x 12.5 / 5 x 5

119 x 119 x 8 mm

smooth, silky-matt

0.240

66

15.840

Alb

-/B

2

91i-32025H

Price gr. A410 (pce.)

340i-32025H

Price gr. A410 (pce.)

553001-32025H

Price gr. A410 (pce.)

553002-32025H

Price gr. A410 (pce.)

rounded corner

32027H

12.5 x 12.5 / 5 x 5

119 x 119 x 8 mm

smooth, silky-matt

0.240

66

15.840

Alb

-/B

2

91i-32027H

Price gr. A410 (pce.)

340i-32027H

Price gr. A410 (pce.)

553001-32027H

Price gr. A410 (pce.)

553002-32027H

Price gr. A410 (pce.)

short side rounded

38115H

12.5 x 25 / 5 x 10

119 x 244 x 8 mm

smooth, silky-matt

0.490

33

16.170

Alb

-/B

2

91i-38115H

Price gr. A416 (pce.)

340i-38115H

Price gr. A416 (pce.)

553001-38115H

Price gr. A416 (pce.)

553002-38115H

Price gr. A416 (pce.)

long side rounded

38116H

12.5 x 25 / 5 x 10

119 x 244 x 8 mm

smooth, silky-matt

0.490

33

16.170

Alb

-/B

2

91i-38116H

Price gr. A416 (pce.)

340i-38116H

Price gr. A416 (pce.)

553001-38116H

Price gr. A416 (pce.)

553002-38116H

Price gr. A416 (pce.)

rounded corner left

38117H

12.5 x 25 / 5 x 10

119 x 244 x 8 mm

smooth, silky-matt

0.490

33

16.170

Alb

-/B

2

91i-38117H

Price gr. A416 (pce.)

340i-38117H

Price gr. A416 (pce.)

553001-38117H

Price gr. A416 (pce.)

553002-38117H

Price gr. A416 (pce.)

rounded corner right

38118H

12.5 x 25 / 5 x 10

119 x 244 x 8 mm

smooth, silky-matt

0.490

33

16.170

Alb

-/B

2

91i-38118H

Price gr. A416 (pce.)

340i-38118H

Price gr. A416 (pce.)

553001-38118H

Price gr. A416 (pce.)

553002-38118H

Price gr. A416 (pce.)

Model number

Nom. dim. - cm/in

Work size

Surface

m² - pieces

m² - kg

Bundle - pieces

Bundle - m²

Bundle - kg

Pallet - m²

Pallet - kg

Product standard

Slip resistance

Stress group

neutral 10

(active white) V0

neutral 1

(deep black) V0

active azure V0

light azure V0



Floor Tiles



rounded edge

32055H

25 x 25 / 10 x 10

244 x 244 x 8 mm

smooth, silky-matt

1.060

14

14.840

Alb

-/B

2

91i-32055H

Price gr. A434 (pce.)

340i-32055H

Price gr. A434 (pce.)

553001-32055H

Price gr. A434 (pce.)

553002-32055H

Price gr. A434 (pce.)

1

2

91i-32057H

Price gr. A434 (pce.)

340i-32057H

Price gr. A434 (pce.)

553001-32057H

Price gr. A434 (pce.)

553002-32057H

Price gr. A434 (pce.)

Model number

Nom. dim. - cm/in

Work size

Surface

m² - pieces

m² - kg

Bundle - pieces

Bundle - m²

Bundle - kg

Pallet - m²

Pallet - kg

Product standard

Slip resistance

Stress group

neutral 10

(active white) V0

neutral 1

(deep black) V0

active azure V0

light azure V0




Rounded
Edges:



Replace last figure 0 of
Standard model no. by 7 = corner left ... 8 = corner right overlazed edges Example: Standard model no. 38110 = 119 x 244 x 6 mm,
model no. 38117 = rounded corner left

Slip resistance "C"


-/C

81
white / neutral 10 (active white)554119
neutral 9 (white-grey)554118
neutral 8 (light-grey)554117
neutral 7 (pebble-grey)554113
black / neutral 1 (deep black)


-/C

554004
dark azure554008
dark blue554007
medium blue554011
medium turquoise554015
medium green554019
medium yellow554023
medium ochre554027
medium salmon554031
medium oxid red554036
dark stone grey554040
dark sand-grey554039
medium sand-grey554038
light sand-grey

-/C

554001
active azure

-/C

Floor tile
12.5 x 12.5 cm, 5 x 5 in,
structured, -CFloor tile
12.5 x 25 cm, 5 x 10 in,
structured, -CFloor tile
25 x 25 cm, 10 x 10 in,
structured, -C

On request, other
colors of the series
Chroma are also
available as non-
slip glazes with a
joint width of 6 mm.

Slip resistance „C“
Floor Tiles²

12.5 x 12.5 cm³



12.5 x 25 cm



25 x 25 cm



							Model number
				32020H 12.5 x 12.5 / 5 x 5 119 x 119 x 8 mm structured, silky-matt	38110H 12.5 x 25 / 5 x 10 119 x 244 x 8 mm structured, silky-matt	32050H 25 x 25 / 10 x 10 244 x 244 x 8 mm structured, silky-matt	Nom. dim. - cm/in
				64.000	32.000	16.000	Work size
				15.360	15.680	16.960	Surface
				66	33	14	m² - pieces
				1.031	1.031	0.875	m² - kg
				15.840	16.170	14.840	Bundle - pieces
				86.625	86.625	70.875	Bundle - m ²
				1,330.560	1,358.280	1,202.040	Bundle - kg
				Alb	Alb	Alb	Pallet - m ²
				-/C	X	-/C	Pallet - kg
				2	2	2	Product standard
			81i-32020H	81i-38110H	81i-32050H		Slip resistance
			Price gr. A217 (m ²)	Price gr. A199 (m ²)	Price gr. A217 (m ²)		Stress group
			554111-32020H	554111-38110H	554111-32050H¹		neutral 10
			Price gr. A217 (m ²)	Price gr. A199 (m ²)	Price gr. A217 (m ²)		(active white) <input checked="" type="checkbox"/>
			554001-32020H	554001-38110H	554001-32050H¹		neutral 1
			Price gr. A217 (m ²)	Price gr. A199 (m ²)	Price gr. A217 (m ²)		(deep black) <input checked="" type="checkbox"/>
			554002-32020H	554002-38110H	554002-32050H		active azure <input checked="" type="checkbox"/>
			Price gr. A217 (m ²)	Price gr. A199 (m ²)	Price gr. A217 (m ²)		light azure <input checked="" type="checkbox"/>
			554003-32020H	554003-38110H	554003-32050H		medium azure <input checked="" type="checkbox"/>
			Price gr. A217 (m ²)	Price gr. A199 (m ²)	Price gr. A217 (m ²)		dark azure <input checked="" type="checkbox"/>
			554004-32020H	554004-38110H	554004-32050H¹		light blue <input checked="" type="checkbox"/>
			Price gr. A217 (m ²)	Price gr. A199 (m ²)	Price gr. A217 (m ²)		medium blue <input checked="" type="checkbox"/>
			554006-32020H	554006-38110H	554006-32050H¹		dark blue <input checked="" type="checkbox"/>
			Price gr. A217 (m ²)	Price gr. A199 (m ²)	Price gr. A217 (m ²)		light turquoise <input checked="" type="checkbox"/>
			554007-32020H	554007-38110H	554007-32050H¹		medium turquoise <input checked="" type="checkbox"/>
			Price gr. A217 (m ²)	Price gr. A199 (m ²)	Price gr. A217 (m ²)		light green <input checked="" type="checkbox"/>
			554008-32020H	554008-38110H	554008-32050H¹		medium green <input checked="" type="checkbox"/>
			Price gr. A217 (m ²)	Price gr. A199 (m ²)	Price gr. A217 (m ²)		dark green <input checked="" type="checkbox"/>
			554010-32020H	554010-38110H	554010-32050H¹		medium yellow <input checked="" type="checkbox"/>
			Price gr. A217 (m ²)	Price gr. A199 (m ²)	Price gr. A217 (m ²)		light salmon <input checked="" type="checkbox"/>
			554011-32020H	554011-38110H	554011-32050H¹		medium stone grey <input checked="" type="checkbox"/>
			Price gr. A217 (m ²)	Price gr. A199 (m ²)	Price gr. A217 (m ²)		dark sand-grey <input checked="" type="checkbox"/>
			554014-32020H	554014-38110H¹	554014-32050H¹		neutral 9 <input checked="" type="checkbox"/>
			Price gr. A217 (m ²)	Price gr. A199 (m ²)	Price gr. A217 (m ²)		(white grey) <input checked="" type="checkbox"/>
			554015-32020H	554015-38110H¹	554015-32050H¹		neutral 8 <input checked="" type="checkbox"/>
			Price gr. A217 (m ²)	Price gr. A199 (m ²)	Price gr. A217 (m ²)		(light-grey) <input checked="" type="checkbox"/>
			554016-32020H	554016-38110H	554016-32050H		neutral 7 <input checked="" type="checkbox"/>
			Price gr. A217 (m ²)	Price gr. A199 (m ²)	Price gr. A217 (m ²)		(pebble-grey) <input checked="" type="checkbox"/>
			554031-32020H	554031-38110H	554031-32050H¹		neutral 3 <input checked="" type="checkbox"/>
			Price gr. A217 (m ²)	Price gr. A199 (m ²)	Price gr. A217 (m ²)		(asphalt black) <input checked="" type="checkbox"/>
			554035-32020H	554035-38110H	554035-32050H¹		contrasting red <input checked="" type="checkbox"/>
			Price gr. A217 (m ²)	Price gr. A199 (m ²)	Price gr. A217 (m ²)		
			554036-32020H	554036-38110H	554036-32050H¹		
			Price gr. A217 (m ²)	Price gr. A199 (m ²)	Price gr. A217 (m ²)		
			554038-32020H	554038-38110H	554038-32050H		
			Price gr. A217 (m ²)	Price gr. A199 (m ²)	Price gr. A217 (m ²)		
			554039-32020H	554039-38110H	554039-32050H¹		
			Price gr. A217 (m ²)	Price gr. A199 (m ²)	Price gr. A217 (m ²)		
			554040-32020H	554040-38110H	554040-32050H¹		
			Price gr. A217 (m ²)	Price gr. A199 (m ²)	Price gr. A217 (m ²)		
			554119-32020H¹	554119-38110H¹	554119-32050H¹		
			Price gr. A217 (m ²)	Price gr. A199 (m ²)	Price gr. A217 (m ²)		
			554118-32020H	554118-38110H	554118-32050H¹		
			Price gr. A217 (m ²)	Price gr. A199 (m ²)	Price gr. A217 (m ²)		
			554117-32020H	554117-38110H	554117-32050H		
			Price gr. A217 (m ²)	Price gr. A199 (m ²)	Price gr. A217 (m ²)		
			554113-32020H	554113-38110H	554113-32050H		
			Price gr. A217 (m ²)	Price gr. A199 (m ²)	Price gr. A217 (m ²)		
			78i-32020H	78i-38110H	78i-32050H¹		
			Price gr. A217 (m ²)	Price gr. A199 (m ²)	Price gr. A217 (m ²)		



² Rounded edges / corners refer to page 158

³ Supplied as double-tiles; to be broken by customer.



Slip resistance „C“ – rounded edges/corners^{1/2}

Floor Tiles

12.5 x 12.5 cm



12.5 x 12.5 cm



12.5 x 25 cm



12.5 x 25 cm



12.5 x 25 cm



12.5 x 25 cm



	rounded edge	rounded corner	short side rounded	long side rounded	rounded corner left	rounded corner right	
Model number	32025H	32027H	38115H	38116H	38117H	38118H	
Nom. dim. - cm/in	12.5 x 12.5 / 5 x 5	12.5 x 12.5 / 5 x 5	12.5 x 25 / 5 x 10				
Work size	119 x 119 x 8 mm	119 x 119 x 8 mm	119 x 244 x 8 mm	119 x 244 x 8 mm	119 x 244 x 8 mm	119 x 244 x 8 mm	
Surface	structured, silky-matt	structured, silky-matt	structured, silky-matt	structured, silky-matt	structured, silky-matt	structured, silky-matt	
m ² - pieces							
m ² - kg	0.240	0.240	0.490	0.490	0.490	0.490	
Bundle - pieces	66	66	33	33	33	33	
Bundle - m ²							
Bundle - kg	15.840	15.840	16.170	16.170	16.170	16.170	
Pallet - m ²							
Pallet - kg							
Product standard	Alb	Alb	Alb	Alb	Alb	Alb	
Slip resistance	-/C	⊗	-/C	⊗	-/C	⊗	-/C
Stress group	2	2	2	2	2	2	2
neutral 10	<i>81i-32025H</i>	<i>81i-32027H</i>	<i>81i-38115H</i>	<i>81i-38116H</i>	<i>81i-38117H</i>	<i>81i-38118H</i>	
(active white) <input checked="" type="checkbox"/> V0	Price gr. A410 (pce.)	Price gr. A410 (pce.)	Price gr. A416 (pce.)	Price gr. A416 (pce.)	Price gr. A416 (pce.)	Price gr. A416 (pce.)	
neutral 1	<i>554111-32025H</i>	<i>554111-32027H</i>	<i>554111-38115H</i>	<i>554111-38116H</i>	<i>554111-38117H</i>	<i>554111-38118H</i>	
(deep black) <input checked="" type="checkbox"/> V0	Price gr. A410 (pce.)	Price gr. A410 (pce.)	Price gr. A416 (pce.)	Price gr. A416 (pce.)	Price gr. A416 (pce.)	Price gr. A416 (pce.)	
	<i>554001-32025H</i>	<i>554001-32027H</i>	<i>554001-38115H</i>	<i>554001-38116H</i>	<i>554001-38117H</i>	<i>554001-38118H</i>	
active azure <input checked="" type="checkbox"/> V0	Price gr. A410 (pce.)	Price gr. A410 (pce.)	Price gr. A416 (pce.)	Price gr. A416 (pce.)	Price gr. A416 (pce.)	Price gr. A416 (pce.)	
	<i>554002-32025H</i>	<i>554002-32027H</i>	<i>554002-38115H</i>	<i>554002-38116H</i>	<i>554002-38117H</i>	<i>554002-38118H</i>	
light azure <input checked="" type="checkbox"/> V0	Price gr. A410 (pce.)	Price gr. A410 (pce.)	Price gr. A416 (pce.)	Price gr. A416 (pce.)	Price gr. A416 (pce.)	Price gr. A416 (pce.)	




25 x 25 cm



25 x 25 cm



	rounded edge	rounded corner					
Model number	32055H	32057H					
Nom. dim. - cm/in	25 x 25 / 10 x 10	25 x 25 / 10 x 10					
Work size	244 x 244 x 8 mm	244 x 244 x 8 mm					
Surface	structured, silky-matt	structured, silky-matt					
m ² - pieces							
m ² - kg	1.060	1.060					
Bundle - pieces	14	14					
Bundle - m ²							
Bundle - kg	14.840	14.840					
Pallet - m ²							
Pallet - kg							
Product standard	Alb	Alb					
Slip resistance	-/C	⊗	-/C	⊗			
Stress group	2	2					
neutral 10	<i>81i-32055H</i>	<i>81i-32057H</i>					
(active white) <input checked="" type="checkbox"/> V0	Price gr. A434 (pce.)	Price gr. A434 (pce.)					
neutral 1	<i>554111-32055H</i>	<i>554111-32057H</i>					
(deep black) <input checked="" type="checkbox"/> V0	Price gr. A434 (pce.)	Price gr. A434 (pce.)					
	<i>554001-32055H</i>	<i>554001-32057H</i>					
active azure <input checked="" type="checkbox"/> V0	Price gr. A434 (pce.)	Price gr. A434 (pce.)					
	<i>554002-32055H</i>	<i>554002-32057H</i>					
light azure <input checked="" type="checkbox"/> V0	Price gr. A434 (pce.)	Price gr. A434 (pce.)					



Rounded Edges:				
Replace last figure 0 of Standard model no. by 7 = corner left	... 8 = corner right	overglazed edges	Example: Standard model no. 38110 = 119 x 244 x 6 mm, model no. 38117 = rounded corner left



Oasia Hotel, Singapore / Architect: WOHA Architects + Patricia Urquiola / Series: Chroma non-slip, Chroma / Photo: Infinitude





Bybadet, Alesund, Norway / Architect: Invit Arkitekter AS / Photo: Tove Laulutten







Quantum



926
white / neutral 10 (active white)



555118
neutral 8 (light-grey)



555117
neutral 7 (pebble-grey)



555113
neutral 3 (asphalt black)



918
black / neutral 1 (deep black)



901
natural-white



555023
medium ochre



555035
medium stone grey



555039
medium sand-grey



555038
light sand-grey



Floor/Wall tile
12.5 x 12.5 cm, 5 x 5 in, smooth,
R10/A




Floor/Wall tile
12.5 x 25 cm, 5 x 10 in, smooth,
R10/A




Floor/Wall tile
25 x 25 cm, 10 x 10 in, smooth,
R10/A



Floor/Wall tile
25 x 50 cm, 10 x 20 in, smooth, R10/A

Grid profile

Grid profile tile
12.5 x 12.5 cm, 5 x 5 in, relief, R11/B



Grid profile tile
12.5 x 25 cm, 5 x 10 in, relief, R11/B



Grid profile tile
25 x 25 cm, 10 x 10 in, relief, R11/B



Grid profile tile
25 x 50 cm, 10 x 20 in, relief, R11/B

Shower Tub System


Shower tub system
Corner (one piece)
12.5 x 12.5 cm, 5 x 5 in, smooth, R10/B



Shower tub system
Strip
25 x 12.5 cm, 10 x 5 in
smooth, R10/B

Shower tub system
Strip
12.5 x 12.5 cm, 5 x 5 in
smooth, R10/B

Cove skirting, r = 12 mm
25 x 12.5 cm, 10 x 5 in, smooth



External angle,
smooth

Internal angle,
smooth



Other colors of the series Chroma
unglazed are also available with a
joint width of 6 mm on request.

Quantum

Floor/Wall Tiles

12.5 x 12.5 cm³


12.5 x 25 cm



25 x 25 cm

25 x 50 cm^{1/2/4}


Model number	32020H	38110H	32050H	42550HK			
Nom. dim. - cm/in	12.5 x 12.5 / 5 x 5	12.5 x 25 / 5 x 10	25 x 25 / 10 x 10	25 x 50 / 10 x 20			
Work size	119 x 119 x 8 mm	119 x 244 x 8 mm	244 x 244 x 8 mm	244 x 494 x 8 mm			
Surface	smooth, silky-matt	smooth, silky-matt	smooth, silky-matt	smooth, silky-matt			
m ² - pieces	64.000	32.000	16.000	8.000			
m ² - kg	15.360	15.680	16.960	17.040			
Bundle - pieces	66	33	14	9			
Bundle - m ²	1.031	1.031	0.875	1.125			
Bundle - kg	15.840	16.170	14.840	19.170			
Pallet - m ²	86.625	86.625	70.875	40.500			
Pallet - kg	1,330.560	1,358.280	1,202.040	690.120			
Product standard	Alb	Alb	Alb	Alb			
Slip resistance	R10/A	R10/A	R10/A	R10/A			
Stress group	2	2	2	2			
neutral 10 (active white) <input checked="" type="checkbox"/>	926i-32020H Price gr. A166 (m ²)	926i-38110H Price gr. A166 (m ²)	926i-32050H Price gr. A166 (m ²)	926i-42550HK Price gr. A178 (m ²)			
neutral 1 (deep black) <input checked="" type="checkbox"/>	918i-32020H Price gr. A166 (m ²)	918i-38110H Price gr. A166 (m ²)	918i-32050H Price gr. A166 (m ²)	918i-42550HK Price gr. A178 (m ²)			
medium ochre <input checked="" type="checkbox"/>	555023-32020H^{2/4} Price gr. A166 (m ²)	555023-38110H^{2/4} Price gr. A166 (m ²)	555023-32050H^{2/4} Price gr. A166 (m ²)	555023-42550HK Price gr. A178 (m ²)			
medium stone grey <input checked="" type="checkbox"/>	555035-32020H^{2/4} Price gr. A166 (m ²)	555035-38110H^{2/4} Price gr. A166 (m ²)	555035-32050H^{2/4} Price gr. A166 (m ²)	555035-42550HK Price gr. A178 (m ²)			
dark stone grey <input checked="" type="checkbox"/>	555036-32020H^{2/4} Price gr. A166 (m ²)	555036-38110H^{2/4} Price gr. A166 (m ²)	555036-32050H^{2/4} Price gr. A166 (m ²)	555036-42550HK Price gr. A178 (m ²)			
light sand-grey <input checked="" type="checkbox"/>	555038-32020H^{2/4} Price gr. A166 (m ²)	555038-38110H^{2/4} Price gr. A166 (m ²)	555038-32050H^{2/4} Price gr. A166 (m ²)	555038-42550HK Price gr. A178 (m ²)			
medium sand-grey <input checked="" type="checkbox"/>	555039-32020H^{2/4} Price gr. A166 (m ²)	555039-38110H^{2/4} Price gr. A166 (m ²)	555039-32050H^{2/4} Price gr. A166 (m ²)	555039-42550HK Price gr. A178 (m ²)			
dark sand-grey <input checked="" type="checkbox"/>	555040-32020H^{2/4} Price gr. A166 (m ²)	555040-38110H^{2/4} Price gr. A166 (m ²)	555040-32050H^{2/4} Price gr. A166 (m ²)	555040-42550HK Price gr. A178 (m ²)			
neutral 3 (asphalt black) <input checked="" type="checkbox"/>	555113-32020H^{2/4} Price gr. A166 (m ²)	555113-38110H^{2/4} Price gr. A166 (m ²)	555113-32050H^{2/4} Price gr. A166 (m ²)	555113-42550HK Price gr. A178 (m ²)			
neutral 7 (pebble-grey) <input checked="" type="checkbox"/>	555117-32020H^{2/4} Price gr. A166 (m ²)	555117-38110H^{2/4} Price gr. A166 (m ²)	555117-32050H^{2/4} Price gr. A166 (m ²)	555117-42550HK Price gr. A178 (m ²)			
neutral 8 (light-grey) <input checked="" type="checkbox"/>	555118-32020H^{2/4} Price gr. A166 (m ²)	555118-38110H^{2/4} Price gr. A166 (m ²)	555118-32050H^{2/4} Price gr. A166 (m ²)	555118-42550HK Price gr. A178 (m ²)			
natural white <input checked="" type="checkbox"/>	901i-32020H Price gr. A166 (m ²)	901i-38110H Price gr. A166 (m ²)	901i-32050H Price gr. A166 (m ²)	901i-42550HK Price gr. A178 (m ²)			

³ Supplied as double-tiles; to be broken by customer.⁴ Minimum order quantity: 200 m²


Quantum

Floor Tiles


12.5 x 12.5 cm³




12.5 x 25 cm




25 x 25 cm



25 x 50 cm^{1/2/4}



Grid profile tile	Grid profile tile	Grid profile tile	Grid profile tile	Model number
32100H	34090H	32080H	42580HK	Nom. dim. - cm/in
12.5 x 12.5 / 5 x 5	12.5 x 25 / 5 x 10	25 x 25 / 10 x 10	25 x 50 / 10 x 20	Work size
119 x 119 x 8 mm	119 x 244 x 8 mm	244 x 244 x 8 mm	244 x 494 x 8 mm	Surface
relief, silky-matt	relief, silky-matt	relief, silky-matt	relief, silky-matt	m ² - pieces
64.000	32.000	16.000	8.000	m ² - kg
15.360	15.360	16.800	17.040	Bundle - pieces
66	33	14	9	Bundle - m ²
1.031	1.031	0.875	1.125	Bundle - kg
15.840	15.840	14.700	19.170	Pallet - m ²
86.625	86.625	70.875	40.500	Pallet - kg
1.330.560	1.330.560	1.190.700	690.120	Product standard
Alb	Alb	Alb	Alb	Slip resistance
R11/B	R11/B	R11/B	R11/B	Stress group
2	2	2	2	neutral 10
926i-32100H	926i-34090H	926i-32080H	926i-42580HK	(active white) <input checked="" type="checkbox"/>
Price gr. A178 (m ²)	Price gr. A178 (m ²)	Price gr. A178 (m ²)	Price gr. A196 (m ²)	neutral 1
918i-32100H	918i-34090H	918i-32080H	918i-42580HK	(deep black) <input checked="" type="checkbox"/>
Price gr. A178 (m ²)	Price gr. A178 (m ²)	Price gr. A178 (m ²)	Price gr. A196 (m ²)	medium ochre <input checked="" type="checkbox"/>
555023-32100H ^{2/4}	555023-34090H ^{2/4}	555023-32080H ^{2/4}	555023-42580HK	medium stone grey <input checked="" type="checkbox"/>
Price gr. A178 (m ²)	Price gr. A178 (m ²)	Price gr. A178 (m ²)	Price gr. A196 (m ²)	dark stone grey <input checked="" type="checkbox"/>
555035-32100H ^{2/4}	555035-34090H ^{2/4}	555035-32080H ^{2/4}	555035-42580HK	light sand-grey <input checked="" type="checkbox"/>
Price gr. A178 (m ²)	Price gr. A178 (m ²)	Price gr. A178 (m ²)	Price gr. A196 (m ²)	medium sand-grey <input checked="" type="checkbox"/>
555036-32100H ^{2/4}	555036-34090H ^{2/4}	555036-32080H ^{2/4}	555036-42580HK	dark sand-grey <input checked="" type="checkbox"/>
Price gr. A178 (m ²)	Price gr. A178 (m ²)	Price gr. A178 (m ²)	Price gr. A196 (m ²)	neutral 3 <input checked="" type="checkbox"/>
555038-32100H ^{2/4}	555038-34090H ^{2/4}	555038-32080H ^{2/4}	555038-42580HK	(asphalt black) <input checked="" type="checkbox"/>
Price gr. A178 (m ²)	Price gr. A178 (m ²)	Price gr. A178 (m ²)	Price gr. A196 (m ²)	neutral 7 <input checked="" type="checkbox"/>
555039-32100H ^{2/4}	555039-34090H ^{2/4}	555039-32080H ^{2/4}	555039-42580HK	(pebble-grey) <input checked="" type="checkbox"/>
Price gr. A178 (m ²)	Price gr. A178 (m ²)	Price gr. A178 (m ²)	Price gr. A196 (m ²)	neutral 8 <input checked="" type="checkbox"/>
555040-32100H ^{2/4}	555040-34090H ^{2/4}	555040-32080H ^{2/4}	555040-42580HK	(light-grey) <input checked="" type="checkbox"/>
Price gr. A178 (m ²)	Price gr. A178 (m ²)	Price gr. A178 (m ²)	Price gr. A196 (m ²)	natural white <input checked="" type="checkbox"/>
901i-32100H	901i-34090H	901i-32080H	901i-42580HK	
Price gr. A178 (m ²)	Price gr. A178 (m ²)	Price gr. A178 (m ²)	Price gr. A196 (m ²)	



³ Supplied as double-tiles; to be broken by customer.

⁴ Minimum order quantity: 200 m²



Quantum

Shower Tub System²

12.5 x 25 cm



12.5 x 12.5 cm



12.5 x 12.5 cm



	Lip 10 mm Strip	Lip 10 mm Strip	Corner					
Model number	27182H	27180H	27181H					
Norm. dim. - cm/in	12.5 x 25 / 5 x 10	12.5 x 12.5 / 5 x 5	12.5 x 12.5 / 5 x 5					
Work size	119 x 244 x 18/8 mm	119 x 119 x 18/8 mm	119 x 119 x 18/8 mm					
Surface	smooth, silky-matt	smooth, silky-matt	smooth, silky-matt					
m - pieces	4.000	8.000						
m/pce. - kg	2.720/m	2.720/m	0.500/Stück					
Bundle - pieces	22	44	12					
Bundle - m	5.500	5.500						
Bundle - kg	14.960	14.960	6.000					
Pallet - m								
Pallet - kg								
Product standard	Alb	Alb	Alb					
Slip resistance	R10/B	R10/B	R10/B					
neutral 10 (active white) <input checked="" type="checkbox"/>	926i-27182H	926i-27180H	926i-27181H					
neutral 1 (deep black) <input checked="" type="checkbox"/>	918i-27182H	918i-27180H	918i-27181H					
medium ochre <input checked="" type="checkbox"/>	Price gr. A506 (pce.)	Price gr. A455 (pce.)	Price gr. A489 (pce.)					
medium stone grey <input checked="" type="checkbox"/>	555023-27182H ¹	555023-27180H ¹	555023-27181H ¹					
dark stone grey <input checked="" type="checkbox"/>	Price gr. A506 (pce.)	Price gr. A455 (pce.)	Price gr. A489 (pce.)					
light sand-grey <input checked="" type="checkbox"/>	555035-27182H ¹	555035-27180H ¹	555035-27181H ¹					
medium sand-grey <input checked="" type="checkbox"/>	Price gr. A506 (pce.)	Price gr. A455 (pce.)	Price gr. A489 (pce.)					
dark sand-grey <input checked="" type="checkbox"/>	555036-27182H ¹	555036-27180H ¹	555036-27181H ¹					
neutral 3 (asphalt black) <input checked="" type="checkbox"/>	Price gr. A506 (pce.)	Price gr. A455 (pce.)	Price gr. A489 (pce.)					
neutral 7 (pebble-grey) <input checked="" type="checkbox"/>	555113-27182H ¹	555113-27180H ¹	555113-27181H ¹					
neutral 8 (light-grey) <input checked="" type="checkbox"/>	Price gr. A506 (pce.)	Price gr. A455 (pce.)	Price gr. A489 (pce.)					
natural white <input checked="" type="checkbox"/>	901i-27182H	901i-27180H	901i-27181H					

¹ For details, refer to page 535

Quantum

Safety Strip Tile^{1/2}

6.2 x 25 cm



Skirtings¹

7.9 x 25 cm



12.5 x 25 cm



*rounded
long edge*

Skirting

Cove Skirting,
r = 12 mm

External Corner
mitred pair

Internal Corner
mitred pair

Model number
Nom. dim. - cm/in
Work size
Surface
m - pieces
m/pair - kg
Bundle - pce./pair
Bundle - m
Bundle - kg
Pallet - m
Pallet - kg
Product standard
Slip resistance
neutral 10 (active white) <input checked="" type="checkbox"/> V0
neutral 1 (deep black) <input checked="" type="checkbox"/> V0
natural white <input checked="" type="checkbox"/> V0

34306H

34020H

37080

37081

37082

6.2 x 25 / 2 1/2 x 10

7.9 x 25 / 3 1/8 x 10

12.5 x 25 / 5 x 10

56 x 244 x 8 mm

73 x 244 x 8 mm

125 x 244/12 x 8 mm

gerillt, silky-matt

smooth, silky-matt

smooth, silky-matt

4.000

4.000

4.000

0.800/m

1.160/m

2.520/m

66 Stück

33 Stück

20 Stück

16.500

8.250

5.000

13.200

9.570

12.600

Alb

Alb

Alb

-/C

R10/A

R10/A

918i-34306H

926i-34020H

926-37080

Price gr. A434 (pce.)

Price gr. A410 (pce.)

Price gr. A423 (pce.)

918i-34020H

918-37080

918-37081

Price gr. A410 (pce.)

Price gr. A423 (pce.)

Price gr. A455 (pair)

901i-34020H

901-37080

901-37081

Price gr. A410 (pce.)

Price gr. A423 (pce.)

Price gr. A455 (pair)

918-37082

918-37082

918-37082

Price gr. A410 (pce.)

Price gr. A423 (pce.)

Price gr. A455 (pair)

901-37082

901-37082

901-37082

Price gr. A410 (pce.)

Price gr. A423 (pce.)

Price gr. A455 (pair)

918-37082

918-37082

918-37082

Price gr. A410 (pce.)

Price gr. A423 (pce.)

Price gr. A455 (pair)

918-37082

918-37082

918-37082

Price gr. A410 (pce.)

Price gr. A423 (pce.)

Price gr. A455 (pair)

918-37082

918-37082

918-37082

Price gr. A410 (pce.)

Price gr. A423 (pce.)

Price gr. A455 (pair)

918-37082

918-37082

918-37082

Price gr. A410 (pce.)

Price gr. A423 (pce.)

Price gr. A455 (pair)

918-37082

918-37082

918-37082

Price gr. A410 (pce.)

Price gr. A423 (pce.)

Price gr. A455 (pair)

918-37082

918-37082

918-37082

Price gr. A410 (pce.)

Price gr. A423 (pce.)

Price gr. A455 (pair)

918-37082

918-37082

918-37082

Price gr. A410 (pce.)

Price gr. A423 (pce.)

Price gr. A455 (pair)

918-37082

918-37082

918-37082

Price gr. A410 (pce.)

Price gr. A423 (pce.)

Price gr. A455 (pair)

918-37082

918-37082

918-37082

Price gr. A410 (pce.)

Price gr. A423 (pce.)

Price gr. A455 (pair)

918-37082

918-37082

918-37082

Price gr. A410 (pce.)

Price gr. A423 (pce.)

Price gr. A455 (pair)

918-37082

918-37082

918-37082

Price gr. A410 (pce.)

Price gr. A423 (pce.)

Price gr. A455 (pair)

918-37082

918-37082

918-37082

Price gr. A410 (pce.)

Price gr. A423 (pce.)

Price gr. A455 (pair)

918-37082

918-37082

918-37082

Price gr. A410 (pce.)

Price gr. A423 (pce.)

Price gr. A455 (pair)

918-37082

918-37082

918-37082

Price gr. A410 (pce.)

Price gr. A423 (pce.)

Price gr. A455 (pair)

918-37082

918-37082

918-37082

Price gr. A410 (pce.)

Price gr. A423 (pce.)

Price gr. A455 (pair)

918-37082

918-37082

918-37082

Price gr. A410 (pce.)

Price gr. A423 (pce.)

Price gr. A455 (pair)

918-37082

918-37082

918-37082

Price gr. A410 (pce.)

Price gr. A423 (pce.)

Price gr. A455 (pair)

918-37082

918-37082

918-37082

Price gr. A410 (pce.)

Price gr. A423 (pce.)

Price gr. A455 (pair)

918-37082

918-37082

918-37082

Price gr. A410 (pce.)

Price gr. A423 (pce.)

Price gr. A455 (pair)

918-37082

918-37082

918-37082

Price gr. A410 (pce.)

Price gr. A423 (pce.)

Price gr. A455 (pair)

918-37082

918-37082

918-37082

Price gr. A410 (pce.)

Price gr. A423 (pce.)

Price gr. A455 (pair)

918-37082

918-37082

918-37082

Price gr. A410 (pce.)

Price gr. A423 (pce.)

Price gr. A455 (pair)

918-37082

918-37082

918-37082

Price gr. A410 (pce.)

Price gr. A423 (pce.)

Price gr. A455 (pair)

918-37082

918-37082

918-37082

Price gr. A410 (pce.)

Price gr. A423 (pce.)

Price gr. A455 (pair)

918-37082





Sea of colors

The Ocean series offers a diverse color range for pools, spas and wellness areas, which reflects the element of water in all its vibrancy. Delicate cloud and fine-grained structures blend with the shimmer of the sun reflections. By means of digital printing and glaze pigments, iridescent colors such as crystal-clear green, caribbean turquoise or deep blue are created. The formats in oblong and mosaic look are suitable for atmospheric and functional pool designs and perfectly complement series such as ChromaPlural.

Rendering



Wall tile 6.2 x 25 cm, 2 1/2 x 10 in
sunset beige, smooth



Wall tile 6.2 x 25 cm, 2 1/2 x 10 in
wave blue, smooth



Wall tile 6.2 x 25 cm, 2 1/2 x 10 in
cliff white, smooth



Wall tile 6.2 x 25 cm, 2 1/2 x 10 in
atlantic blue, smooth



Wall tile 6.2 x 25 cm, 2 1/2 x 10 in
crystal green, smooth




Wall tile 6.2 x 25 cm, 2 1/2 x 10 in
pacific blue, smooth



Wall tile 6.2 x 25 cm, 2 1/2 x 10 in
island green, smooth



Wall tile 6.2 x 25 cm, 2 1/2 x 10 in
moos green, smooth



Wall tile 12.5 x 25 cm, 5 x 10 in
sunset beige, smooth



Wall tile 12.5 x 25 cm, 5 x 10 in
wave blue, smooth



Wall tile 12.5 x 25 cm, 5 x 10 in
cliff white, smooth



Wall tile 12.5 x 25 cm, 5 x 10 in
atlantic blue, smooth



Wall tile 12.5 x 25 cm, 5 x 10 in
crystal green, smooth



Wall tile 12.5 x 25 cm, 5 x 10 in
pacific blue, smooth



Wall tile 12.5 x 25 cm, 5 x 10 in
island green, smooth



Wall tile 12.5 x 25 cm, 5 x 10 in
moos green, smooth




R10/B

Made in Germany


Mosaic 2.5 x 2.5 cm, 1 x 1 in




Mosaic sheet 30 x 30 cm, 12 x 12 in
seaside beige, structured,
Mosaic sheet 30 x 30 cm, 12 x 12 in
seaside beige, structured, R10/B



Mosaic sheet 30 x 30 cm, 12 x 12 in
caribic blue, structured,
Mosaic sheet 30 x 30 cm, 12 x 12 in
caribic blue, structured, R10/B





Mosaic sheet 30 x 30 cm, 12 x 12 in
ocean green, structured,
Mosaic sheet 30 x 30 cm, 12 x 12 in
ocean green, structured, R10/B





Mosaic sheet 30 x 30 cm, 12 x 12 in
deep sea blue, structured,
Mosaic sheet 30 x 30 cm, 12 x 12 in
deep sea blue, structured, R10/B



Mosaics glued thermoplastically on back of Agrob Buchtal can be used
not only in dry zones but also without any problems in underwater areas
(e.g. swimming pools/whirlpools) as well as in permanently wet areas
(e.g. pool surrounds/showers).

Mosaic - joint 3 mm¹

Wall Tiles - joint 6 mm



	Sheet 297 x 297 cm	Sheet 297 x 297 cm					
Nom. dim. - cm/in	2.5 x 2.5 / 1 x 1	2.5 x 2.5 / 1 x 1	6.2 x 25 / 2 1/2 x 10	12.5 x 25 / 5 x 10			
Work size	23 x 23 x 6.5 mm	23 x 23 x 6.5 mm	56 x 244 x 6 mm	119 x 244 x 6 mm			
Surface	structured, glossy	structured, matt	smooth, glossy	smooth, glossy			
m ² - pieces	11 sheets	11 sheets	64.000	32.000			
m ² - kg	12.100	12.100	10.880	12.160			
Bundle - pieces	11 sheets	11 sheets	88	44			
Bundle - m ²	1.000	1.000	1.375	1.375			
Bundle - kg	12.100	12.100	14.960	16.720			
Pallet - m ²	48.000	48.000	132.000	115.500			
Pallet - kg	580.800	580.800	1,436.160	1,404.480			
Product standard	B1b	B1b	Alb	Alb			
Slip resistance		R10/B					
Stress group	1	1					
seaside beige	436220H Price gr. A250 (m ²)	436224H Price gr. A259 (m ²)					
ocean green	436221H Price gr. A250 (m ²)	436225H Price gr. A259 (m ²)					
caribic blue	436222H Price gr. A250 (m ²)	436226H Price gr. A259 (m ²)					
deep sea blue	436223H Price gr. A250 (m ²)	436227H Price gr. A259 (m ²)					
sunset beige			436228H Price gr. A175 (m ²)	436236H Price gr. A175 (m ²)			
cliff white			436229H Price gr. A175 (m ²)	436237H Price gr. A175 (m ²)			
crystal green			436230H Price gr. A175 (m ²)	436238H Price gr. A175 (m ²)			
island green			436231H Price gr. A175 (m ²)	436239H Price gr. A175 (m ²)			
wave blue			436232H Price gr. A175 (m ²)	436240H Price gr. A175 (m ²)			
atlantic blue			436233H Price gr. A175 (m ²)	436241H Price gr. A175 (m ²)			
pacific blue			436234H Price gr. A175 (m ²)	436242H Price gr. A175 (m ²)			
moos green			436235H Price gr. A175 (m ²)	436243H Price gr. A175 (m ²)			




¹ Supplied as double-tiles; to be broken by customer.

The series Ocean will be available as of the 2nd quarter of 2025.

Rendering







Colorful and flexible

The color range specially developed for Plural comprises 50 colors matched to one another. Whether glazed or unglazed, earthenware, stoneware or porcelain stoneware – the narrow 3 mm joint is just as standard with Plural as the pollutant-reducing Hytect coating and the design in various slip-resistance classes. Thus, Plural can be used in many indoor and outdoor areas: from the facade to the floor, from the underground station to the wellness landscape.

Meerbad Meerbusch, Meerbusch, Germany
Architect: Planteam Ruhr, Gelsenkirchen, Germany
Series: Pool edge system Wiesbaden, Plural stoneware
Plural non-slip / Photo: Jochen Stüber

Color System UNICOLOR – A color sphere becomes a sphere of possibilities

Series of active shades				
active azure NCS S 5030-R80B or RAL 5000	active blue NCS S 6030-R90B	active turquoise NCS S 4030-B50G or RAL 6033	active green NCS S 3050-G50Y	active yellow NCS S 3050-Y10R
light azure NCS S 2030-R80B	light blue NCS S 1510-R80B	light turquoise NCS S 1010-B50G	light green NCS S 0510-G	light yellow NCS S 1010-Y10R or RAL 1015
Series of color values “light, medium, dark”				
medium azure NCS S 4030-R90B	medium blue NCS S 2020-R80B	medium turquoise NCS S 2020-B30G	medium green NCS S 1515-G20Y or RAL 6019	medium yellow NCS S 2030-Y10R
dark azure NCS S 4040-R90B or RAL 5007	dark blue NCS S 4030-R80B	dark turquoise NCS S 4020-B30G	dark green NCS S 3020-G10Y or RAL 6021	dark yellow NCS S 2050-Y20R
Series of neutral shades				
neutral 10 (active white) NCS S 1000-N or RAL 9003	neutral 9 (white-grey) NCS S 1502-R50B	neutral 8 (light-grey) NCS S 2502-B	neutral 7 (pebble-grey) NCS S 4000-N or RAL 7004	neutral 6 (pearl grey) NCS S 4502-B or RAL 7045

Intense colors

						
violet NCS S 3555-R60B or RAL design 300 30 25	berry red NCS S 4050-R20B or RAL design 360 30 35	brown red NCS S 2570-Y90R or RAL design 3003	fire red NCS S 1080-R or RAL design 3002	signal orange NCS S 1070-Y30R or RAL design 060 70 70	sunshine yellow NCS S 1070-Y or RAL design 080 70 70	yellow green NCS S 2050-G40Y or RAL design 120 60 50

active ochre NCS S 3050-Y40R	active salmon NCS S 4040-Y70R	active oxid red NCS S 4050-Y90R	active stone grey NCS S 5030-Y90R	active sand grey NCS S 7010-Y90R
light ochre NCS S 2030-Y20R	light salmon NCS S 1515-Y50R	light oxid red NCS S 2010-Y80R	light stone grey NCS S 2502-R	light sand grey NCS S 1502-Y
medium ochre NCS S 3030-Y30R	medium salmon NCS S 2020-Y50R	medium oxid red NCS S 3020-Y80R	medium stone grey NCS S 3502-R or RAL 7036	medium sand grey NCS S 3005-Y50R
dark ochre NCS S 4030-Y50R	dark salmon NCS S 3040-Y60R	dark oxid red NCS S 5020-Y80R	dark stone grey NCS S 6005-Y80R	dark sand grey NCS S 6010-Y50R
neutral 5 (basalt-grey) NCS S 5502-B or RAL 7046	neutral 4 (graphite-black) NCS S 6000-N or RAL 7037	neutral 3 (asphalt black) NCS S 6500-N	neutral 2 (anthracite) NCS S 7500-N or RAL 7015	neutral 1 (deep black) NCS S 9000-N or RAL 9017



sea green
NCS S4030-G
or RAL design
6000















blue green
NCS S3040-B50G
or RAL design
190 50 25



cobalt blue
NCS S4055-R70B
or RAL design
290 30 40

Intense colors

Formats – Earthenware



Wall tile 15 x 30 cm
6 x 12 in, smooth



Wall tile 20 x 40 cm
8 x 16 in, smooth



Wall tile 30 x 60 cm,
12 x 24 in, smooth

Wall Tiles³15 x 30 cm²20 x 40 cm²

30 x 60 cm




Nom. dim. - cm/in	15 x 30 / 6 x 12	20 x 40 / 8 x 16	30 x 60 / 12 x 24					
Work size	147 x 297 x 6.5 mm	197 x 397 x 7.5 mm	297 x 597 x 9 mm					
Surface	smooth, silky-matt	smooth, silky-matt	smooth, silky-matt					
m² - pieces	22.222	12.500	5.556					
m² - kg	10.622	12.975	14.946					
Bundle - pieces	24	16	9					
Bundle - m²	1.080	1.280	1.620					
Bundle - kg	11.472	16.608	24.210					
Pallet - m²	91.801	92.160	77.754					
Pallet - kg	975.120	1,195.776	1,162.080					
Product standard	BIII	BIII	BIII					
neutral 10	130-1121H	240-1121H	360-1121H					
(active white gl.) <input checked="" type="checkbox"/>	Price gr. A100 (m ²)	Price gr. A100 (m ²)	Price gr. A88 (m ²)					
neutral 10	130-1120H	240-1120H	360-1120H					
(active white) <input checked="" type="checkbox"/>	Price gr. A100 (m ²)	Price gr. A100 (m ²)	Price gr. A88 (m ²)					
neutral 9	130-1119H	240-1119H	360-1119H					
(white grey) <input checked="" type="checkbox"/>	Price gr. A121 (m ²)	Price gr. A121 (m ²)	Price gr. A109 (m ²)					
neutral 8	130-1118H¹	240-1118H¹	360-1118H					
(light-grey) <input checked="" type="checkbox"/>	Price gr. A148 (m ²)	Price gr. A148 (m ²)	Price gr. A109 (m ²)					
neutral 7	130-1117H	240-1117H	360-1117H					
(pebble-grey) <input checked="" type="checkbox"/>	Price gr. A121 (m ²)	Price gr. A121 (m ²)	Price gr. A109 (m ²)					
neutral 5	130-1115H	240-1115H	360-1115H					
(basalt grey) <input checked="" type="checkbox"/>	Price gr. A121 (m ²)	Price gr. A121 (m ²)	Price gr. A109 (m ²)					
neutral 3	130-1113H	240-1113H	360-1113H					
(asphalt black) <input checked="" type="checkbox"/>	Price gr. A121 (m ²)	Price gr. A121 (m ²)	Price gr. A109 (m ²)					
neutral 2	130-1112H¹	240-1112H¹	360-1112H¹					
(anthracite) <input checked="" type="checkbox"/>	Price gr. A121 (m ²)	Price gr. A148 (m ²)	Price gr. A136 (m ²)					
neutral 1	130-1111H	240-1111H	360-1111H					
(deep black) <input checked="" type="checkbox"/>	Price gr. A121 (m ²)	Price gr. A121 (m ²)	Price gr. A109 (m ²)					
active azure	130-1001H¹	240-1001H¹	360-1001H¹					
light azure	130-1002H¹	240-1002H	360-1002H¹					
medium azure	130-1003H¹	240-1003H¹	360-1003H¹					
dark azure	130-1004H	240-1004H	360-1004H					
active blue	130-1005H¹	240-1005H¹	360-1005H¹					
light blue	130-1006H¹	240-1006H	360-1006H¹					
medium blue	130-1007H¹	240-1007H¹	360-1007H¹					
dark blue	130-1008H	240-1008H	360-1008H					
active turquoise	130-1009H¹	240-1009H¹	360-1009H¹					
light turquoise	130-1010H¹	240-1010H	360-1010H¹					
medium turquoise	130-1011H¹	240-1011H¹	360-1011H¹					
dark turquoise	130-1012H	240-1012H	360-1012H					
active green	130-1013H¹	240-1013H¹	360-1013H¹					
light green	130-1014H¹	240-1014H	360-1014H¹					
medium green	130-1015H¹	240-1015H¹	360-1015H¹					
dark green	130-1016H	240-1016H	360-1016H					

² One overglazed head edge 10% per delivery. Edges overglazed 2/3 each.³ Suitability for operating theatres on request.

Wall Tiles³15 x 30 cm²20 x 40 cm²

30 x 60 cm



			15 x 30 / 6 x 12	20 x 40 / 8 x 16	30 x 60 / 12 x 24	Nom. dim. - cm/in
			147 x 297 x 6.5 mm smooth, silky-matt	197 x 397 x 7.5 mm smooth, silky-matt	297 x 597 x 9 mm smooth, silky-matt	Work size
			22.222	12.500	5.556	Surface
			10.622	12.975	14.946	m ² - pieces
			24	16	9	m ² - kg
			1.080	1.280	1.620	Bundle - pieces
			11.472	16.608	24.210	Bundle - m ²
			91.801	92.160	77.754	Bundle - kg
			975.120	1,195.776	1,162.080	Pallet - m ²
			BIII	BIII	BIII	Pallet - kg
			130-1017H¹ Price gr. A148 (m ²)	240-1017H¹ Price gr. A148 (m ²)	360-1017H¹ Price gr. A136 (m ²)	Product standard
			130-1018H¹ Price gr. A148 (m ²)	240-1018H¹ Price gr. A121 (m ²)	360-1018H¹ Price gr. A136 (m ²)	active yellow <input type="checkbox"/>
			130-1019H¹ Price gr. A148 (m ²)	240-1019H¹ Price gr. A148 (m ²)	360-1019H¹ Price gr. A136 (m ²)	light yellow <input type="checkbox"/>
			130-1020H¹ Price gr. A121 (m ²)	240-1020H¹ Price gr. A121 (m ²)	360-1020H¹ Price gr. A109 (m ²)	medium yellow <input type="checkbox"/>
			130-1021H¹ Price gr. A148 (m ²)	240-1021H¹ Price gr. A148 (m ²)	360-1021H¹ Price gr. A136 (m ²)	dark yellow <input type="checkbox"/>
			130-1022H¹ Price gr. A148 (m ²)	240-1022H¹ Price gr. A121 (m ²)	360-1022H¹ Price gr. A136 (m ²)	active ochre <input type="checkbox"/>
			130-1023H¹ Price gr. A148 (m ²)	240-1023H¹ Price gr. A148 (m ²)	360-1023H¹ Price gr. A136 (m ²)	light ochre <input type="checkbox"/>
			130-1024H¹ Price gr. A121 (m ²)	240-1024H¹ Price gr. A121 (m ²)	360-1024H¹ Price gr. A109 (m ²)	medium ochre <input type="checkbox"/>
			130-1025H¹ Price gr. A148 (m ²)	240-1025H¹ Price gr. A148 (m ²)	360-1025H¹ Price gr. A136 (m ²)	dark ochre <input type="checkbox"/>
			130-1026H¹ Price gr. A148 (m ²)	240-1026H¹ Price gr. A121 (m ²)	360-1026H¹ Price gr. A136 (m ²)	active salmon <input type="checkbox"/>
			130-1027H¹ Price gr. A148 (m ²)	240-1027H¹ Price gr. A148 (m ²)	360-1027H¹ Price gr. A136 (m ²)	light salmon <input type="checkbox"/>
			130-1028H¹ Price gr. A121 (m ²)	240-1028H¹ Price gr. A121 (m ²)	360-1028H¹ Price gr. A109 (m ²)	medium salmon <input type="checkbox"/>
			130-1029H¹ Price gr. A148 (m ²)	240-1029H¹ Price gr. A148 (m ²)	360-1029H¹ Price gr. A136 (m ²)	dark salmon <input type="checkbox"/>
			130-1030H¹ Price gr. A148 (m ²)	240-1030H¹ Price gr. A121 (m ²)	360-1030H¹ Price gr. A136 (m ²)	active oxide red <input type="checkbox"/>
			130-1031H¹ Price gr. A148 (m ²)	240-1031H¹ Price gr. A148 (m ²)	360-1031H¹ Price gr. A136 (m ²)	light oxide red <input type="checkbox"/>
			130-1032H¹ Price gr. A121 (m ²)	240-1032H¹ Price gr. A121 (m ²)	360-1032H¹ Price gr. A109 (m ²)	medium oxide red <input type="checkbox"/>
			130-1033H¹ Price gr. A148 (m ²)	240-1033H¹ Price gr. A148 (m ²)	360-1033H¹ Price gr. A136 (m ²)	dark oxide red <input type="checkbox"/>
			130-1034H¹ Price gr. A148 (m ²)	240-1034H¹ Price gr. A121 (m ²)	360-1034H¹ Price gr. A136 (m ²)	active stone grey <input type="checkbox"/>
			130-1035H¹ Price gr. A148 (m ²)	240-1035H¹ Price gr. A148 (m ²)	360-1035H¹ Price gr. A136 (m ²)	light stone grey <input type="checkbox"/>
			130-1036H¹ Price gr. A121 (m ²)	240-1036H¹ Price gr. A121 (m ²)	360-1036H¹ Price gr. A109 (m ²)	medium stone grey <input type="checkbox"/>
			130-1037H¹ Price gr. A148 (m ²)	240-1037H¹ Price gr. A148 (m ²)	360-1037H¹ Price gr. A136 (m ²)	dark stone grey <input type="checkbox"/>
			130-1038H¹ Price gr. A121 (m ²)	240-1038H¹ Price gr. A121 (m ²)	360-1038H¹ Price gr. A109 (m ²)	active sand-grey <input type="checkbox"/>
			130-1039H¹ Price gr. A121 (m ²)	240-1039H¹ Price gr. A148 (m ²)	360-1039H¹ Price gr. A136 (m ²)	light sand-grey <input type="checkbox"/>
			130-1040H¹ Price gr. A121 (m ²)	240-1040H¹ Price gr. A121 (m ²)	360-1040H¹ Price gr. A109 (m ²)	medium sand-grey <input type="checkbox"/>
						dark sand-grey <input type="checkbox"/>

² One overglazed head edge 10% per delivery. Edges overglazed 2/3 each.³ Suitability for operating theatres on request.

Wall Tiles¹ NEW

15 x 30 cm



30 x 60 cm



















Nom. dim. - cm/in	15 x 30 / 6 x 12	30 x 60 / 12 x 24						
Work size	147 x 297 x 6.5 mm	297 x 597 x 9 mm						
Surface	smooth, silky-matt	smooth, silky-matt						
m ² - pieces	22.222	5.556						
m ² - kg	10.622	14.946						
Bundle - pieces	24	9						
Bundle - m ²	1.080	1.620						
Bundle - kg	11.472	24.210						
Pallet - m ²	91.801	77.754						
Pallet - kg	975.120	1,162.080						
Product standard	BIII	BIII						
	130-1041H	360-1041H						
violet <input checked="" type="checkbox"/>	Price gr. A148 (m ²)	Price gr. A148 (m ²)						
	130-1042H	360-1042H						
berry red <input checked="" type="checkbox"/>	Price gr. A148 (m ²)	Price gr. A148 (m ²)						
	130-1043H	360-1043H						
brown red <input checked="" type="checkbox"/>	Price gr. A148 (m ²)	Price gr. A148 (m ²)						
	130-1044H	360-1044H						
fire red <input checked="" type="checkbox"/>	Price gr. A148 (m ²)	Price gr. A148 (m ²)						
	130-1045H	360-1045H						
signal orange <input checked="" type="checkbox"/>	Price gr. A148 (m ²)	Price gr. A148 (m ²)						
	130-1046H	360-1046H						
sunshine yellow <input checked="" type="checkbox"/>	Price gr. A148 (m ²)	Price gr. A148 (m ²)						
	130-1047H	360-1047H						
yellow green <input checked="" type="checkbox"/>	Price gr. A148 (m ²)	Price gr. A148 (m ²)						
	130-1048H	360-1048H						
sea green <input checked="" type="checkbox"/>	Price gr. A148 (m ²)	Price gr. A148 (m ²)						
	130-1049H	360-1049H						
blue green <input checked="" type="checkbox"/>	Price gr. A148 (m ²)	Price gr. A148 (m ²)						
	130-1050H	360-1050H						
cobalt blue <input checked="" type="checkbox"/>	Price gr. A148 (m ²)	Price gr. A148 (m ²)						






Intense colors

					
2120/2121/700/701 neutral 10 (active white)	2004/552004 dark azure	2003/552003 medium azure	2002/552002 light azure	2001/552001 active azure	2050 cobalt-blue
					
2119/552119 neutral 9 (white-grey)	2008/552008 dark blue	2007/552007 medium blue	2006/552006 light blue	2005/552005 active blue	2049 blue-green
					
2118/552118 neutral 8 (light-grey)	2012/552012 dark turquoise	2011/552011 medium turquoise	2010/552010 light turquoise	2009/552009 active turquoise	2048 sea-green
					
2117/552117 neutral 7 (pebble-grey)	2016/552016 dark green	2015/552015 medium green	2014/552014 light green	2013/552013 active green	2047 yellow-green
					
2116/552116 neutral 6 (pearl grey)	2020/552020 dark yellow	2019/552019 medium yellow	2018/552018 light yellow	2017/552017 active yellow	2046 sunshine-yellow
					
2115/552115 neutral 5 (basalt-grey)	2024/552024 dark ochre	2023/552023 medium ochre	2022/552022 light ochre	2021/552021 active ochre	2045 signal-orange
					
2114/552114 neutral 4 (graphite-black)	2028/552028 dark salmon	2027/552027 medium salmon	2026/552026 light salmon	2025/552025 active salmon	2044 fire-red
					
2113/552113 neutral 3 (asphalt black)	2032/552032 dark oxid red	2031/552031 medium oxid red	2030/552030 light oxid red	2029/552029 active oxid red	2043 brown-red
					
2112/552112 neutral 2 (anthracite)	2036/552036 dark stone grey	2035/552035 medium stone grey	2034/552034 light stone grey	2033/552033 active stone grey	2042 berry-red
					
2111/5716 neutral 1 (deep black)	2040/552040 dark sand grey	2039/552039 medium sand grey	2038/552038 light sand grey	2037/552037 active sand grey	2041 violet

Formats Stoneware

Mosaic 2.5 x 2.5 cm, 1 x 1 in



Mosaic sheet 30 x 30 cm, 12 x 12 in,
smooth




Floor/wall tile
10 x 20 cm, 4 x 8 in,
smooth



Floor/wall tile
12.5 x 50 cm, 5 x 20 in,
smooth



Mosaic 5 x 5 cm, 2 x 2 in



Mosaic sheet 30 x 30 cm, 12 x 12 in,
smooth



Floor/wall tile
10 x 30 cm, 4 x 12 in,
smooth




Floor/wall tile
15 x 15 cm, 6 x 6 in,
smooth



Floor/wall tile
12.5 x 100 cm, 5 x 40 in,
smooth

Mosaic 10 x 10 cm, 4 x 4 in



Mosaic sheet 30 x 30 cm, 12 x 12 in,
smooth



Floor/wall tile
20 x 20 cm, 8 x 8 in,
smooth




Mosaics glued thermoplastically on back of Agrob Buchtal can be used not only in dry zones but also without any problems in underwater areas (e.g. swimming pools/whirlpools) as well as in permanently wet areas.


Do you already know our Mosaic Designer at our website www.agrob-buchtal.com?
There, you will have the possibility of designing your individual color gradients, mosaic compositions and the laying of pictures.




Floor/wall tile
25 x 50 cm, 10 x 20 in,
smooth



Floor/wall tile 30 x 30 cm, 12 x 12 in,
smooth



Floor/wall tile 30 x 60 cm, 12 x 24 in,
smooth



Floor/wall tile 50 x 100 cm, 20 x 40 in, smooth



Cove skirting
10 x 10 cm
4 x 4 in, smooth






Internal
corner,
smooth







External
corner,
smooth

Mosaic



Floor/Wall Tiles





Sheet: 297 x 297 mm

Sheet: 297 x 297 mm

Sheet: 297 x 297 mm

								Model number
								Norm. dim. - cm/in
								Work size
								Surface
								m ² - pieces
								m ² - kg
								Bundle - pieces
								Bundle - m ²
								Bundle - kg
								Pallet - m ²
								Pallet - kg
								Product standard
								Stress group
2.5 x 2.5 cm³/5	5 x 5 cm³/5	10 x 10 cm³/7	10 x 20 cm NEW	10 x 30 cm	12.5 x 50 cm²	12.5 x 100 cm²	352010HK	12.5 x 100 / 5 x 40
23 x 23 x 6.5 mm smooth, for op-theat.	47 x 47 x 6.5 mm smooth, for op-theat.	97 x 97 x 6.5 mm smooth, for op-theat.	97 x 197 x 6.5 mm smooth, for op-theat.	97 x 297 x 6 mm smooth, for op-theat.	122 x 497 x 8 mm smooth, silky-matt ⁶	122 x 997 x 8 mm smooth, silky-matt ⁶	341550HK	12.5 x 50 / 5 x 20
11 sheets	11 sheets	11 sheets	50.000	33.333	16.000	8.000	352010HK	12.5 x 100 / 5 x 40
12.100	12.331	13.101	13.600	12.333	17.040	17.040	352010HK	12.5 x 50 / 5 x 20
11 sheets	11 sheets	11 sheets	33	38	8	10	352010HK	12.5 x 100 / 5 x 40
1.000	1.000	1.000	0.660	1.140	0.500	1.250	352010HK	12.5 x 100 / 5 x 40
12.100	12.331	13.101	8.976	14.060	8.520	21.300	352010HK	12.5 x 100 / 5 x 40
48.000	64.000	64.000	59.400	95.761	55.000	67.500	352010HK	12.5 x 100 / 5 x 40
580.800	789.184	838.464	807.840	1.181.040	937.200	1.150.200	352010HK	12.5 x 100 / 5 x 40
Blb	Blb	Blb	Blb	Alb	Alb	Alb	352010HK	12.5 x 100 / 5 x 40
1	1	1	1	1	1	1	352010HK	12.5 x 100 / 5 x 40
705-2121H	710-2121H	712-2121H	703-2121H	700i-341550HK	700i-352010HK	4	700i-352010HK	4
Price gr. A187 (m ²)	Price gr. A142 (m ²)	Price gr. A142 (m ²)	Price gr. A142 (m ²)	Price gr. A211 (m ²)	Price gr. A265 (m ²)		(active white gl.)	V0
702-2120H	705-2120H	710-2120H	712-2120H	703-2120H	701i-341550HK	4	701i-352010HK	4
Price gr. A229 (m ²)	Price gr. A187 (m ²)	Price gr. A142 (m ²)	Price gr. A157 (m ²)	Price gr. A142 (m ²)	Price gr. A265 (m ²)		neutral 10	V0
702-2119H¹	705-2119H	710-2119H	712-2119H	703-2119H¹	552119-341550HK¹	4	552119-352010HK¹	4
Price gr. A280 (m ²)	Price gr. A211 (m ²)	Price gr. A157 (m ²)	Price gr. A178 (m ²)	Price gr. A187 (m ²)	Price gr. A259 (m ²)		neutral 9	V0
702-2118H	705-2118H	710-2118H	712-2118H¹	703-2118H	552118-341550HK	4	552118-352010HK	4
Price gr. A229 (m ²)	Price gr. A187 (m ²)	Price gr. A142 (m ²)	Price gr. A211 (m ²)	Price gr. A142 (m ²)	Price gr. A211 (m ²)		neutral 8	V0
702-2117H¹	705-2117H	710-2117H	712-2117H	703-2117H¹	552117-341550HK	4	552117-352010HK	4
Price gr. A280 (m ²)	Price gr. A211 (m ²)	Price gr. A157 (m ²)	Price gr. A178 (m ²)	Price gr. A187 (m ²)	Price gr. A229 (m ²)		neutral 7	V0
702-2116H¹	705-2116H	710-2116H¹	712-2116H¹			3	pearl-grey	V0
Price gr. A280 (m ²)	Price gr. A238 (m ²)	Price gr. A187 (m ²)	Price gr. A211 (m ²)				neutral 6	V0
702-2115H¹	705-2115H	710-2115H	712-2115H	703-2115H¹	552115-341550HK¹	3	552115-352010HK¹	3
Price gr. A280 (m ²)	Price gr. A211 (m ²)	Price gr. A157 (m ²)	Price gr. A178 (m ²)	Price gr. A187 (m ²)	Price gr. A259 (m ²)		neutral 5	V0
702-2114H¹	705-2114H	710-2114H	712-2114H¹			3	basalt grey	V0
Price gr. A280 (m ²)	Price gr. A211 (m ²)	Price gr. A157 (m ²)	Price gr. A211 (m ²)				neutral 4	V0
702-2113H¹	705-2113H	710-2113H	712-2113H	703-2113H	552113-341550HK	3	graphite black	3
Price gr. A280 (m ²)	Price gr. A211 (m ²)	Price gr. A157 (m ²)	Price gr. A178 (m ²)	Price gr. A157 (m ²)	Price gr. A229 (m ²)		neutral 3	V0
702-2112H¹	705-2112H	710-2112H	712-2112H¹	703-2112H¹	552112-341550HK¹	2	552112-352010HK¹	2
Price gr. A280 (m ²)	Price gr. A211 (m ²)	Price gr. A157 (m ²)	Price gr. A211 (m ²)	Price gr. A187 (m ²)	Price gr. A259 (m ²)		neutral 2	V0
702-2111H	705-2111H	710-2111H	712-2111H	703-2111H⁴	5716-341550HK^{1/4}	1	5716-352010HK^{1/4}	1
Price gr. A250 (m ²)	Price gr. A211 (m ²)	Price gr. A157 (m ²)	Price gr. A178 (m ²)	Price gr. A187 (m ²)	Price gr. A259 (m ²)		neutral 1	V0
705-2001H	710-2001H	712-2001H¹	703-2001H	552001-341550HK	552001-352010HK	2	552001-352010HK	2
Price gr. A211 (m ²)	Price gr. A157 (m ²)	Price gr. A211 (m ²)	Price gr. A157 (m ²)	Price gr. A157 (m ²)	Price gr. A229 (m ²)		active azure	V0
705-2002H¹	705-2002H	710-2002H	712-2002H¹	703-2002H¹	552002-341550HK¹	4	552002-352010HK¹	4
Price gr. A280 (m ²)	Price gr. A211 (m ²)	Price gr. A157 (m ²)	Price gr. A211 (m ²)	Price gr. A187 (m ²)	Price gr. A259 (m ²)		light azure	V0
705-2003H	705-2003H	710-2003H	712-2003H¹	703-2003H	552003-341550HK	3	552003-352010HK	3
Price gr. A250 (m ²)	Price gr. A211 (m ²)	Price gr. A157 (m ²)	Price gr. A211 (m ²)	Price gr. A157 (m ²)	Price gr. A229 (m ²)		medium azure	V0
705-2004H	705-2004H	710-2004H	712-2004H	703-2004H¹	552004-341550HK¹	2	552004-352010HK¹	2
Price gr. A250 (m ²)	Price gr. A211 (m ²)	Price gr. A157 (m ²)	Price gr. A178 (m ²)	Price gr. A187 (m ²)	Price gr. A259 (m ²)		dark azure	V0
705-2005H	705-2005H	710-2005H	712-2005H¹	703-2005H¹	552005-341550HK¹	2	552005-352010HK¹	2
Price gr. A211 (m ²)	Price gr. A157 (m ²)	Price gr. A211 (m ²)	Price gr. A211 (m ²)	Price gr. A187 (m ²)	Price gr. A259 (m ²)		active blue	V0
705-2006H¹	705-2006H	710-2006H	712-2006H¹	703-2006H¹	552006-341550HK¹	4	552006-352010HK¹	4
Price gr. A280 (m ²)	Price gr. A211 (m ²)	Price gr. A157 (m ²)	Price gr. A211 (m ²)	Price gr. A187 (m ²)	Price gr. A259 (m ²)		light blue	V0
705-2007H¹	705-2007H	710-2007H	712-2007H¹	703-2007H¹	552007-341550HK¹	3	552007-352010HK¹	3
Price gr. A280 (m ²)	Price gr. A211 (m ²)	Price gr. A157 (m ²)	Price gr. A211 (m ²)	Price gr. A187 (m ²)	Price gr. A259 (m ²)		medium blue	V0
705-2008H	705-2008H	710-2008H	712-2008H	703-2008H¹	552008-341550HK¹	2	552008-352010HK¹	2
Price gr. A250 (m ²)	Price gr. A211 (m ²)	Price gr. A157 (m ²)	Price gr. A178 (m ²)	Price gr. A187 (m ²)	Price gr. A259 (m ²)		dark blue	V0
705-2009H	705-2009H	710-2009H	712-2009H¹	703-2009H¹	552009-341550HK¹	2	552009-352010HK¹	2
Price gr. A211 (m ²)	Price gr. A157 (m ²)	Price gr. A211 (m ²)	Price gr. A211 (m ²)	Price gr. A187 (m ²)	Price gr. A259 (m ²)		active turquoise	V0
702-2010H¹	705-2010H	710-2010H	712-2010H¹	703-2010H¹	552010-341550HK¹	4	552010-352010HK¹	4
Price gr. A280 (m ²)	Price gr. A211 (m ²)	Price gr. A157 (m ²)	Price gr. A211 (m ²)	Price gr. A187 (m ²)	Price gr. A259 (m ²)		light turquoise	V0
702-2011H¹	705-2011H	710-2011H	712-2011H¹	703-2011H¹	552011-341550HK¹	3	552011-352010HK¹	3
Price gr. A280 (m ²)	Price gr. A211 (m ²)	Price gr. A157 (m ²)	Price gr. A211 (m ²)	Price gr. A187 (m ²)	Price gr. A259 (m ²)		medium turquoise	V0
705-2012H¹	705-2012H	710-2012H	712-2012H	703-2012H¹	552012-341550HK^{1/4}	2	552012-352010HK^{1/4}	2
Price gr. A280 (m ²)	Price gr. A211 (m ²)	Price gr. A157 (m ²)	Price gr. A178 (m ²)	Price gr. A187 (m ²)	Price gr. A259 (m ²)		dark turquoise	V0
705-2013H	705-2013H	710-2013H	712-2013H¹	703-2013H¹	552013-341550HK¹	2	552013-352010HK¹	2
Price gr. A211 (m ²)	Price gr. A157 (m ²)	Price gr. A211 (m ²)	Price gr. A211 (m ²)	Price gr. A187 (m ²)	Price gr. A259 (m ²)		active green	V0
702-2014H¹	705-2014H	710-2014H	712-2014H¹	703-2014H¹	552014-341550HK¹	4	552014-352010HK¹	4
Price gr. A280 (m ²)	Price gr. A211 (m ²)	Price gr. A157 (m<sup						




Floor/Wall Tiles










Model number	Stress group	15 x 15 / 6 x 6	20 x 20 / 8 x 8	25 x 50 / 10 x 20	30 x 30 / 12 x 12	30 x 60 / 12 x 24	50 x 100 / 20 x 40
Nom. dim. - cm/in		15 x 15 / 6 x 6	20 x 20 / 8 x 8	25 x 50 / 10 x 20	30 x 30 / 12 x 12	30 x 60 / 12 x 24	50 x 100 / 20 x 40
Work size		147 x 147 x 6.5 mm	197 x 197 x 6.5 mm	247 x 497 x 8 mm	297 x 297 x 8 mm	297 x 597 x 8 mm	497 x 997 x 8 mm
Surface		smooth, for op-theat.	smooth, for op-theat.	smooth, silky-matt ⁴	smooth, silky-matt ⁴	smooth, silky-matt ⁴	smooth, silky-matt ⁴
m ² - pieces		44.000	25.000	8.000	11.111	5.556	2.000
m ² - kg		13.816	13.875	17.040	17.222	17.413	18.080
Bundle - pieces		44	25	9	14	6	2
Bundle - m ²		1.000	1.000	1.125	1.260	1.080	1.000
Bundle - kg		13.816	13.875	19.170	21.700	18.804	18.080
Pallet - m ²		80.000	72.000	40.500	52.921	43.197	52.000
Pallet - kg		1,105.280	999.000	690.120	911.400	752.160	940.160
Product standard		Blb	Blb	Alb	Alb	Alb	Alb
Stress group		1	1	1	2	1	1
neutral 10 (active white gl.)	4	715-2121H NEW	720-2121H NEW	700i-342550HK	730-2121H	760-2121H	700i-352050HK
		Price gr. A115 (m ²)	Price gr. A115 (m ²)	Price gr. A157 (m ²)	Price gr. A166 (m ²)	Price gr. A166 (m ²)	Price gr. A211 (m ²)
neutral 10 (active white)	4	715-2120H	720-2120H	701i-342550HK	730-2120H	760-2120H	701i-352050HK
		Price gr. A115 (m ²)	Price gr. A115 (m ²)	Price gr. A157 (m ²)	Price gr. A166 (m ²)	Price gr. A166 (m ²)	Price gr. A211 (m ²)
neutral 9 (white grey)	4	715-2119H¹	720-2119H¹	552119-342550HK	730-2119H¹	760-2119H¹	552119-352050HK¹
		Price gr. A166 (m ²)	Price gr. A166 (m ²)	Price gr. A181 (m ²)	Price gr. A217 (m ²)	Price gr. A217 (m ²)	Price gr. A259 (m ²)
neutral 8 (light-grey)	4	715-2118H	720-2118H	552118-342550HK	730-2118H	760-2118H	552118-352050HK
		Price gr. A115 (m ²)	Price gr. A115 (m ²)	Price gr. A157 (m ²)	Price gr. A166 (m ²)	Price gr. A166 (m ²)	Price gr. A211 (m ²)
neutral 7 (pebble-grey)	4	715-2117H¹	720-2117H¹	552117-342550HK	730-2117H¹	760-2117H¹	552117-352050HK
		Price gr. A166 (m ²)	Price gr. A166 (m ²)	Price gr. A181 (m ²)	Price gr. A217 (m ²)	Price gr. A217 (m ²)	Price gr. A229 (m ²)
neutral 6 (pearl-grey)	3	715-2116H¹	720-2116H¹				
		Price gr. A166 (m ²)	Price gr. A166 (m ²)	Price gr. A166 (m ²)	Price gr. A217 (m ²)	Price gr. A217 (m ²)	Price gr. A259 (m ²)
neutral 5 (basalt grey)	3	715-2115H¹	720-2115H¹	552115-342550HK	730-2115H¹	760-2115H¹	552115-352050HK¹
		Price gr. A166 (m ²)	Price gr. A166 (m ²)	Price gr. A181 (m ²)	Price gr. A217 (m ²)	Price gr. A217 (m ²)	Price gr. A259 (m ²)
neutral 4 (graphite black)	3	715-2114H	720-2114H				
		Price gr. A142 (m ²)	Price gr. A142 (m ²)	Price gr. A181 (m ²)	Price gr. A217 (m ²)	Price gr. A217 (m ²)	Price gr. A259 (m ²)
neutral 3 (asphalt black)	3	715-2113H¹	720-2113H¹	552113-342550HK	730-2113H	760-2113H	552113-352050HK
		Price gr. A166 (m ²)	Price gr. A166 (m ²)	Price gr. A181 (m ²)	Price gr. A187 (m ²)	Price gr. A187 (m ²)	Price gr. A229 (m ²)
neutral 2 (anthracite)	2	715-2112H	720-2112H	552112-342550HK	730-2112H¹	760-2112H	552112-352050HK¹
		Price gr. A142 (m ²)	Price gr. A142 (m ²)	Price gr. A181 (m ²)	Price gr. A217 (m ²)	Price gr. A187 (m ²)	Price gr. A259 (m ²)
neutral 1 (deep black)	1	715-2111H	720-2111H	5716-342550HK³	730-2111H³	760-2111H^{1/3}	5716-352050HK^{1/3}
		Price gr. A142 (m ²)	Price gr. A142 (m ²)	Price gr. A181 (m ²)	Price gr. A217 (m ²)	Price gr. A217 (m ²)	Price gr. A259 (m ²)
active azure	2	715-2001H¹	720-2001H¹	552001-342550HK	730-2001H	760-2001H	552001-352050HK
		Price gr. A166 (m ²)	Price gr. A166 (m ²)	Price gr. A181 (m ²)	Price gr. A187 (m ²)	Price gr. A187 (m ²)	Price gr. A229 (m ²)
light azure	4	715-2002H¹	720-2002H¹	552002-342550HK	730-2002H¹	760-2002H¹	552002-352050HK¹
		Price gr. A166 (m ²)	Price gr. A166 (m ²)	Price gr. A181 (m ²)	Price gr. A217 (m ²)	Price gr. A217 (m ²)	Price gr. A259 (m ²)
medium azure	3	715-2003H	720-2003H	552003-342550HK	730-2003H	760-2003H	552003-352050HK
		Price gr. A142 (m ²)	Price gr. A142 (m ²)	Price gr. A181 (m ²)	Price gr. A187 (m ²)	Price gr. A187 (m ²)	Price gr. A229 (m ²)
dark azure	2	715-2004H¹	720-2004H	552004-342550HK	730-2004H¹	760-2004H¹	552004-352050HK¹
		Price gr. A166 (m ²)	Price gr. A166 (m ²)	Price gr. A181 (m ²)	Price gr. A217 (m ²)	Price gr. A217 (m ²)	Price gr. A259 (m ²)
active blue	2	715-2005H¹	720-2005H¹	552005-342550HK	730-2005H¹	760-2005H¹	552005-352050HK¹
		Price gr. A166 (m ²)	Price gr. A166 (m ²)	Price gr. A181 (m ²)	Price gr. A217 (m ²)	Price gr. A217 (m ²)	Price gr. A259 (m ²)
light blue	4	715-2006H¹	720-2006H¹	552006-342550HK	730-2006H¹	760-2006H¹	552006-352050HK¹
		Price gr. A166 (m ²)	Price gr. A166 (m ²)	Price gr. A181 (m ²)	Price gr. A217 (m ²)	Price gr. A217 (m ²)	Price gr. A259 (m ²)
medium blue	3	715-2007H	720-2007H	552007-342550HK	730-2007H¹	760-2007H¹	552007-352050HK¹
		Price gr. A142 (m ²)	Price gr. A142 (m ²)	Price gr. A181 (m ²)	Price gr. A217 (m ²)	Price gr. A217 (m ²)	Price gr. A259 (m ²)
dark blue	2	715-2008H¹	720-2008H	552008-342550HK	730-2008H¹	760-2008H¹	552008-352050HK¹
		Price gr. A166 (m ²)	Price gr. A166 (m ²)	Price gr. A181 (m ²)	Price gr. A217 (m ²)	Price gr. A217 (m ²)	Price gr. A259 (m ²)
active turquoise	2	715-2009H¹	720-2009H¹	552009-342550HK	730-2009H¹	760-2009H¹	552009-352050HK¹
		Price gr. A166 (m ²)	Price gr. A166 (m ²)	Price gr. A181 (m ²)	Price gr. A217 (m ²)	Price gr. A217 (m ²)	Price gr. A259 (m ²)
light turquoise	4	715-2010H	720-2010H	552010-342550HK	730-2010H¹	760-2010H¹	552010-352050HK¹
		Price gr. A142 (m ²)	Price gr. A142 (m ²)	Price gr. A181 (m ²)	Price gr. A217 (m ²)	Price gr. A217 (m ²)	Price gr. A259 (m ²)
medium turquoise	3	715-2011H¹	720-2011H¹	552011-342550HK	730-2011H¹	760-2011H¹	552011-352050HK¹
		Price gr. A166 (m ²)	Price gr. A166 (m ²)	Price gr. A181 (m ²)	Price gr. A217 (m ²)	Price gr. A217 (m ²)	Price gr. A259 (m ²)
dark turquoise	2	715-2012H¹	720-2012H¹	552012-342550HK³	730-2012H^{1/3}	760-2012H^{1/3}	552012-352050HK^{1/3}
		Price gr. A166 (m ²)	Price gr. A166 (m ²)	Price gr. A181 (m ²)	Price gr. A217 (m ²)	Price gr. A217 (m ²)	Price gr. A259 (m ²)
active green	2	715-2013H¹	720-2013H¹	552013-342550HK	730-2013H¹	760-2013H¹	552013-352050HK¹
		Price gr. A166 (m ²)	Price gr. A166 (m ²)	Price gr. A181 (m ²)	Price gr. A217 (m ²)	Price gr. A217 (m ²)	Price gr. A259 (m ²)
light green	4	715-2014H	720-2014H	552014-342550HK	730-2014H¹	760-2014H¹	552014-352050HK¹
		Price gr. A142 (m ²)	Price gr. A142 (m ²)	Price gr. A181 (m ²)	Price gr. A217 (m ²)	Price gr. A217 (m ²)	Price gr. A259 (m ²)
medium green	3	715-2015H¹	720-2015H¹	552015-342550HK	730-2015H¹	760-2015H¹	552015-352050HK¹
		Price gr. A166 (m ²)	Price gr. A166 (m ²)	Price gr. A181 (m ²)	Price gr. A217 (m ²)	Price gr. A217 (m ²)	Price gr. A259 (m ²)
dark green	2	715-2016H¹	720-2016H¹	552016-342550HK	730-2016H¹	760-2016H¹	552016-352050HK¹
		Price gr. A166 (m ²)	Price gr. A166 (m ²)	Price gr. A181 (m ²)	Price gr. A217 (m ²)	Price gr. A217 (m ²)	Price gr. A259 (m ²)



Mosaic



Floor/Wall Tiles



Sheet: 297 x 297 mm Sheet: 297 x 297 mm Sheet: 297 x 297 mm

2.5 x 2.5 cm ^{3/5}	5 x 5 cm ^{3/5}	10 x 10 cm ^{3/5/6}	10 x 20 cm NEW	10 x 30 cm	12.5 x 50 cm ²	12.5 x 100 cm ²	Model number
Nom. dim. - cm/in	Work size	Surface	m ² - pieces	m ² - kg	Bundle - pieces	Bundle - m ²	Pallet - m ²
2.5 x 2.5 / 1 x 1	5 x 5 / 2 x 2	10 x 10 / 4 x 4	10 x 20 / 4 x 8	10 x 30 / 4 x 12	12.5 x 50 / 5 x 20	12.5 x 100 / 5 x 40	Pallet - kg
23 x 23 x 6.5 mm smooth, for op-heat.	47 x 47 x 6.5 mm smooth, for op-heat.	97 x 97 x 6.5 mm smooth, for op-heat.	97 x 197 x 6.5 mm smooth, for op-heat.	97 x 297 x 6 mm smooth, silky-matt	122 x 497 x 8 mm smooth, silky-matt	122 x 997 x 8 mm smooth, silky-matt	122 x 997 x 8 mm smooth, silky-matt
11 sheets 12.100	11 sheets 12.331	11 sheets 13.101	50.000 13.600	33.330 12.333	16.000 17.040	8.000 17.040	8.000 17.040
1.000 12.100	1.000 12.331	1.000 13.101	0.660 8.976	1.140 14.060	0.500 8.520	1.250 21.300	1.250 21.300
48.000 580.800	64.000 789.184	64.000 838.464	59.400 807.840	95.770 1,181.040	55.000 937.200	67.500 1,150.200	67.500 1,150.200
Blb 1	Blb 1	Blb 1	Blb 1	Alb 1	Alb 1	Alb 1	Product standard Stress group
705-2017H Price gr. A211 (m ²)	710-2017H Price gr. A157 (m ²)	712-2017H¹ Price gr. A211 (m ²)	703-2017H^{1/4} Price gr. A187 (m ²)	341550HK Price gr. A259 (m ²)	352010HK Price gr. A313 (m ²)	12.5 x 100 / 5 x 40 Price gr. A313 (m ²)	552017-352010HK^{1/4} Price gr. A313 (m ²)
702-2018H ¹ Price gr. A280 (m ²)	705-2018H Price gr. A211 (m ²)	710-2018H Price gr. A157 (m ²)	712-2018H ¹ Price gr. A211 (m ²)	703-2018H ¹ Price gr. A187 (m ²)	552018-341550HK ¹ Price gr. A259 (m ²)	12.5 x 100 / 5 x 40 Price gr. A313 (m ²)	552018-352010HK ¹ Price gr. A313 (m ²)
702-2019H ¹ Price gr. A280 (m ²)	705-2019H Price gr. A211 (m ²)	710-2019H Price gr. A157 (m ²)	712-2019H ¹ Price gr. A211 (m ²)	703-2019H ¹ Price gr. A187 (m ²)	552019-341550HK ¹ Price gr. A259 (m ²)	12.5 x 100 / 5 x 40 Price gr. A313 (m ²)	552019-352010HK ¹ Price gr. A313 (m ²)
702-2020H ¹ Price gr. A280 (m ²)	705-2020H Price gr. A211 (m ²)	710-2020H Price gr. A157 (m ²)	712-2020H ¹ Price gr. A178 (m ²)	703-2020H ^{1/4} Price gr. A187 (m ²)	552020-341550HK ^{1/4} Price gr. A259 (m ²)	12.5 x 100 / 5 x 40 Price gr. A313 (m ²)	552020-352010HK ^{1/4} Price gr. A313 (m ²)
702-2021H ¹ Price gr. A280 (m ²)	705-2021H Price gr. A211 (m ²)	710-2021H Price gr. A157 (m ²)	712-2021H ¹ Price gr. A211 (m ²)	703-2021H ^{1/4} Price gr. A187 (m ²)	552021-341550HK ^{1/4} Price gr. A259 (m ²)	12.5 x 100 / 5 x 40 Price gr. A313 (m ²)	552021-352010HK ^{1/4} Price gr. A313 (m ²)
702-2022H ¹ Price gr. A280 (m ²)	705-2022H Price gr. A211 (m ²)	710-2022H Price gr. A157 (m ²)	712-2022H ¹ Price gr. A211 (m ²)	703-2022H ¹ Price gr. A187 (m ²)	552022-341550HK ¹ Price gr. A259 (m ²)	12.5 x 100 / 5 x 40 Price gr. A313 (m ²)	552022-352010HK ¹ Price gr. A313 (m ²)
702-2023H ¹ Price gr. A280 (m ²)	705-2023H Price gr. A211 (m ²)	710-2023H Price gr. A157 (m ²)	712-2023H ¹ Price gr. A211 (m ²)	703-2023H ¹ Price gr. A187 (m ²)	552023-341550HK ¹ Price gr. A259 (m ²)	12.5 x 100 / 5 x 40 Price gr. A313 (m ²)	552023-352010HK ¹ Price gr. A313 (m ²)
702-2024H ¹ Price gr. A280 (m ²)	705-2024H Price gr. A211 (m ²)	710-2024H Price gr. A157 (m ²)	712-2024H ¹ Price gr. A178 (m ²)	703-2024H ¹ Price gr. A187 (m ²)	552024-341550HK ¹ Price gr. A259 (m ²)	12.5 x 100 / 5 x 40 Price gr. A313 (m ²)	552024-352010HK ¹ Price gr. A313 (m ²)
702-2025H ¹ Price gr. A280 (m ²)	705-2025H Price gr. A211 (m ²)	710-2025H Price gr. A157 (m ²)	712-2025H ¹ Price gr. A211 (m ²)	703-2025H ^{1/4} Price gr. A187 (m ²)	552025-341550HK ^{1/4} Price gr. A259 (m ²)	12.5 x 100 / 5 x 40 Price gr. A313 (m ²)	552025-352010HK ^{1/4} Price gr. A313 (m ²)
702-2026H ¹ Price gr. A280 (m ²)	705-2026H Price gr. A211 (m ²)	710-2026H Price gr. A157 (m ²)	712-2026H ¹ Price gr. A211 (m ²)	703-2026H ¹ Price gr. A187 (m ²)	552026-341550HK ¹ Price gr. A259 (m ²)	12.5 x 100 / 5 x 40 Price gr. A313 (m ²)	552026-352010HK ¹ Price gr. A313 (m ²)
702-2027H ¹ Price gr. A280 (m ²)	705-2027H Price gr. A211 (m ²)	710-2027H Price gr. A157 (m ²)	712-2027H ¹ Price gr. A211 (m ²)	703-2027H ¹ Price gr. A187 (m ²)	552027-341550HK ¹ Price gr. A259 (m ²)	12.5 x 100 / 5 x 40 Price gr. A313 (m ²)	552027-352010HK ¹ Price gr. A313 (m ²)
702-2028H ¹ Price gr. A280 (m ²)	705-2028H Price gr. A211 (m ²)	710-2028H Price gr. A157 (m ²)	712-2028H ¹ Price gr. A178 (m ²)	703-2028H ¹ Price gr. A187 (m ²)	552028-341550HK ¹ Price gr. A259 (m ²)	12.5 x 100 / 5 x 40 Price gr. A313 (m ²)	552028-352010HK ¹ Price gr. A313 (m ²)
702-2029H ¹ Price gr. A280 (m ²)	705-2029H Price gr. A211 (m ²)	710-2029H Price gr. A157 (m ²)	712-2029H ¹ Price gr. A211 (m ²)	703-2029H ¹ Price gr. A187 (m ²)	552029-341550HK ¹ Price gr. A259 (m ²)	12.5 x 100 / 5 x 40 Price gr. A313 (m ²)	552029-352010HK ¹ Price gr. A313 (m ²)
702-2030H ¹ Price gr. A280 (m ²)	705-2030H Price gr. A211 (m ²)	710-2030H Price gr. A157 (m ²)	712-2030H ¹ Price gr. A211 (m ²)	703-2030H ¹ Price gr. A187 (m ²)	552030-341550HK ¹ Price gr. A259 (m ²)	12.5 x 100 / 5 x 40 Price gr. A313 (m ²)	552030-352010HK ¹ Price gr. A313 (m ²)
702-2031H ¹ Price gr. A280 (m ²)	705-2031H Price gr. A211 (m ²)	710-2031H Price gr. A157 (m ²)	712-2031H ¹ Price gr. A211 (m ²)	703-2031H ¹ Price gr. A187 (m ²)	552031-341550HK ¹ Price gr. A259 (m ²)	12.5 x 100 / 5 x 40 Price gr. A313 (m ²)	552031-352010HK ¹ Price gr. A313 (m ²)
702-2032H ¹ Price gr. A280 (m ²)	705-2032H Price gr. A211 (m ²)	710-2032H Price gr. A157 (m ²)	712-2032H ¹ Price gr. A178 (m ²)	703-2032H ¹ Price gr. A187 (m ²)	552032-341550HK ¹ Price gr. A259 (m ²)	12.5 x 100 / 5 x 40 Price gr. A313 (m ²)	552032-352010HK ¹ Price gr. A313 (m ²)
702-2033H ¹ Price gr. A280 (m ²)	705-2033H Price gr. A211 (m ²)	710-2033H Price gr. A157 (m ²)	712-2033H ¹ Price gr. A211 (m ²)	703-2033H ¹ Price gr. A187 (m ²)	552033-341550HK ¹ Price gr. A259 (m ²)	12.5 x 100 / 5 x 40 Price gr. A313 (m ²)	552033-352010HK ¹ Price gr. A313 (m ²)
702-2034H ¹ Price gr. A280 (m ²)	705-2034H Price gr. A211 (m ²)	710-2034H Price gr. A157 (m ²)	712-2034H ¹ Price gr. A211 (m ²)	703-2034H ¹ Price gr. A187 (m ²)	552034-341550HK ¹ Price gr. A259 (m ²)	12.5 x 100 / 5 x 40 Price gr. A313 (m ²)	552034-352010HK ¹ Price gr. A313 (m ²)
702-2035H ¹ Price gr. A280 (m ²)	705-2035H Price gr. A211 (m ²)	710-2035H Price gr. A157 (m ²)	712-2035H ¹ Price gr. A211 (m ²)	703-2035H ¹ Price gr. A157 (m ²)	552035-341550HK ¹ Price gr. A229 (m ²)	12.5 x 100 / 5 x 40 Price gr. A289 (m ²)	552035-352010HK ¹ Price gr. A289 (m ²)
702-2036H ¹ Price gr. A280 (m ²)	705-2036H Price gr. A211 (m ²)	710-2036H Price gr. A157 (m ²)	712-2036H ¹ Price gr. A178 (m ²)	703-2036H ¹ Price gr. A187 (m ²)	552036-341550HK ¹ Price gr. A259 (m ²)	12.5 x 100 / 5 x 40 Price gr. A313 (m ²)	552036-352010HK ¹ Price gr. A313 (m ²)
702-2037H ¹ Price gr. A280 (m ²)	705-2037H Price gr. A211 (m ²)	710-2037H Price gr. A157 (m ²)	712-2037H ¹ Price gr. A211 (m ²)	703-2037H ¹ Price gr. A187 (m ²)	552037-341550HK ¹ Price gr. A259 (m ²)	12.5 x 100 / 5 x 40 Price gr. A313 (m ²)	552037-352010HK ¹ Price gr. A313 (m ²)
702-2038H ¹ Price gr. A280 (m ²)	705-2038H Price gr. A211 (m ²)	710-2038H Price gr. A157 (m ²)	712-2038H ¹ Price gr. A211 (m ²)	703-2038H ¹ Price gr. A187 (m ²)	552038-341550HK ¹ Price gr. A259 (m ²)	12.5 x 100 / 5 x 40 Price gr. A313 (m ²)	552038-352010HK ¹ Price gr. A313 (m ²)
702-2039H ¹ Price gr. A280 (m ²)	705-2039H Price gr. A211 (m ²)	710-2039H Price gr. A157 (m ²)	712-2039H ¹ Price gr. A211 (m ²)	703-2039H ¹ Price gr. A157 (m ²)	552039-341550HK ¹ Price gr. A229 (m ²)	12.5 x 100 / 5 x 40 Price gr. A289 (m ²)	552039-352010HK ¹ Price gr. A289 (m ²)
702-2040H ¹ Price gr. A280 (m ²)	705-2040H Price gr. A211 (m ²)	710-2040H Price gr. A157 (m ²)	712-2040H ¹ Price gr. A178 (m ²)	703-2040H ¹ Price gr. A187 (m ²)	552040-341550HK ¹ Price gr. A259 (m ²)	12.5 x 100 / 5 x 40 Price gr. A313 (m ²)	552040-352010HK ¹ Price gr. A313 (m ²)




⁴ Production-related color deviations from the standard are possible.

⁵ Upon request, defined color gradients and mosaic pictures can also be supplied.

⁶ Overglazed edges proportionately in the sheet

Shower tub system, refer to series Plural non-slip, page 363/365

Floor/Wall Tiles




Model number							
Nom. dim. - cm/in	15 x 15 / 6 x 6	20 x 20 / 8 x 8	25 x 50 / 10 x 20	30 x 30 / 12 x 12	30 x 60 / 12 x 24	50 x 100 / 20 x 40	
Work size	147 x 147 x 6.5 mm	197 x 197 x 6.5 mm	247 x 497 x 8 mm	297 x 297 x 8 mm	297 x 597 x 8 mm	497 x 997 x 8 mm	
Surface	smooth, for op-theat.	smooth, for op-theat.	smooth, silky-matt	smooth, silky-matt	smooth, silky-matt	smooth, silky-matt	
m² - pieces	44.000	25.000	8.000	11.111	5.556	2.000	
m² - kg	13.816	13.875	17.040	17.222	17.413	18.080	
Bundle - pieces	44	25	9	14	6	2	
Bundle - m²	1.000	1.000	1.125	1.260	1.080	1.000	
Bundle - kg	13.816	13.875	19.170	21.700	18.804	18.080	
Pallet - m²	80.000	72.000	40.500	52.921	43.197	52.000	
Pallet - kg	1,105.280	999.000	690.120	911.400	752.160	940.160	
Product standard	Blb	Blb	Alb	Alb	Alb	Alb	
Stress group	1	1	1	2	1	1	
active yellow	<input checked="" type="checkbox"/> 2 715-2017H¹ Price gr. A166 (m ²)	720-2017H Price gr. A142 (m ²)	552017-342550HK³ Price gr. A181 (m ²)	730-2017H^{1/3} Price gr. A217 (m ²)	760-2017H^{1/3} Price gr. A217 (m ²)	552017-352050HK^{1/3} Price gr. A259 (m ²)	
light yellow	<input checked="" type="checkbox"/> 4 715-2018H Price gr. A142 (m ²)	720-2018H Price gr. A142 (m ²)	552018-342550HK Price gr. A181 (m ²)	730-2018H¹ Price gr. A217 (m ²)	760-2018H¹ Price gr. A217 (m ²)	552018-352050HK¹ Price gr. A259 (m ²)	
medium yellow	<input checked="" type="checkbox"/> 3 715-2019H¹ Price gr. A166 (m ²)	720-2019H¹ Price gr. A166 (m ²)	552019-342550HK Price gr. A181 (m ²)	730-2019H¹ Price gr. A217 (m ²)	760-2019H¹ Price gr. A217 (m ²)	552019-352050HK¹ Price gr. A259 (m ²)	
dark yellow	<input checked="" type="checkbox"/> 2 715-2020H¹ Price gr. A166 (m ²)	720-2020H¹ Price gr. A166 (m ²)	552020-342550HK³ Price gr. A181 (m ²)	730-2020H^{1/3} Price gr. A217 (m ²)	760-2020H^{1/3} Price gr. A217 (m ²)	552020-352050HK^{1/3} Price gr. A259 (m ²)	
active ochre	<input checked="" type="checkbox"/> 2 715-2021H¹ Price gr. A166 (m ²)	720-2021H¹ Price gr. A142 (m ²)	552021-342550HK³ Price gr. A181 (m ²)	730-2021H^{1/3} Price gr. A217 (m ²)	760-2021H^{1/3} Price gr. A217 (m ²)	552021-352050HK^{1/3} Price gr. A259 (m ²)	
light ochre	<input checked="" type="checkbox"/> 4 715-2022H Price gr. A142 (m ²)	720-2022H Price gr. A142 (m ²)	552022-342550HK Price gr. A181 (m ²)	730-2022H¹ Price gr. A217 (m ²)	760-2022H¹ Price gr. A217 (m ²)	552022-352050HK¹ Price gr. A259 (m ²)	
medium ochre	<input checked="" type="checkbox"/> 3 715-2023H¹ Price gr. A166 (m ²)	720-2023H¹ Price gr. A166 (m ²)	552023-342550HK Price gr. A181 (m ²)	730-2023H¹ Price gr. A217 (m ²)	760-2023H¹ Price gr. A217 (m ²)	552023-352050HK¹ Price gr. A259 (m ²)	
dark ochre	<input checked="" type="checkbox"/> 2 715-2024H¹ Price gr. A166 (m ²)	720-2024H¹ Price gr. A166 (m ²)	552024-342550HK Price gr. A181 (m ²)	730-2024H¹ Price gr. A217 (m ²)	760-2024H¹ Price gr. A217 (m ²)	552024-352050HK¹ Price gr. A259 (m ²)	
active salmon	<input checked="" type="checkbox"/> 2 715-2025H¹ Price gr. A166 (m ²)	720-2025H¹ Price gr. A166 (m ²)	552025-342550HK³ Price gr. A181 (m ²)	730-2025H^{1/3} Price gr. A217 (m ²)	760-2025H^{1/3} Price gr. A217 (m ²)	552025-352050HK^{1/3} Price gr. A259 (m ²)	
light salmon	<input checked="" type="checkbox"/> 4 715-2026H Price gr. A142 (m ²)	720-2026H¹ Price gr. A142 (m ²)	552026-342550HK Price gr. A181 (m ²)	730-2026H¹ Price gr. A217 (m ²)	760-2026H¹ Price gr. A217 (m ²)	552026-352050HK¹ Price gr. A259 (m ²)	
medium salmon	<input checked="" type="checkbox"/> 3 715-2027H Price gr. A142 (m ²)	720-2027H Price gr. A142 (m ²)	552027-342550HK Price gr. A181 (m ²)	730-2027H¹ Price gr. A217 (m ²)	760-2027H¹ Price gr. A217 (m ²)	552027-352050HK¹ Price gr. A259 (m ²)	
dark salmon	<input checked="" type="checkbox"/> 2 715-2028H¹ Price gr. A166 (m ²)	720-2028H¹ Price gr. A166 (m ²)	552028-342550HK Price gr. A181 (m ²)	730-2028H¹ Price gr. A217 (m ²)	760-2028H¹ Price gr. A217 (m ²)	552028-352050HK¹ Price gr. A259 (m ²)	
active oxide red	<input checked="" type="checkbox"/> 2 715-2029H¹ Price gr. A166 (m ²)	720-2029H¹ Price gr. A166 (m ²)	552029-342550HK Price gr. A181 (m ²)	730-2029H¹ Price gr. A217 (m ²)	760-2029H¹ Price gr. A217 (m ²)	552029-352050HK¹ Price gr. A259 (m ²)	
light oxide red	<input checked="" type="checkbox"/> 4 715-2030H¹ Price gr. A166 (m ²)	720-2030H¹ Price gr. A166 (m ²)	552030-342550HK Price gr. A181 (m ²)	730-2030H¹ Price gr. A217 (m ²)	760-2030H¹ Price gr. A217 (m ²)	552030-352050HK¹ Price gr. A259 (m ²)	
medium oxide red	<input checked="" type="checkbox"/> 3 715-2031H Price gr. A142 (m ²)	720-2031H Price gr. A142 (m ²)	552031-342550HK Price gr. A181 (m ²)	730-2031H¹ Price gr. A217 (m ²)	760-2031H¹ Price gr. A217 (m ²)	552031-352050HK¹ Price gr. A259 (m ²)	
dark oxide red	<input checked="" type="checkbox"/> 2 715-2032H¹ Price gr. A166 (m ²)	720-2032H¹ Price gr. A166 (m ²)	552032-342550HK Price gr. A181 (m ²)	730-2032H¹ Price gr. A217 (m ²)	760-2032H¹ Price gr. A217 (m ²)	552032-352050HK¹ Price gr. A259 (m ²)	
active stone grey	<input checked="" type="checkbox"/> 2 715-2033H¹ Price gr. A166 (m ²)	720-2033H¹ Price gr. A166 (m ²)	552033-342550HK Price gr. A181 (m ²)	730-2033H¹ Price gr. A217 (m ²)	760-2033H¹ Price gr. A217 (m ²)	552033-352050HK¹ Price gr. A259 (m ²)	
light stone grey	<input checked="" type="checkbox"/> 4 715-2034H¹ Price gr. A166 (m ²)	720-2034H¹ Price gr. A166 (m ²)	552034-342550HK Price gr. A181 (m ²)	730-2034H¹ Price gr. A217 (m ²)	760-2034H¹ Price gr. A217 (m ²)	552034-352050HK¹ Price gr. A259 (m ²)	
medium stone grey	<input checked="" type="checkbox"/> 3 715-2035H¹ Price gr. A166 (m ²)	720-2035H¹ Price gr. A166 (m ²)	552035-342550HK Price gr. A181 (m ²)	730-2035H Price gr. A187 (m ²)	760-2035H Price gr. A187 (m ²)	552035-352050HK Price gr. A229 (m ²)	
dark stone grey	<input checked="" type="checkbox"/> 2 715-2036H Price gr. A142 (m ²)	720-2036H Price gr. A142 (m ²)	552036-342550HK Price gr. A181 (m ²)	730-2036H¹ Price gr. A217 (m ²)	760-2036H¹ Price gr. A217 (m ²)	552036-352050HK¹ Price gr. A259 (m ²)	
active sand-grey	<input checked="" type="checkbox"/> 2 715-2037H¹ Price gr. A166 (m ²)	720-2037H¹ Price gr. A166 (m ²)	552037-342550HK Price gr. A181 (m ²)	730-2037H¹ Price gr. A217 (m ²)	760-2037H¹ Price gr. A217 (m ²)	552037-352050HK¹ Price gr. A259 (m ²)	
light sand-grey	<input checked="" type="checkbox"/> 4 715-2038H Price gr. A142 (m ²)	720-2038H Price gr. A142 (m ²)	552038-342550HK Price gr. A181 (m ²)	730-2038H¹ Price gr. A217 (m ²)	760-2038H¹ Price gr. A217 (m ²)	552038-352050HK¹ Price gr. A259 (m ²)	
medium sand-grey	<input checked="" type="checkbox"/> 3 715-2039H Price gr. A142 (m ²)	720-2039H Price gr. A142 (m ²)	552039-342550HK Price gr. A181 (m ²)	730-2039H Price gr. A187 (m ²)	760-2039H Price gr. A187 (m ²)	552039-352050HK Price gr. A229 (m ²)	
dark sand-grey	<input checked="" type="checkbox"/> 2 715-2040H Price gr. A142 (m ²)	720-2040H Price gr. A142 (m ²)	552040-342550HK Price gr. A181 (m ²)	730-2040H¹ Price gr. A217 (m ²)	760-2040H¹ Price gr. A217 (m ²)	552040-352050HK¹ Price gr. A259 (m ²)	

³ Production-related color deviations from the standard are possible.

Mosaic NEW Floor/ NEW
Wall Tiles

10 x 10 cm¹



20 x 20 cm¹



Sheet: 297 x 297 mm

10 x 10 / 4 x 4	20 x 20 / 8 x 8	Nom. dim. - cm/in
97 x 97 x 6.5 mm smooth, for op-theat.	197 x 197 x 6.5 mm smooth, for op-theat.	Work size
11.000	25.000	Surface
13.101	13.875	m² - pieces
11	25	m² - kg
1.000	1.000	Bundle - pieces
13.101	13.875	Bundle - m ²
64.000	72.000	Pallet - m ²
838.464	999.000	Pallet - kg
B1b	B1b	Product standard
1	1	Stress group
710-2041H	720-2041H	violet <input type="checkbox"/>
Price gr. A196 (m ²)	Price gr. A181 (m ²)	
710-2042H	720-2042H	berry red <input type="checkbox"/>
Price gr. A196 (m ²)	Price gr. A181 (m ²)	
710-2043H	720-2043H	brown red <input type="checkbox"/>
Price gr. A196 (m ²)	Price gr. A181 (m ²)	
710-2044H	720-2044H	fire red <input type="checkbox"/>
Price gr. A196 (m ²)	Price gr. A181 (m ²)	
710-2045H	720-2045H	signal orange <input type="checkbox"/>
Price gr. A196 (m ²)	Price gr. A181 (m ²)	
710-2046H	720-2046H	sunshine yellow <input type="checkbox"/>
Price gr. A196 (m ²)	Price gr. A181 (m ²)	
710-2047H	720-2047H	yellow green <input type="checkbox"/>
Price gr. A196 (m ²)	Price gr. A181 (m ²)	
710-2048H	720-2048H	sea green <input type="checkbox"/>
Price gr. A196 (m ²)	Price gr. A181 (m ²)	
710-2049H	720-2049H	blue green <input type="checkbox"/>
Price gr. A196 (m ²)	Price gr. A181 (m ²)	
710-2050H	720-2050H	cobalt blue <input type="checkbox"/>
Price gr. A196 (m ²)	Price gr. A181 (m ²)	



Cove Skirting ¹	Internal Corner for Cove Skirting ¹	External Corner for Cove Skirting ¹
----------------------------	--	--

10 x 10 cm



Nom. dim. - cm/in	10 x 10 / 4 x 4	100 x 18 x 6.5 mm	100 x 18 x 6.5 mm	100 x 18 x 6.5 mm				
Work size	100 x 97 x 6.5 mm	smooth, silky-matt	smooth, silky-matt	smooth, silky-matt				
Surface								
m - pieces	10.000							
m/pce. - kg	1.500/m							
Bundle - pieces	40							
Bundle - m	4.000							
Bundle - kg	6.000							
Pallet - m								
Pallet - kg								
Product standard	B1b	B1b	B1b					
Stress group								
neutral 10								
(active white) <input checked="" type="checkbox"/>	4 763-2120H Price gr. A416 (pce.)	759-2120H Price gr. A430 (pce.)	761-2120H Price gr. A430 (pce.)					
neutral 9								
(white grey) <input checked="" type="checkbox"/>	4	759-2119H Price gr. A430 (pce.)	761-2119H Price gr. A430 (pce.)					
neutral 8								
(light-grey) <input checked="" type="checkbox"/>	4 763-2118H Price gr. A416 (pce.)	759-2118H Price gr. A430 (pce.)	761-2118H Price gr. A430 (pce.)					
neutral 7								
(pebble-grey) <input checked="" type="checkbox"/>	4	759-2117H Price gr. A430 (pce.)	761-2117H Price gr. A430 (pce.)					
neutral 5								
(basalt grey) <input checked="" type="checkbox"/>	3 763-2115H Price gr. A416 (pce.)	759-2115H Price gr. A430 (pce.)	761-2115H Price gr. A430 (pce.)					
neutral 3								
(asphalt black) <input checked="" type="checkbox"/>	3	759-2113H Price gr. A430 (pce.)	761-2113H Price gr. A430 (pce.)					
neutral 1								
(deep black) <input checked="" type="checkbox"/>	1 763-2111H Price gr. A416 (pce.)	759-2111H Price gr. A430 (pce.)	761-2111H Price gr. A430 (pce.)					
active azure <input checked="" type="checkbox"/>	2	759-2001H Price gr. A430 (pce.)	761-2001H Price gr. A430 (pce.)					
light azure <input checked="" type="checkbox"/>	4	759-2002H Price gr. A430 (pce.)	761-2002H Price gr. A430 (pce.)					
medium azure <input checked="" type="checkbox"/>	3 763-2003H Price gr. A416 (pce.)	759-2003H Price gr. A430 (pce.)	761-2003H Price gr. A430 (pce.)					
dark azure <input checked="" type="checkbox"/>	2	759-2004H Price gr. A430 (pce.)	761-2004H Price gr. A430 (pce.)					
light blue <input checked="" type="checkbox"/>	4	759-2006H Price gr. A430 (pce.)	761-2006H Price gr. A430 (pce.)					
medium blue <input checked="" type="checkbox"/>	3	759-2007H Price gr. A430 (pce.)	761-2007H Price gr. A430 (pce.)					
dark blue <input checked="" type="checkbox"/>	2	759-2008H Price gr. A430 (pce.)	761-2008H Price gr. A430 (pce.)					
medium turquoise <input checked="" type="checkbox"/>	3	759-2011H Price gr. A430 (pce.)	761-2011H Price gr. A430 (pce.)					
medium green <input checked="" type="checkbox"/>	2	759-2015H Price gr. A430 (pce.)	761-2015H Price gr. A430 (pce.)					
dark green <input checked="" type="checkbox"/>	3	759-2016H Price gr. A430 (pce.)	761-2016H Price gr. A430 (pce.)					
medium yellow <input checked="" type="checkbox"/>	3	759-2019H Price gr. A430 (pce.)	761-2019H Price gr. A430 (pce.)					
medium ochre <input checked="" type="checkbox"/>	3	759-2023H Price gr. A430 (pce.)	761-2023H Price gr. A430 (pce.)					
medium salmon <input checked="" type="checkbox"/>	3	759-2027H Price gr. A430 (pce.)	761-2027H Price gr. A430 (pce.)					
medium oxide red <input checked="" type="checkbox"/>	3	759-2031H Price gr. A430 (pce.)	761-2031H Price gr. A430 (pce.)					
light stone grey <input checked="" type="checkbox"/>	4 763-2034H Price gr. A416 (pce.)	759-2034H Price gr. A430 (pce.)	761-2034H Price gr. A430 (pce.)					
dark stone grey <input checked="" type="checkbox"/>	2 763-2036H Price gr. A416 (pce.)	759-2036H Price gr. A430 (pce.)	761-2036H Price gr. A430 (pce.)					
active sand-grey <input checked="" type="checkbox"/>	2 763-2037H Price gr. A416 (pce.)	759-2037H Price gr. A430 (pce.)	761-2037H Price gr. A430 (pce.)					
dark sand-grey <input checked="" type="checkbox"/>	2 763-2040H Price gr. A416 (pce.)	759-2040H Price gr. A430 (pce.)	761-2040H Price gr. A430 (pce.)					

¹ For details, refer to page 536

Color deviations compared to the adjoining covering due to production are no reason for complaint in case of horizontal laying.



Horner Bad, Bremen, Germany / Architect: janßen bär partnerschaft mbh, Bad Zwischenahn, Germany / Photo: Jochen Stüber













	2120/2121 neutral 10 (active white)		2004 dark azure		2003 medium azure		2002 light azure		2001 active azure
	2119 neutral 9 (white-grey)		2008 dark blue		2007 medium blue		2006 light blue		2005 active blue
	2118 neutral 8 (light-grey)		2012 dark turquoise		2011 medium turquoise		2010 light turquoise		2009 active turquoise
	2117 neutral 7 (pebble-grey)		2016 dark green		2015 medium green		2014 light green		2013 active green
	2116 neutral 6 (pearl grey)		2020 dark yellow		2019 medium yellow		2018 light yellow		2017 active yellow
	2115 neutral 5 (basalt-grey)		2024 dark ochre		2023 medium ochre		2022 light ochre		2021 active ochre
	2114 neutral 4 (graphite-black)		2028 dark salmon		2027 medium salmon		2026 light salmon		2025 active salmon
	2113 neutral 3 (asphalt black)		2032 dark oxid red		2031 medium oxid red		2030 light oxid red		2029 active oxid red
	2112 neutral 2 (anthracite)		2036 dark stone grey		2035 medium stone grey		2034 light stone grey		2033 active stone grey
	2111 neutral 1 (deep black)		2040 dark sand grey		2039 medium sand grey		2038 light sand grey		2037 active sand grey

Mosaic 2.5 x 2.5 cm, 1 x 1 inMosaic sheet 30 x 30 cm, 12 x 12 in,
smooth, R10/BCove skirting
10 x 10 cm, 4 x 4 in
smooth, R10/BShower tub system Corner
10 x 10 cm, 4 x 4 in
smooth, R10/BInternal corner,
smoothExternal corner,
smoothShower tub system Strip,
10 x 10 cm, 4 x 4 in
smooth, R10/B**Mosaic 5 x 5 cm, 2 x 2 in**Mosaic sheet 30 x 30 cm, 12 x 12 in,
smooth, R10/BFloor tile 20 x 20 cm, 8 x 8 in,
smooth, R10/B**Mosaic 10 x 10 cm, 4 x 4 in**Mosaic sheet 30 x 30 cm, 12 x 12 in,
smooth, R10/B

Floor tile 30 x 60 cm, 12 x 24 in, smooth, R10/B




Mosaics glued thermoplastically on back of Agrob Buchtal can be used not only in dry zones but also without any problems in underwater areas (e.g. swimming pools/whirlpools) as well as in permanently wet areas (e.g. pool surrounds/showers).


Do you already know our Mosaic Designer at our website www.agrob-buchtal.com? There, you will have the possibility of designing your individual color gradients, mosaic compositions and the laying of pictures.

Mosaic^{2/4}


2.5 x 2.5 cm



5 x 5 cm



10 x 10 cm



Wall/Floor Tiles

20 x 20 cm

30 x 60 cm^{1/3}

	Sheet: 297 x 297 mm	Sheet: 297 x 297 mm	Sheet: 297 x 297 mm	20 x 20 / 8 x 8	30 x 60 / 12 x 24		
Nom. dim. - cm/in	2.5 x 2.5 / 1 x 1	5 x 5 / 2 x 2	10 x 10 / 4 x 4	20 x 20 / 8 x 8	30 x 60 / 12 x 24		
Work size	23 x 23 x 6.5 mm	47 x 47 x 6.5 mm	97 x 97 x 6.5 mm	197 x 197 x 6.5 mm	297 x 597 x 8 mm		
Surface	smooth, matt	smooth, matt	smooth, matt	smooth, matt	smooth, matt		
m ² - pieces	11 sheets	11 sheets	11 sheets	25.000	5.556		
m ² - kg	12.100	12.331	13.101	13.875	17.413		
Bundle - pieces	11 sheets	11 sheets	11 sheets	25	6		
Bundle - m ²	1.000	1.000	1.000	1.000	1.080		
Bundle - kg	12.100	12.331	13.101	13.875	18.804		
Pallet - m ²	48.000	64.000	64.000	72.000	43.197		
Pallet - kg	580.800	789.184	838.464	999.000	752.160		
Product standard	B1b	B1b	B1b	B1b	Alb		
Slip resistance	R10/B	R10/B	R10/B	R10/B	R10/B		
Stress group	1	1	1	1	2		
neutral 10							
(active white)	<input checked="" type="checkbox"/> 4 902-2120H	905-2120H	910-2120H	920-2120H	980-2120H		
	Price gr. A238 (m ²)	Price gr. A205 (m ²)	Price gr. A166 (m ²)	Price gr. A148 (m ²)	Price gr. A181 (m ²)		
neutral 9		<input checked="" type="checkbox"/> 4 902-2119H ¹	905-2119H ¹	910-2119H	920-2119H ¹		
(white grey)		Price gr. A289 (m ²)	Price gr. A250 (m ²)	Price gr. A190 (m ²)	Price gr. A190 (m ²)		
neutral 8		<input checked="" type="checkbox"/> 4 902-2118H	905-2118H	910-2118H	920-2118H	980-2118H	
(light-grey)		Price gr. A238 (m ²)	Price gr. A205 (m ²)	Price gr. A166 (m ²)	Price gr. A148 (m ²)	Price gr. A205 (m ²)	
neutral 7		<input checked="" type="checkbox"/> 4 902-2117H ¹	905-2117H ¹	910-2117H	920-2117H ¹		
(pebble-grey)		Price gr. A289 (m ²)	Price gr. A256 (m ²)	Price gr. A190 (m ²)	Price gr. A190 (m ²)		
neutral 6		<input checked="" type="checkbox"/> 3 902-2116H ¹	905-2116H ¹	910-2116H ¹	920-2116H ¹		
(pearl-grey)		Price gr. A289 (m ²)	Price gr. A256 (m ²)	Price gr. A223 (m ²)	Price gr. A190 (m ²)		
neutral 5		<input checked="" type="checkbox"/> 3 902-2115H ¹	905-2115H ¹	910-2115H	920-2115H		
(basalt grey)		Price gr. A289 (m ²)	Price gr. A256 (m ²)	Price gr. A190 (m ²)	Price gr. A166 (m ²)		
neutral 4		<input checked="" type="checkbox"/> 3 902-2114H ¹	905-2114H ¹	910-2114H	920-2114H		
(graphite black)		Price gr. A289 (m ²)	Price gr. A256 (m ²)	Price gr. A190 (m ²)	Price gr. A166 (m ²)		
neutral 3		<input checked="" type="checkbox"/> 3 902-2113H ¹	905-2113H ¹	910-2113H	920-2113H ¹		
(asphalt black)		Price gr. A289 (m ²)	Price gr. A256 (m ²)	Price gr. A190 (m ²)	Price gr. A190 (m ²)		
neutral 2		<input checked="" type="checkbox"/> 2 902-2112H ¹	905-2112H ¹	910-2112H	920-2112H		
(anthracite)		Price gr. A289 (m ²)	Price gr. A256 (m ²)	Price gr. A190 (m ²)	Price gr. A166 (m ²)		
neutral 1		<input checked="" type="checkbox"/> 1 902-2111H	905-2111H	910-2111H	920-2111H	980-2111H	
(deep black)		Price gr. A259 (m ²)	Price gr. A229 (m ²)	Price gr. A190 (m ²)	Price gr. A166 (m ²)	Price gr. A181 (m ²)	
active azure		<input checked="" type="checkbox"/> 2 902-2001H ¹	905-2001H ¹	910-2001H	920-2001H ¹		
light azure		Price gr. A289 (m ²)	Price gr. A256 (m ²)	Price gr. A190 (m ²)	Price gr. A190 (m ²)		
medium azure		<input checked="" type="checkbox"/> 3 902-2003H	905-2003H	910-2003H	920-2003H	980-2003H	
dark azure		Price gr. A259 (m ²)	Price gr. A229 (m ²)	Price gr. A190 (m ²)	Price gr. A166 (m ²)	Price gr. A205 (m ²)	
active blue		<input checked="" type="checkbox"/> 2 902-2004H	905-2004H ¹	910-2004H	920-2004H		
light blue		Price gr. A289 (m ²)	Price gr. A256 (m ²)	Price gr. A190 (m ²)	Price gr. A190 (m ²)		
medium blue		<input checked="" type="checkbox"/> 3 902-2007H ¹	905-2007H ¹	910-2007H	920-2007H	980-2007H	
dark blue		Price gr. A289 (m ²)	Price gr. A256 (m ²)	Price gr. A190 (m ²)	Price gr. A166 (m ²)	Price gr. A205 (m ²)	
active turquoise		<input checked="" type="checkbox"/> 2 902-2009H ¹	905-2009H ¹	910-2009H ¹	920-2009H ¹		
light turquoise		Price gr. A289 (m ²)	Price gr. A256 (m ²)	Price gr. A223 (m ²)	Price gr. A190 (m ²)		
medium turquoise		<input checked="" type="checkbox"/> 4 902-2010H ¹	905-2010H ¹	910-2010H ¹	920-2010H ¹		
dark turquoise		Price gr. A289 (m ²)	Price gr. A256 (m ²)	Price gr. A223 (m ²)	Price gr. A190 (m ²)		
active green		<input checked="" type="checkbox"/> 2 902-2011H ¹	905-2011H ¹	910-2011H	920-2011H	980-2011H	
light green		Price gr. A289 (m ²)	Price gr. A256 (m ²)	Price gr. A223 (m ²)	Price gr. A190 (m ²)	Price gr. A205 (m ²)	
medium green		<input checked="" type="checkbox"/> 3 902-2015H ¹	905-2015H ¹	910-2015H	920-2015H	980-2015H	
dark green		Price gr. A289 (m ²)	Price gr. A256 (m ²)	Price gr. A190 (m ²)	Price gr. A166 (m ²)		

⁴ Upon request, defined color gradients and mosaic pictures can also be supplied.

Cove Skirting ^{1/3}	Internal Corner for Cove Skirting ^{1/3}	External Corner for Cove Skirting ^{1/3}	Shower Tub System ²		
10 x 10 cm			10 x 10 cm	10 x 10 cm	
10 x 10 / 4 x 4	100 x 18 x 6.5 mm	100 x 18 x 6.5 mm	10 x 10 / 4 x 4	10 x 10 / 4 x 4	Nom. dim. - cm/in
100 x 97 x 6.5 mm	smooth, matt	smooth, matt	97 x 97 x 6.5 mm	97 x 97 x 6.5 mm	Work size
smooth, matt		smooth, matt	smooth, matt	smooth, matt	Surface
10.000			10.000		m - pieces
1.500/m	0.030/piece	0.030/piece	1.700/m	0.170/piece	m/pce. - kg
40	40	30	16	4	Bundle - pieces
4.000			1.600		Bundle - m
6.000			2.720	0.680	Bundle - kg
Bib	Bib	Bib	Bib	Bib	Pallet - m
R10/B			R10/B	R10/B	Pallet - kg
764-2120H	759-2120H	761-2120H	785-2120H	786-2120H	Product standard
Price gr. A418 (pce.)	Price gr. A430 (pce.)	Price gr. A430 (pce.)	Price gr. A428 (pce.)	Price gr. A455 (pce.)	Slip resistance
764-2119H	759-2119H	761-2119H	785-2119H	786-2119H	4 neutral 10 (active white)
Price gr. A418 (pce.)	Price gr. A430 (pce.)	Price gr. A430 (pce.)	Price gr. A428 (pce.)	Price gr. A455 (pce.)	4 neutral 9 (white grey)
764-2118H	759-2118H	761-2118H	785-2118H	786-2118H	4 neutral 8 (light-grey)
Price gr. A418 (pce.)	Price gr. A430 (pce.)	Price gr. A430 (pce.)	Price gr. A428 (pce.)	Price gr. A455 (pce.)	4 neutral 7 (pebble-grey)
764-2117H	759-2117H	761-2117H	785-2117H	786-2117H	
Price gr. A418 (pce.)	Price gr. A430 (pce.)	Price gr. A430 (pce.)	Price gr. A428 (pce.)	Price gr. A455 (pce.)	
764-2115H	759-2115H	761-2115H	785-2115H	786-2115H	3 neutral 5 (basalt grey)
Price gr. A418 (pce.)	Price gr. A430 (pce.)	Price gr. A430 (pce.)	Price gr. A428 (pce.)	Price gr. A455 (pce.)	
764-2113H	759-2113H	761-2113H	785-2113H	786-2113H	3 neutral 3 (asphalt black)
Price gr. A418 (pce.)	Price gr. A430 (pce.)	Price gr. A430 (pce.)	Price gr. A428 (pce.)	Price gr. A455 (pce.)	
764-2111H	759-2111H	761-2111H	785-2111H	786-2111H	1 neutral 1 (deep black)
Price gr. A418 (pce.)	Price gr. A430 (pce.)	Price gr. A430 (pce.)	Price gr. A428 (pce.)	Price gr. A455 (pce.)	
764-2001H	759-2001H	761-2001H	785-2001H	786-2001H	2 active azure
Price gr. A418 (pce.)	Price gr. A430 (pce.)	Price gr. A430 (pce.)	Price gr. A428 (pce.)	Price gr. A455 (pce.)	
764-2002H	759-2002H	761-2002H	785-2002H	786-2002H	4 light azure
Price gr. A418 (pce.)	Price gr. A430 (pce.)	Price gr. A430 (pce.)	Price gr. A428 (pce.)	Price gr. A455 (pce.)	
764-2003H	759-2003H	761-2003H	785-2003H	786-2003H	3 medium azure
Price gr. A418 (pce.)	Price gr. A430 (pce.)	Price gr. A430 (pce.)	Price gr. A428 (pce.)	Price gr. A455 (pce.)	
764-2004H	759-2004H	761-2004H	785-2004H	786-2004H	2 dark azure
Price gr. A418 (pce.)	Price gr. A430 (pce.)	Price gr. A430 (pce.)	Price gr. A428 (pce.)	Price gr. A455 (pce.)	
764-2006H	759-2006H	761-2006H	785-2006H	786-2006H	4 light blue
Price gr. A418 (pce.)	Price gr. A430 (pce.)	Price gr. A430 (pce.)	Price gr. A428 (pce.)	Price gr. A455 (pce.)	
764-2007H	759-2007H	761-2007H	785-2007H	786-2007H	3 medium blue
Price gr. A418 (pce.)	Price gr. A430 (pce.)	Price gr. A430 (pce.)	Price gr. A428 (pce.)	Price gr. A455 (pce.)	
764-2008H	759-2008H	761-2008H	785-2008H	786-2008H	2 dark blue
Price gr. A418 (pce.)	Price gr. A430 (pce.)	Price gr. A430 (pce.)	Price gr. A428 (pce.)	Price gr. A455 (pce.)	
764-2011H	759-2011H	761-2011H	785-2011H	786-2011H	3 medium turquoise
Price gr. A418 (pce.)	Price gr. A430 (pce.)	Price gr. A430 (pce.)	Price gr. A428 (pce.)	Price gr. A455 (pce.)	
764-2015H	759-2015H	761-2015H	785-2015H	786-2015H	3 medium green
Price gr. A418 (pce.)	Price gr. A430 (pce.)	Price gr. A430 (pce.)	Price gr. A428 (pce.)	Price gr. A455 (pce.)	
764-2016H	759-2016H	761-2016H	785-2016H	786-2016H	2 dark green
Price gr. A418 (pce.)	Price gr. A430 (pce.)	Price gr. A430 (pce.)	Price gr. A428 (pce.)	Price gr. A455 (pce.)	



¹ For details, refer to page 536

² For details, refer to page 534

³ Color deviations compared to the adjoining covering due to production are no reason for complaint in case of horizontal laying.




Mosaic^{2/4}



Wall/Floor Tiles



	Sheet: 297 x 297 mm	Sheet: 297 x 297 mm	Sheet: 297 x 297 mm	20 x 20 / 8 x 8	30 x 60 / 12 x 24		
Nom. dim. - cm/in	2.5 x 2.5 / 1 x 1	5 x 5 / 2 x 2	10 x 10 / 4 x 4	20 x 20 / 8 x 8	30 x 60 / 12 x 24		
Work size	23 x 23 x 6.5 mm	47 x 47 x 6.5 mm	97 x 97 x 6.5 mm	197 x 197 x 6.5 mm	297 x 597 x 8 mm		
Surface	smooth, matt	smooth, matt	smooth, matt	smooth, matt	smooth, matt		
m ² - pieces	11 sheets	11 sheets	11 sheets	25.000	5.556		
m ² - kg	12.100	12.331	13.101	13.875	17.413		
Bundle - pieces	11 sheets	11 sheets	11 sheets	25	6		
Bundle - m ²	1.000	1.000	1.000	1.000	1.080		
Bundle - kg	12.100	12.331	13.101	13.875	18.804		
Pallet - m ²	48.000	64.000	64.000	72.000	43.197		
Pallet - kg	580.800	789.184	838.464	999.000	752.160		
Product standard	B1b	B1b	B1b	B1b	Alb		
Slip resistance	R10/B	R10/B	R10/B	R10/B	R10/B		
Stress group	1	1	1	1	2		
active yellow	2 902-2017H ¹ Price gr. A289 (m ²)	905-2017H¹ Price gr. A256 (m ²)	910-2017H¹ Price gr. A223 (m ²)	920-2017H¹ Price gr. A190 (m ²)			
light yellow	4 902-2018H ¹ Price gr. A289 (m ²)	905-2018H¹ Price gr. A256 (m ²)	910-2018H¹ Price gr. A223 (m ²)	920-2018H¹ Price gr. A190 (m ²)			
medium yellow	3 902-2019H ¹ Price gr. A289 (m ²)	905-2019H¹ Price gr. A256 (m ²)	910-2019H¹	920-2019H¹ Price gr. A190 (m ²)	980-2019H		
dark yellow	2 902-2020H ¹ Price gr. A289 (m ²)	905-2020H¹ Price gr. A256 (m ²)	910-2020H¹ Price gr. A223 (m ²)	920-2020H¹ Price gr. A190 (m ²)			
active ochre	2 902-2021H ¹ Price gr. A289 (m ²)	905-2021H¹ Price gr. A256 (m ²)	910-2021H¹ Price gr. A223 (m ²)	920-2021H¹ Price gr. A190 (m ²)			
light ochre	4 902-2022H ¹ Price gr. A289 (m ²)	905-2022H¹ Price gr. A256 (m ²)	910-2022H¹	920-2022H¹ Price gr. A190 (m ²)			
medium ochre	3 902-2023H ¹ Price gr. A289 (m ²)	905-2023H¹ Price gr. A256 (m ²)	910-2023H¹	920-2023H¹ Price gr. A190 (m ²)	980-2023H		
dark ochre	2 902-2024H ¹ Price gr. A289 (m ²)	905-2024H¹ Price gr. A256 (m ²)	910-2024H¹ Price gr. A223 (m ²)	920-2024H¹ Price gr. A190 (m ²)			
active salmon	2 902-2025H ¹ Price gr. A289 (m ²)	905-2025H¹ Price gr. A256 (m ²)	910-2025H¹ Price gr. A223 (m ²)	920-2025H¹ Price gr. A190 (m ²)			
light salmon	4 902-2026H ¹ Price gr. A289 (m ²)	905-2026H¹ Price gr. A256 (m ²)	910-2026H¹ Price gr. A223 (m ²)	920-2026H¹ Price gr. A190 (m ²)			
medium salmon	3 902-2027H ¹ Price gr. A289 (m ²)	905-2027H¹ Price gr. A229 (m ²)	910-2027H¹ Price gr. A190 (m ²)	920-2027H¹ Price gr. A166 (m ²)	980-2027H		
dark salmon	2 902-2028H ¹ Price gr. A289 (m ²)	905-2028H¹ Price gr. A256 (m ²)	910-2028H¹ Price gr. A223 (m ²)	920-2028H¹ Price gr. A190 (m ²)			
active oxide red	2 902-2029H ¹ Price gr. A289 (m ²)	905-2029H¹ Price gr. A229 (m ²)	910-2029H¹ Price gr. A223 (m ²)	920-2029H¹ Price gr. A190 (m ²)			
light oxide red	4 902-2030H ¹ Price gr. A289 (m ²)	905-2030H¹ Price gr. A256 (m ²)	910-2030H¹ Price gr. A223 (m ²)	920-2030H¹ Price gr. A190 (m ²)			
medium oxide red	3 902-2031H ¹ Price gr. A289 (m ²)	905-2031H¹ Price gr. A256 (m ²)	910-2031H¹ Price gr. A190 (m ²)	920-2031H¹ Price gr. A166 (m ²)	980-2031H		
dark oxide red	2 902-2032H ¹ Price gr. A289 (m ²)	905-2032H¹ Price gr. A256 (m ²)	910-2032H¹ Price gr. A223 (m ²)	920-2032H¹ Price gr. A190 (m ²)			
active stone grey	2 902-2033H ¹ Price gr. A289 (m ²)	905-2033H¹ Price gr. A256 (m ²)	910-2033H¹ Price gr. A190 (m ²)	920-2033H¹ Price gr. A190 (m ²)			
light stone grey	4 902-2034H ¹ Price gr. A289 (m ²)	905-2034H¹ Price gr. A256 (m ²)	910-2034H¹ Price gr. A190 (m ²)	920-2034H¹ Price gr. A190 (m ²)			
medium stone grey	3 902-2035H ¹ Price gr. A289 (m ²)	905-2035H¹ Price gr. A256 (m ²)	910-2035H¹ Price gr. A190 (m ²)	920-2035H¹ Price gr. A190 (m ²)			
dark stone grey	2 902-2036H Price gr. A259 (m ²)	905-2036H Price gr. A229 (m ²)	910-2036H Price gr. A190 (m ²)	920-2036H Price gr. A166 (m ²)			
active sand-grey	2 902-2037H ¹ Price gr. A289 (m ²)	905-2037H¹ Price gr. A256 (m ²)	910-2037H¹ Price gr. A190 (m ²)	920-2037H¹ Price gr. A166 (m ²)			
light sand-grey	4 902-2038H ¹ Price gr. A289 (m ²)	905-2038H Price gr. A229 (m ²)	910-2038H Price gr. A190 (m ²)	920-2038H Price gr. A166 (m ²)			
medium sand-grey	3 902-2039H ¹ Price gr. A289 (m ²)	905-2039H Price gr. A229 (m ²)	910-2039H Price gr. A190 (m ²)	920-2039H Price gr. A166 (m ²)	980-2039H		
dark sand-grey	2 902-2040H Price gr. A259 (m ²)	905-2040H Price gr. A229 (m ²)	910-2040H Price gr. A190 (m ²)	920-2040H Price gr. A166 (m ²)			



⁴ Upon request, defined color gradients and mosaic pictures can also be supplied.

Cove Skirting ^{1/3}	Internal Corner for Cove Skirting ^{1/3}	External Corner for Cove Skirting ^{1/3}	Shower Tub System ²	
10 x 10 cm			10 x 10 cm	10 x 10 cm
				
			Strip	Corner
10 x 10 / 4 x 4 100 x 97 x 6.5 mm smooth, matt 10.000 1.500/m 40 4.000 6.000	100 x 18 x 6.5 mm smooth, matt 0.030/piece 40	100 x 18 x 6.5 mm smooth, matt 0.030/piece 30	10 x 10 / 4 x 4 97 x 97 x 6.5 mm smooth, matt 10.000 1.700/m 16 1.600 2.720	10 x 10 / 4 x 4 97 x 97 x 6.5 mm smooth, matt 0.170/piece 4 0.680
Blb R10/B	Blb	Blb	Blb R10/B	Blb R10/B
764-2019H Price gr. A418 (pce.)	759-2019H Price gr. A430 (pce.)	761-2019H Price gr. A430 (pce.)	785-2019H Price gr. A428 (pce.)	786-2019H Price gr. A455 (pce.)
764-2023H Price gr. A418 (pce.)	759-2023H Price gr. A430 (pce.)	761-2023H Price gr. A430 (pce.)	785-2023H Price gr. A428 (pce.)	786-2023H Price gr. A455 (pce.)
764-2027H Price gr. A418 (pce.)	759-2027H Price gr. A430 (pce.)	761-2027H Price gr. A430 (pce.)	785-2027H Price gr. A428 (pce.)	786-2027H Price gr. A455 (pce.)
764-2031H Price gr. A418 (pce.)	759-2031H Price gr. A430 (pce.)	761-2031H Price gr. A430 (pce.)	785-2031H Price gr. A428 (pce.)	786-2031H Price gr. A455 (pce.)
764-2034H Price gr. A418 (pce.)	759-2034H Price gr. A430 (pce.)	761-2034H Price gr. A430 (pce.)	785-2034H Price gr. A428 (pce.)	786-2034H Price gr. A455 (pce.)
764-2036H Price gr. A418 (pce.)	759-2036H Price gr. A430 (pce.)	761-2036H Price gr. A430 (pce.)	785-2036H Price gr. A428 (pce.)	786-2036H Price gr. A455 (pce.)
764-2037H Price gr. A418 (pce.)	759-2037H Price gr. A430 (pce.)	761-2037H Price gr. A430 (pce.)	785-2037H Price gr. A428 (pce.)	786-2037H Price gr. A455 (pce.)
764-2040H Price gr. A418 (pce.)	759-2040H Price gr. A430 (pce.)	761-2040H Price gr. A430 (pce.)	785-2040H Price gr. A428 (pce.)	786-2040H Price gr. A455 (pce.)

¹ For details, refer to page 536.

² For details, refer to page 534.

³ Color deviations compared to the adjoining covering due to production are no reason for complaint in case of horizontal laying.



204 Plural unglazed

Badepark Berenbostel, Garbsen, Germany / Architect: Architekten Venneberg, Zech & Partner mbB, Hannover, Germany
Series: Plural unglazed / Photo: Jochen Stüber



:sockel

wimmerbecken





R10/B

R11/C



2008
dark blue



2040
dark sand grey




2016
dark green



2041
medium brown



2023
medium ochre



2042
medium grey



2033
active stone grey



2043
medium sand beige



2038
sand-white



2111
neutral 1 (deep black)




2039
medium sand grey



2113
neutral 3 (asphalt black)

Mosaic 2.5 x 2.5 cm, 1 x 1 in



Mosaic sheet 30 x 30 m, 12 x 12 in, smooth, R10/B



Floor tile 15 x 15 cm, 6 x 6 in, smooth, R10/B
Floor tile 15 x 15 cm, 6 x 6 in, relief, R11/C




Cove skirting
10 x 10 cm, 4 x 4 in, smooth, R10/B



Shower tub system Corner
10 x 10 cm, 4 x 4 in, smooth, R10/B

Mosaic 5 x 5 cm, 2 x 2 in



Mosaic sheet 30 x 30 cm, 12 x 12 in, smooth, R10/B




Floor tile 20 x 20 cm, 8 x 8 in, smooth, R10/B




Shower tub system Strip
10 x 10 cm, 4 x 4 in, smooth, R10/B

Mosaic 10 x 10 cm, 4 x 4 in



Mosaic sheet 30 x 30 cm, 12 x 12 in, smooth, R10/B
Mosaic sheet 30 x 30 cm, 12 x 12 in, relief, R11/C



Floor tile 30 x 60 cm, 12 x 24 in, smooth, R10/B







Mosaics glued thermoplastically on back of Agrob Buchtal can be used not only in dry zones but also without any problems in underwater areas (e.g. swimming pools/whirlpools) as well as in permanently wet areas (e.g. pool surrounds/showers).

Mosaic^{2/3}



protected



Floor Tiles



	Sheet: 297 x 297 mm	15 x 15 / 6 x 6	15 x 15 / 6 x 6			
Nom. dim. - cm/in	2.5 x 2.5 / 1 x 1	5 x 5 / 2 x 2	10 x 10 / 4 x 4	10 x 10 / 4 x 4	15 x 15 / 6 x 6	15 x 15 / 6 x 6
Work size	23 x 23 x 6.5 mm	47 x 47 x 6.5 mm	97 x 97 x 6.5 mm	97 x 97 x 6.5 mm	147 x 147 x 6.5 mm	147 x 147 x 6.5 mm
Surface	smooth, matt	smooth, matt	smooth, matt	relief, matt	smooth, matt	relief, matt
m ² - pieces	11 sheets	11 sheets	11 sheets	11 sheets	44.000	44.000
m ² - kg	12.100	12.331	13.101	13.101	13.816	13.816
Bundle - pieces	11 sheets	11 sheets	11 sheets	11 sheets	44	44
Bundle - m ²	1.000	1.000	1.000	1.000	1.000	1.000
Bundle - kg	12.100	12.331	13.101	13.101	13.816	13.816
Pallet - m ²	48.000	64.000	64.000	64.000	80.000	80.000
Pallet - kg	580.800	789.184	838.464	838.464	1,105.280	1,105.280
Product standard	Bla	Bla	Bla	Bla	Bla	Bla
Slip resistance	R10/B	R10/B	R10/B	R11/C	R10/B	R11/C
Stress group	1	1	1	1	1	1
neutral 3	410-2113	610-2113	810-2113	811-2113	812-2113	813-2113
(asphalt black) <input checked="" type="checkbox"/>	Price gr. A199 (m ²)	Price gr. A175 (m ²)	Price gr. A136 (m ²)	Price gr. A166 (m ²)	Price gr. A127 (m ²)	Price gr. A148 (m ²)
neutral 1	410-2111	610-2111	810-2111	811-2111	812-2111	813-2111
(deep black) <input checked="" type="checkbox"/>	Price gr. A199 (m ²)	Price gr. A175 (m ²)	Price gr. A136 (m ²)	Price gr. A166 (m ²)	Price gr. A127 (m ²)	Price gr. A148 (m ²)
dark blue	410-2008	610-2008	810-2008		812-2008¹ NEW	
	Price gr. A238 (m ²)	Price gr. A211 (m ²)	Price gr. A175 (m ²)		Price gr. A160 (m ²)	
	410-2016¹ NEW	610-2016	810-2016		812-2016¹ NEW	
dark green	410-2023	610-2023	810-2023		812-2023¹ NEW	
	Price gr. A238 (m ²)	Price gr. A211 (m ²)	Price gr. A175 (m ²)		Price gr. A160 (m ²)	
medium ochre	410-2033¹ NEW	610-2033	810-2033		812-2033¹ NEW	
	Price gr. A238 (m ²)	Price gr. A211 (m ²)	Price gr. A175 (m ²)		Price gr. A160 (m ²)	
active stone grey	410-2038	610-2038	810-2038	811-2038	812-2038	813-2038
	Price gr. A238 (m ²)	Price gr. A175 (m ²)	Price gr. A136 (m ²)	Price gr. A166 (m ²)	Price gr. A127 (m ²)	Price gr. A148 (m ²)
sand-white	410-2039	610-2039	810-2039		812-2039¹ NEW	
medium					Price gr. A148 (m ²)	
sand-grey	410-2040	610-2040	810-2040		812-2040¹ NEW	
	Price gr. A199 (m ²)	Price gr. A175 (m ²)	Price gr. A136 (m ²)		Price gr. A148 (m ²)	
dark sand-grey	410-2041	610-2041	810-2041		812-2041¹ NEW	
	Price gr. A199 (m ²)	Price gr. A175 (m ²)	Price gr. A136 (m ²)		Price gr. A148 (m ²)	
medium brown	410-2042	610-2042	810-2042	811-2042	812-2042	813-2042
	Price gr. A238 (m ²)	Price gr. A211 (m ²)	Price gr. A175 (m ²)	Price gr. A181 (m ²)	Price gr. A154 (m ²)	Price gr. A175 (m ²)
medium grey	410-2043	610-2043	810-2043		812-2043¹ NEW	
medium					Price gr. A160 (m ²)	
sand beige	410-2044	610-2044	810-2044			
	Price gr. A238 (m ²)	Price gr. A211 (m ²)	Price gr. A175 (m ²)			




³ Upon request, defined color gradients and mosaic pictures can also be supplied.

Floor Tiles

20 x 20 cm



30 x 60 cm¹



Cove
Skirting^{3/4}

10 x 10 cm



Shower Tub System²

10 x 10 cm



10 x 10 cm



protected

	20 x 20 / 8 x 8	30 x 60 / 12 x 24	10 x 10 / 4 x 4	10 x 10 / 4 x 4	Corner	Nom. dim. - cm/in
	197 x 197 x 6.5 mm	297 x 597 x 6 mm	100 x 97 x 6.5 mm	97 x 97 x 6.5 mm		Work size
	smooth, matt	smooth, matt	smooth, matt	smooth, matt		Surface
	25.000/m ²	5.556/m ²	10.000/m	10.000/m		m ² /m - pieces
	13.875/m ²	13.273/m ²	1.500/m	1.700/m		m ² /m/pce. - kg
	25	10	40	16		Bundle - pieces
	1.000 m ²	1.800/m ²	4.000 m	1.600 m		Bundle - m ² /m
	13.875	23.890	6.000	2.720		Bundle - kg
	72.000	71.994				Pallet - m ²
	999.000	955.600				Pallet - kg
	Bla	Bla	Bla	Bla		Product standard
	R10/B	R10/B	R10/B	R10/B		Slip resistance
	1	1				Stress group
	815-2113	806-2113	864-2113	885-2113	886-2113	neutral 3
	Price gr. A115 (m ²)	Price gr. A121 (m ²)	Price gr. A419 (pce.)	Price gr. A445 (pce.)	Price gr. A475 (pce.)	(asphalt black) <input checked="" type="checkbox"/>
	815-2111	806-2111	864-2111	885-2111	886-2111	neutral 1
	Price gr. A115 (m ²)	Price gr. A121 (m ²)	Price gr. A419 (pce.)	Price gr. A445 (pce.)	Price gr. A475 (pce.)	(deep black) <input checked="" type="checkbox"/>
	815-2008		864-2008	885-2008	886-2008	dark blue <input checked="" type="checkbox"/>
	Price gr. A148 (m ²)		Price gr. A419 (pce.)	Price gr. A445 (pce.)	Price gr. A475 (pce.)	
	815-2016¹ NEW		864-2016			dark green <input checked="" type="checkbox"/>
	Price gr. A160 (m ²)		Price gr. A419 (pce.)			
	815-2023		864-2023	885-2023	886-2023	medium ochre <input checked="" type="checkbox"/>
	Price gr. A148 (m ²)		Price gr. A419 (pce.)	Price gr. A445 (pce.)	Price gr. A475 (pce.)	
	815-2033¹ NEW		864-2033			active stone grey <input checked="" type="checkbox"/>
	Price gr. A160 (m ²)		Price gr. A419 (pce.)			
	815-2038	806-2038	864-2038	885-2038	886-2038	sand-white <input checked="" type="checkbox"/>
	Price gr. A115 (m ²)	Price gr. A121 (m ²)	Price gr. A419 (pce.)	Price gr. A445 (pce.)	Price gr. A475 (pce.)	
	815-2039		864-2039	885-2039	886-2039	medium <input checked="" type="checkbox"/>
	Price gr. A115 (m ²)		Price gr. A419 (pce.)	Price gr. A445 (pce.)	Price gr. A475 (pce.)	sand-grey <input checked="" type="checkbox"/>
	815-2040		864-2040	885-2040	886-2040	dark sand-grey <input checked="" type="checkbox"/>
	Price gr. A115 (m ²)		Price gr. A419 (pce.)	Price gr. A445 (pce.)	Price gr. A475 (pce.)	
	815-2041		864-2041	885-2041	886-2041	medium brown <input checked="" type="checkbox"/>
	Price gr. A148 (m ²)		Price gr. A419 (pce.)	Price gr. A445 (pce.)	Price gr. A475 (pce.)	
	815-2042	806-2042	864-2042	885-2042	886-2042	medium grey <input checked="" type="checkbox"/>
	Price gr. A148 (m ²)	Price gr. A121 (m ²)	Price gr. A419 (pce.)	Price gr. A445 (pce.)	Price gr. A475 (pce.)	
	815-2043		864-2043	885-2043	886-2043	sand beige <input checked="" type="checkbox"/>
	Price gr. A148 (m ²)		Price gr. A419 (pce.)	Price gr. A445 (pce.)	Price gr. A475 (pce.)	





² For details, refer to page 534

³ For details, refer to page 536

⁴ Color deviations compared to the adjoining covering due to production are no reason for complaint in case of horizontal laying.







Natural and lively

Besides its natural look, Quarzit is impressive because of a surface vividly nuanced by unusual gloss and mica spots in an authentic stone look. In addition to the aesthetic advantages, there are also practical ones: pleasant haptics is combined with high slip resistance and enormous wear resistance.

Hotel aja, Garmisch-Partenkirchen, Germany
Architect: SMAP SEEGER MÜLLER Berlin (Germany) und Büro Korb
Series: Pool edge system, St. Moritz, Quarzit
Photo: Fotodesign Peters, Amerang




basalt-grey



quarz-grey




sand-beige



sepia-brown



white-grey

Floor tile 12.5 x 12.5 cm, 5 x 5 in
structured, R11/BFloor tile 12.5 x 25 cm, 5 x 10 in
structured, R11/BGrid profile tile 12.5 x 25 cm, 5 x 10 in
relief, R11/CFloor tile 15 x 15 cm, 6 x 6 in
structured, R11/CFloor tile 25 x 25 cm, 10 x 10 in
structured, R10/A,
Floor tile 25 x 25 cm, 10 x 10 in
structured, R11/B**Mosaic 5 x 5 cm, 2 x 2 in**Mosaic sheet 30 x 30 cm, 12 x 12 in
structured, R11/BFloor tile 25 x 50 cm, 10 x 20 in, structured, R10/A
Floor tile 25 x 50 cm, 10 x 20 in, structured, R11/BFloor tile 30 x 60 cm, 12 x 24 in, structured, R10/A
Floor tile 30 x 60 cm, 12 x 24 in, structured, R11/B

Mosaic: glass fibre net on reverse side,
sheet: 297 x 297 mm



Floor tile 60 x 60 cm, 24 x 24 in, structured, R10/A
Patio tile 60 x 60 cm, 24 x 24 in, structured, R11/B



Stair tile with bevel 31 x 145 cm, 12 13/64 x 57 in, structured, R10/A



Riser 28 x 145 cm, 11 x 57 in, structured, R10/A



basalt-grey



quarz-grey




sand-beige



sepia-brown



white-grey



Letter tile 25 x 50 cm, 10 x 20 in, structured, R11/B



Skirting, cut 6 x 50 cm, 2 3/8 x 20 in, structured




Skirting, cut 6 x 60 cm, 2 3/8 x 24 in, structured



Cove skirting decorated 10 x 60 cm, 4 x 24 in, structured, R10/A




Grooved tile 50 x 25 cm, 20 x 10 in, grooved, R11/C

Grooved tile 25 x 25 cm, 10 x 10 in
grooved, R11/CGrooved tile 12.5 x 25 cm,
5 x 10 in, grooved, R11/CGrid profile tile
25 x 50 cm, 10 x 20 in,
relief, R11/CGutter tile
(trough depth 5 mm)Gutter tile
50 x 25 cm, 20 x 10 in, structured, R11/B
without illustration: Gutter tile with outlet,
mitred pair, terminal pieceCeramic channel cover
50 x 25 cm, 20 x 10 in,
structuredCeramic channel cover
corner solution 30 x 30 cm, 12 x 12 in, structured

For details about Gutter tiles and the Ceramic channel cover, refer to the Pool + Spa programme of delivery.

Floor Tiles - joint 3 mm




Sheet: 297 x 297 mm


							Grid profile tile		Model number
7161H	342030H	332050HK	332050HK	342550HK	342550HK	342550HK	342580HK	Nom. dim. - cm/in	
5 x 5 / 2 x 2	15 x 15 / 6 x 6	25 x 25 / 10 x 10	25 x 25 / 10 x 10	25 x 50 / 10 x 20	25 x 50 / 10 x 20	25 x 50 / 10 x 20	25 x 50 / 10 x 20	Work size	
47 x 47 x 8 mm structured, matt	147 x 147 x 8 mm structured, matt	247 x 247 x 8 mm structured, matt	247 x 247 x 8 mm structured, matt	247 x 497 x 8 mm relief, matt	Surface				
11.111	44.444	16.000	16.000	8.000	8.000	8.000	8.000	m ² - pieces	
16.389	17.555	16.960	16.960	17.040	17.040	17.040	17.040	m ² - kg	
14	35	14	14	9	9	9	9	Bundle - pieces	
1.260	0.788	0.875	0.875	1.125	1.125	1.125	1.125	Bundle - m ²	
20.650	13.825	14.840	14.840	19.170	19.170	19.170	19.170	Bundle - kg	
37.800	63.001	70.875	70.875	40.500	40.500	40.500	40.500	Pallet - m ²	
619.500	1,106.000	1,202.040	1,202.040	690.120	690.120	690.120	690.120	Pallet - kg	
Ala	Bla	Ala	Ala	Ala	Ala	Ala	Ala	Product standard	
R11/B	R11/C	R10/A	R11/B	R10/A	R11/B	R11/C	R11/C	Slip resistance	
2	2	2	2	2	2	2	2	Stress group	
8460-7161H	8460-342030H	8450-332050HK	8460-332050HK	8450-342550HK	8460-342550HK	8460-342580HK	8460-342580HK	basalt grey	V4
Price gr. A289 (m ²)	Price gr. A157 (m ²)	Price gr. A148 (m ²)	Price gr. A157 (m ²)	Price gr. A157 (m ²)	Price gr. A157 (m ²)	Price gr. A181 (m ²)	Price gr. A181 (m ²)		
8461-7161H	8461-342030H	8451-332050HK	8461-332050HK	8451-342550HK	8461-342550HK	8461-342580HK	8461-342580HK	quartz-grey	V4
Price gr. A289 (m ²)	Price gr. A157 (m ²)	Price gr. A148 (m ²)	Price gr. A157 (m ²)	Price gr. A157 (m ²)	Price gr. A157 (m ²)	Price gr. A181 (m ²)	Price gr. A181 (m ²)		
8462-7161H	8462-342030H	8452-332050HK	8462-332050HK	8452-342550HK	8462-342550HK	8462-342580HK	8462-342580HK	sand-beige	V4
Price gr. A289 (m ²)	Price gr. A157 (m ²)	Price gr. A148 (m ²)	Price gr. A157 (m ²)	Price gr. A157 (m ²)	Price gr. A157 (m ²)	Price gr. A181 (m ²)	Price gr. A181 (m ²)		
8463-7161H	8463-342030H	8453-332050HK	8463-332050HK	8453-342550HK	8463-342550HK	8463-342580HK	8463-342580HK	sepia-brown	V4
Price gr. A289 (m ²)	Price gr. A157 (m ²)	Price gr. A148 (m ²)	Price gr. A157 (m ²)	Price gr. A157 (m ²)	Price gr. A157 (m ²)	Price gr. A181 (m ²)	Price gr. A181 (m ²)		
8464-7161H	8464-342030H	8454-332050HK	8464-332050HK	8454-342550HK	8464-342550HK	8464-342580HK	8464-342580HK	white grey	V4
Price gr. A289 (m ²)	Price gr. A157 (m ²)	Price gr. A148 (m ²)	Price gr. A157 (m ²)	Price gr. A157 (m ²)	Price gr. A157 (m ²)	Price gr. A181 (m ²)	Price gr. A181 (m ²)		



Floor Tiles - joint 3 mm¹



Floor Tiles - joint 6 mm



							Grid profile tile		Model number
B200HK	B200HK	B600HK		32020H	38110H	34090H	34090H	Nom. dim. - cm/in	
30 x 60 / 12 x 24	30 x 60 / 12 x 24	60 x 60 / 24 x 24		12.5 x 12.5 / 5 x 5	12.5 x 25 / 5 x 10	12.5 x 25 / 5 x 10	12.5 x 25 / 5 x 10	Work size	
297 x 597 x 8 mm structured, matt	297 x 597 x 8 mm structured, matt	597 x 597 x 8 mm structured, matt		119 x 119 x 8 mm structured, matt	119 x 244 x 8 mm structured, matt	119 x 244 x 8 mm structured, matt	119 x 244 x 8 mm relief, matt	Surface	
5.556	5.556	2.778		64.000	32.000	32.000	32.000	m ² - pieces	
17.413	17.413	18.001		15.360	15.680	15.360	15.360	m ² - kg	
6	6	4		66	33	33	33	Bundle - pieces	
1.080	1.080	1.440		1.031	1.031	1.031	1.031	Bundle - m ²	
18.804	18.804	25.920		15.840	16.170	15.840	15.840	Bundle - kg	
43.197	43.197	43.197		86.625	86.625	86.625	86.625	Pallet - m ²	
752.160	752.160	777.600		1,330.560	1,358.280	1,330.560	1,330.560	Pallet - kg	
Ala	Ala	Ala		Ala	Ala	Ala	Ala	Product standard	
R10/A	R11/B	R10/A		R11/B	R11/B	R11/C	R11/C	Slip resistance	
2	2	2		2	2	2	2	Stress group	
8450-B200HK	8460-B200HK	8450-B600HK		8460-32020H	8460-38110H	8460-34090H	8460-34090H	basalt grey	V4
Price gr. A124 (m ²)	Price gr. A142 (m ²)	Price gr. A136 (m ²)		Price gr. A157 (m ²)	Price gr. A127 (m ²)	Price gr. A148 (m ²)	Price gr. A148 (m ²)		
8451-B200HK	8461-B200HK	8451-B600HK		8461-32020H	8461-38110H	8461-34090H	8461-34090H	quartz-grey	V4
Price gr. A124 (m ²)	Price gr. A142 (m ²)	Price gr. A136 (m ²)		Price gr. A157 (m ²)	Price gr. A127 (m ²)	Price gr. A148 (m ²)	Price gr. A148 (m ²)		
8452-B200HK	8462-B200HK	8452-B600HK		8462-32020H	8462-38110H	8462-34090H	8462-34090H	sand-beige	V4
Price gr. A124 (m ²)	Price gr. A142 (m ²)	Price gr. A136 (m ²)		Price gr. A157 (m ²)	Price gr. A127 (m ²)	Price gr. A148 (m ²)	Price gr. A148 (m ²)		
8453-B200HK	8463-B200HK	8453-B600HK		8463-32020H	8463-38110H	8463-34090H	8463-34090H	sepia-brown	V4
Price gr. A124 (m ²)	Price gr. A142 (m ²)	Price gr. A136 (m ²)		Price gr. A157 (m ²)	Price gr. A127 (m ²)	Price gr. A148 (m ²)	Price gr. A148 (m ²)		
8454-B200HK	8464-B200HK	8454-B600HK		8464-32020H	8464-38110H	8464-34090H	8464-34090H	white grey	V4
Price gr. A124 (m ²)	Price gr. A142 (m ²)	Price gr. A136 (m ²)		Price gr. A157 (m ²)	Price gr. A127 (m ²)	Price gr. A148 (m ²)	Price gr. A148 (m ²)		




¹ Supplied as double-tiles; to be broken by customer


² Glass fibre net on reverse side

**Stair Tile with Riser^{2/3/5}
Bevel^{2/3/5}**

31 x 145 cm



28 x 145 cm

**Skirting,
cut¹**

6 x 50 cm



6 x 60 cm

**Cove Skirting,
decorated^{1/2/6/10}**


10 x 60 cm

**Letter Tile
1/2/4**

25 x 50 cm

WT. 1.35m


						Type height 7 cm
Model number	B773HK	B774HK	342557HK	B611HK	B612HK	342555HK
Nom. dim. - cm/in	31 x 145 / 12 3/8 x 58	28 x 145 / 11 3/16 x 58	6 x 50 / 2 3/8 x 20	6 x 60 / 2 3/8 x 24	10 x 60 / 4 x 24	25 x 50 / 10 x 20
Work size	307 x 1447 x 10.5 mm	280 x 1447 x 10.5 mm	60 x 497 x 8 mm	60 x 597 x 8 mm	100 x 597/35 x 9 mm	247 x 497 x 8 mm
Surface	structured, matt	structured, matt	structured, matt	structured, matt	structured, matt	structured, matt
m - pieces	0.690	0.690	2.000	1.667	1.667	2
m/pce. - kg	7.480/m	6.716/m	1.098/m	1.100/m	2.000/m	2.130/piece
Bundle - pieces	2	2	30	34	20	
Bundle - m	2.899	2.899	15.000	20.396	11.998	
Bundle - kg	21.682	19.466	16.470	22.440	24.000	
Pallet - m						
Pallet - kg						
Product standard	Ala	Ala	Ala	Ala	Alb	Ala
Slip resistance	R10/A	R10/A			R10/A	R11/B
Stress group	2	2				2
basalt grey	V4	8450-B773HK Price gr. A560 (pce.)	8450-B774HK Price gr. A528 (pce.)	8450-342557HK Price gr. A434 (pce.)	8450-B611HK Price gr. A434 (pce.)	8450-B612HK ⁷ Price gr. A445 (pce.)
quartz-grey	V4	8451-B773HK Price gr. A560 (pce.)	8451-B774HK Price gr. A528 (pce.)	8451-342557HK Price gr. A434 (pce.)	8451-B611HK Price gr. A434 (pce.)	8451-B612HK ⁸ Price gr. A445 (pce.)
sand-beige	V4	8452-B773HK Price gr. A560 (pce.)	8452-B774HK Price gr. A528 (pce.)	8452-342557HK Price gr. A434 (pce.)	8452-B611HK Price gr. A434 (pce.)	8452-B612HK ⁸ Price gr. A445 (pce.)
sepia-brown	V4	8453-B773HK Price gr. A560 (pce.)	8453-B774HK Price gr. A528 (pce.)	8453-342557HK Price gr. A434 (pce.)	8453-B611HK Price gr. A434 (pce.)	8453-B612HK ⁸ Price gr. A445 (pce.)
white grey	V4	8454-B773HK Price gr. A560 (pce.)	8454-B774HK Price gr. A528 (pce.)	8454-342557HK Price gr. A434 (pce.)	8454-B611HK Price gr. A434 (pce.)	8454-B612HK ⁹ Price gr. A445 (pce.)


³ Rectified only on the two short sides. The long side can not be rectified.⁴ Only figures/letters can be realized.

Color combination:

Base color: basalt-grey, quartz-grey, sand-beige, sepia-brown,
color of letters: active white / neutral 10.⁵ For details, refer to page 538. For more solutions concerning stair design, refer to the series Area Pro.⁶ For detailed drawings of cove skirting, see page 536⁷ Stress group: 2⁸ Stress group: 3⁹ Stress group: 4¹⁰ Color deviations compared to the adjoining covering due to production are no reason for complaint in case of horizontal laying.

Patio
Tiles^{1/4}







60 x 60 cm



							61061HK	Model number
							60 x 60 / 24 x 24	Nom. dim. - cm/in
							597 x 597 x 20 mm	Work size - mm
							structured, matt	Surface
							2.778	m² - pieces
							43.059	m² - kg
							1	Bundle - pieces
							0.360	Bundle - m²
							15.500	Bundle - kg
							17.279	Pallet - m²
							744.000	Pallet - kg
							Alla	Product standard
							R11/B	Slip resistance
							3	Stress group
							8460-61061HK	4
							Price gr. A220 (m ²)	basalt grey <input checked="" type="checkbox"/>
							8461-61061HK	4
							Price gr. A220 (m ²)	quartz-grey <input checked="" type="checkbox"/>
							8462-61061HK	4
							Price gr. A220 (m ²)	sand-beige <input checked="" type="checkbox"/>



Gutter Tiles^{2/3/6}
(trough depth 5 mm)



Grooved Tiles 12.5 mm thick,
for continuing the Pool Edge System "Finnland II"^{2/6}

Gutter tile	Gutter tile with outlet 110 / 110 mm	Gutter tile, mitred pair	Gutter tile, terminal piece	53151	53150	53159	Model number
53320	53321	53322	53323	50 x 25 / 20 x 10	25 x 25 / 10 x 10	12.5 x 25 / 5 x 10	Nom. dim. - cm/in
50 x 25 / 20 x 10	50 x 25 / 20 x 10			494 x 244 x 14	494 x 244 x 12.5	119 x 244 x 12.5	Work size - mm
494 x 244 x 14 structured, matt	494 x 244 x 14 structured, matt			(2x) 490 x 244 x 14	grooved, matt	grooved, matt	Surface
2.000					2.000	8.000	m - pieces
2.500/piece	2.300/piece	3.800/pair	2.500/piece	3.550/piece	1.775/piece	0.888/piece	Pce./pair - kg
5 piece	5 piece	2 pair	5 piece	6 piece	9 piece	21 piece	Bundle - pce./pair
2.500				3.000	2.250	2.625	Bundle - m
12.500	11.500	7.600	12.500	21.300	15.975	18.648	Bundle - kg
							Pallet - m
							Pallet - kg
Alla	Alla	Alla	Alla	Alla	Alla	Alla	Product standard
R11/B	R11/B	R11/B	R11/B	R11/C	R11/C	R11/C	Slip resistance
8460-53320H	8460-53321H	8460-53322H	8460-53323H	8460-53151	8460-53150	8460-53159	basalt grey <input checked="" type="checkbox"/>
Price gr. A519 (pce.)	Price gr. A593 (pce.)	Price gr. A645 (pair)	Price gr. A593 (pce.)	Price gr. A560 (pce.)	Price gr. A480 (pce.)	Price gr. A430 (pce.)	
8461-53320H	8461-53321H	8461-53322H	8461-53323H	8461-53151	8461-53150	8461-53159	quartz-grey <input checked="" type="checkbox"/>
Price gr. A519 (pce.)	Price gr. A593 (pce.)	Price gr. A645 (pair)	Price gr. A593 (pce.)	Price gr. A560 (pce.)	Price gr. A480 (pce.)	Price gr. A430 (pce.)	
8462-53320H	8462-53321H	8462-53322H	8462-53323H	8462-53151	8462-53150	8462-53159	sand-beige <input checked="" type="checkbox"/>
Price gr. A519 (pce.)	Price gr. A593 (pce.)	Price gr. A645 (pair)	Price gr. A593 (pce.)	Price gr. A560 (pce.)	Price gr. A480 (pce.)	Price gr. A430 (pce.)	
8463-53320H	8463-53321H	8463-53322H	8463-53323H	8463-53151	8463-53150	8463-53159	sepia-brown <input checked="" type="checkbox"/>
Price gr. A519 (pce.)	Price gr. A593 (pce.)	Price gr. A645 (pair)	Price gr. A593 (pce.)	Price gr. A560 (pce.)	Price gr. A480 (pce.)	Price gr. A430 (pce.)	
8464-53320H	8464-53321H	8464-53322H	8464-53323H	8464-53151	8464-53150	8464-53159	white grey <input checked="" type="checkbox"/>
Price gr. A519 (pce.)	Price gr. A593 (pce.)	Price gr. A645 (pair)	Price gr. A593 (pce.)	Price gr. A560 (pce.)	Price gr. A480 (pce.)	Price gr. A430 (pce.)	



³ On request, also available in a length of 497 mm.


⁴ High weight only to carry with two persons.

⁵ Minimum order quantity: 10 pieces. In case of smaller quantities, the price must be individually calculated.

⁶ Short edge rectified

Further details on gutter tiles and grooved tiles in the Pool+Spa delivery programme.





Elegant and timeless

Structures and colors of various rocks from the Italian coastal region of "Cinque Terre" merge in the Savona floor tile series to create a lively composition of coarsegrained texture and soft layers. A finely dosed granulate application gives the surface a pleasantly stony look and haptics. Mica-like glossy spots underline the natural effect.

SaLÜ Salztherme, Lüneburg, Germany
Architect: bs2 architekten gmbh
Series: Savona / Photo: Jochen Stüber



lime

Floor tile 15 x 15 cm, 6 x 6 in
structured, R11/C

beige



brown



grey




anthracite

Floor tile 30 x 60 cm, 12 x 24 in, structured, R10/A
Floor tile 30 x 60 cm, 12 x 24 in, structured, R11/BFloor tile 60 x 60 cm, 24 x 24 in, structured, R10/A
Floor tile 60 x 60 cm, 24 x 24 in, structured, R11/B

Skirting, cut 6 x 60 cm, 2 3/8 x 24 in, structured

Mosaic





5 x 5 cm, 2 x 2 in

Mosaic sheet 30 x 30 cm, 12 x 12 in
structured, R11/B



Floor tile 60 x 120 cm, 24 x 48 in, structured, R10/A

Mosaic^{1/2} Floor Tiles



Sheet: 297 x 297 mm

Model number	7161H	342030H	B200HK	B200HK	B600HK	B600HK	B670HK
Nom. dim. - cm/in	5 x 5 / 2 x 2	15 x 15 / 6 x 6	30 x 60 / 12 x 24	30 x 60 / 12 x 24	60 x 60 / 24 x 24	60 x 60 / 24 x 24	60 x 120 / 24 x 48
Work size	47 x 47 x 8 mm	147 x 147 x 8 mm	297 x 597 x 8 mm	297 x 597 x 8 mm	597 x 597 x 8 mm	597 x 597 x 8 mm	597 x 1197 x 8 mm
Surface	structured, matt	structured, matt	structured, matt	structured, matt	structured, matt	structured, matt	structured, matt
m ² - pieces	11.111	44.444	5.556	5.556	2.778	2.778	1.388
m ² - kg	16.389	17.555	17.413	17.413	18.001	18.001	17.489
Bundle - pieces	14	35	6	6	4	4	2
Bundle - m ²	1.260	0.788	1.080	1.080	1.440	1.440	1.441
Bundle - kg	20.650	13.825	18.804	18.804	25.920	25.920	25.200
Pallet - m ²	37.800	63.001	43.197	43.197	43.197	43.197	36.023
Pallet - kg	619.500	1,106.000	752.160	752.160	777.600	777.600	630.000
Product standard	Ala	Bla	Ala	Ala	Ala	Ala	Ala
Slip resistance	R11/B	R11/C	R10/A	R11/B	R10/A	R11/B	R10/A
Stress group	2	2	2	2	2	2	2
lime	V4	8810-7161H Price gr. A289 (m ²)	8810-342030H Price gr. A157 (m ²)	8800-B200HK Price gr. A124 (m ²)	8810-B200HK Price gr. A142 (m ²)	8800-B600HK Price gr. A136 (m ²)	8810-B600HK Price gr. A151 (m ²)
beige	V4	8811-7161H Price gr. A289 (m ²)	8811-342030H Price gr. A157 (m ²)	8801-B200HK Price gr. A124 (m ²)	8811-B200HK Price gr. A142 (m ²)	8801-B600HK Price gr. A136 (m ²)	8811-B600HK Price gr. A151 (m ²)
brown	V4	8812-7161H Price gr. A289 (m ²)	8812-342030H Price gr. A157 (m ²)	8802-B200HK Price gr. A124 (m ²)	8812-B200HK Price gr. A142 (m ²)	8802-B600HK Price gr. A136 (m ²)	8812-B600HK Price gr. A151 (m ²)
grey	V4	8813-7161H Price gr. A289 (m ²)	8813-342030H Price gr. A157 (m ²)	8803-B200HK Price gr. A124 (m ²)	8813-B200HK Price gr. A142 (m ²)	8803-B600HK Price gr. A136 (m ²)	8813-B600HK Price gr. A151 (m ²)
anthracite	V4	8814-7161H Price gr. A289 (m ²)	8814-342030H Price gr. A157 (m ²)	8804-B200HK Price gr. A124 (m ²)	8814-B200HK Price gr. A142 (m ²)	8804-B600HK Price gr. A136 (m ²)	8814-B600HK Price gr. A151 (m ²)



**Stückig,
geschnitten¹**

6 x 60 cm



Model number	B611HK						
Nom. dim. - cm/in	6 x 60 / 2 3/8 x 24						
Work size	60 x 597 x 8 mm						
Surface	structured, matt						
m - pieces	1.667						
m - kg	1.100						
Bundle - pieces	34						
Bundle - m	20.396						
Bundle - kg	22.440						
Pallet - m							
Pallet - kg							
Product standard	Ala						
lime	V4	8800-B611HK Price gr. A434 (pce.)					
beige	V4	8801-B611HK Price gr. A434 (pce.)					
brown	V4	8802-B611HK Price gr. A434 (pce.)					
grey	V4	8803-B611HK Price gr. A434 (pce.)					
anthracite	V4	8804-B611HK Price gr. A434 (pce.)					



¹ Verarbeitung mit dem Glasfasernetz

² Hergestellt im Klimatischen Karton mit einem Transportnetz!

Studio photo / Architect: VSBL, Belgrade, Serbia / Photo: Jochen Stüber





Designing with mosaics



Visual variety

Ceramic mosaics offer first-class possibilities for realizing architectural ideas individually and functionally. The range of colors and formats and their combinations or also a tone-in-tone design make unusual appearances possible.

This can visually characterize the entire pool and spa project or be used to emphasize specific areas such as stairs and pool edges or to create pictures with mosaics.

The products meet high standards in terms of slip resistance and hygiene – also in underwater and permanently wet areas – and thanks to the many years of collaboration with architects and planners, they offer well thought-out solutions in and around the pool.

Schwaketenbad, Konstanz, Germany
Architect: Behnisch / Series: Loop / Photo: David Matthiessen

Decorative details: mosaics

With mosaic tiles, decorative design concepts can also be realized with very small formats. Agrob Buchtal offers an extensive range with bold colors and unusual formats for swimming pools and wellness areas.

All mosaics meet the high standards with regard to slip resistance and hygiene – also in underwater, permanently wet areas and steam saunas. This is where the advantages of the thermoplastic glueing come in useful. Thanks to this new processing method – microbiologically and structural-physically certified – the mosaics satisfy all requirements in and around the pool. In addition, laying is considerably facilitated – compared to the usual film glued on the front side – even in complex areas such as columns or curves thanks to the grid glued on the reverse side.



Sports pool Friedrichshafen, Germany
Architect: Behnisch Architekten, Stuttgart, Germany
Series: Loop
Photo: David Matthiessen, Stuttgart



Lintharena, Näfels, Switzerland
Architect: K & L Architekten AG, St. Gallen, Switzerland
Series: Loop
Photo: Kim Britt Photography



Indoor swimming pool Oberuzwil, Switzerland
Architect: Hunziker Betatech AG, Winterthur, Switzerland
Series: Fresh, Quarzit, Special production
Photo: Adriano Faragulo



Pool EW 23, Surabaya, Indonesia
Architect: Ir. Sonny Njonoriswondo, Surabaya, Indonesia
Series: Pool edge system Bamberg, Chroma non-slip. Fresh
Photo: George Arif (Spin Production)

Hotel Schweizerhof, Lenzerheide, Switzerland
Architect: Beck Schwimmbadbau AG, Winterthur, Switzerland
Series: Plural non-slip, Quarzit
Photo: Adriano Faragulo



School swimming pool Vogelsang of the primary school, Basel, Switzerland
Architect: MET Architekten GmbH SIA, Basel, Switzerland
Series: Pool edge system Wiesbaden,
Swimming pool special programme, Chroma Pool, Loop
Photo: Daniel Zehnder



Olympic indoor swimming pool, Munich, Germany
Architect: planplus GmbH, Munich
Series: Fresh
Photo: Oliver Jung



Mosaic Designer

Free your mind

With the new mosaic planning tool, Agrob Buchtal expands the horizon for architects and interior designers with an unlimited range of solutions in terms of form, color and size. The digital service provides scope for new ideas and impresses with its excellent user experience thanks to its intuitive, almost playful usability. A tool with which Agrob Buchtal is revolutionizing the ancient art of mosaics and breathing new life into it.


By entering the desired basic parameters such as the dimensions of the mosaic surface, selection of product series, tile format and joint color, individual color gradients or color blends can be generated automatically. Depending on the size, the desired design is generated and visualized on the screen in the shortest possible time.

Many small tiles are required for an area of 3 x 6 metres, for example. They are digitally arranged and designed in a flash. There is no size limits which makes the Mosaic Designer



from Agrob Buchtal a creative accelerator, especially for the design of swimming pools and wellness facilities, restaurants, hotels, schools and public spaces, including underground stations.

There is a choice of the three mosaic series Loop, Fresh and Plural, which are ideal as pure color system series without surfaces such as wood, concrete, marble or the like and offer a wide spectrum of tonal values for the design. Each design can be saved as a project or sent immediately to Agrob Buchtal as an inquiry.

In addition to graphic gradients and color mixtures, the Mosaic Designer can also implement individual motifs. Images and photos can be directly uploaded using the upload function.



directly to the Mosaic Designer







Fresh and modern

Fresh offers a harmonious range of modern, fresh colors in the popular mosaic formats of 2.5×2.5 cm and 5×5 cm, with which individual, but at the same time uncomplicated to realize designs are possible. A particularly practical advantage is that R10/B and R11/C slip-resistant mosaics in colors matching the tiles are available.

Schwaketenbad, Konstanz, Germany / Architect: Behnisch
Architect: Stuttgart, Germany / Series: Fresh, Plural unglazed
Photo: David Matthiessen, Stuttgart


Fresh: modern clarity for individual design

snow white	warm grey mix	desert sand-mix	taupe-mix	white grey mix	silver grey mix	light grey-mix	medium grey-mix	midnight black-mix	graphite black mix	deep blue mix	caribbean-blue-mix
------------	---------------	-----------------	-----------	----------------	-----------------	----------------	-----------------	--------------------	--------------------	---------------	--------------------

2.5 x 2.5 cm, 1 x 1 in



2.5 x 2.5 cm, 1 x 1 in, non-slip R10/B



5 x 5 cm, 2 x 2 in, non-slip R10/B & R11/C



denim blue-mix	light blue-mix	pacific blue-mix	midnight blue-mix	vivid violet-mix	sunset orange-mix	coral red-mix	brick red mix	mystic red-mix	forest green mix	lime green-mix	sunshine yellow-mix
-------------------	-------------------	---------------------	----------------------	---------------------	----------------------	------------------	------------------	-------------------	---------------------	-------------------	------------------------

41509
metallic41510
metallic41513
metallic2452
gold
silky-glossy

41206 H



41207 H



41208 H



41209 H



41210 H




41211 H



41212 H




41218 H



41213 H



41216 H



41214 H



41215 H



41306 H



41307 H



41308 H



41309 H



41310 H




41311 H



41312 H




41318 H




41313 H



41316 H



41314 H



41315 H

41406 H
41426 H41407 H
41427 H41408 H
41428 H41409 H
41429 H41410 H
41430 H41411 H
41431 H41412 H
41432 H

41452 H



41313 H




41450 H

41414 H
41434 H41415 H
41435 H

Mosaic 2.5 x 2.5 cm, 1 x 1 in




Mosaic sheet 30 x 30 cm, 12 x 12 in
snow white, smooth,
Mosaic sheet 30 x 30 cm, 12 x 12 in
snow white, smooth, R10/B



Mosaic sheet 30 x 30 cm, 12 x 12 in
warm grey-mix, smooth,
Mosaic sheet 30 x 30 cm, 12 x 12 in
warm grey-mix, smooth, R10/B




Mosaic sheet 30 x 30 cm, 12 x 12 in
desert sand-mix, smooth,
Mosaic sheet 30 x 30 cm, 12 x 12 in
desert sand-mix, smooth, R10/B




Mosaic sheet 30 x 30 cm, 12 x 12 in
taupe-mix, smooth,
Mosaic sheet 30 x 30 cm, 12 x 12 in
taupe-mix, smooth, R10/B




Mosaic sheet 30 x 30 cm, 12 x 12 in
white grey-mix, smooth,
Mosaic sheet 30 x 30 cm, 12 x 12 in
white grey-mix, smooth, R10/B




Mosaic sheet 30 x 30 cm, 12 x 12 in
silver grey-mix, smooth,
Mosaic sheet 30 x 30 cm, 12 x 12 in
silver grey-mix, smooth, R10/B




Mosaic sheet 30 x 30 cm, 12 x 12 in
light grey-mix, smooth,
Mosaic sheet 30 x 30 cm, 12 x 12 in
light grey-mix, smooth, R10/B




Mosaic sheet 30 x 30 cm
medium grey-mix, smooth,
Mosaic sheet 30 x 30 cm, 12 x 12 in
medium grey-mix, smooth, R10/B




Mosaic sheet 30 x 30 cm, 12 x 12 in
midnight black-mix, smooth,
Mosaic sheet 30 x 30 cm, 12 x 12 in
midnight black-mix, smooth, R10/B




Mosaic sheet 30 x 30 cm, 12 x 12 in
graphite black-mix, smooth,
Mosaic sheet 30 x 30 cm, 12 x 12 in
graphite black-mix, smooth, R10/B




Mosaic sheet 30 x 30 cm, 12 x 12 in
deep blue-mix, smooth,
Mosaic sheet 30 x 30 cm, 12 x 12 in
deep blue-mix, smooth, R10/B




Mosaic sheet 30 x 30 cm, 12 x 12 in
caribbean-blue-mix, smooth,
Mosaic sheet 30 x 30 cm, 12 x 12 in
caribbean-blue-mix, smooth, R10/B



Mosaic sheet 30 x 30 cm, 12 x 12 in
denim blue-mix, smooth,
Mosaic sheet 30 x 30 cm, 12 x 12 in
denim blue-mix, smooth, R10/B




Mosaic sheet 30 x 30 cm, 12 x 12 in
light blue-mix, smooth,
Mosaic sheet 30 x 30 cm, 12 x 12 in
light blue-mix, smooth, R10/B




Mosaic sheet 30 x 30 cm, 12 x 12 in
pacific blue-mix, smooth,
Mosaic sheet 30 x 30 cm, 12 x 12 in
pacific blue-mix, smooth, R10/B




Mosaic sheet 30 x 30 cm, 12 x 12 in
midnight blue-mix, smooth,
Mosaic sheet 30 x 30 cm, 12 x 12 in
midnight blue-mix, smooth, R10/B




Mosaic sheet 30 x 30 cm, 12 x 12 in
vivid violet-mix, smooth,
Mosaic sheet 30 x 30 cm, 12 x 12 in
vivid violet-mix, smooth, R10/B




Mosaic sheet 30 x 30 cm, 12 x 12 in
sunset-orange-mix, smooth,
Mosaic sheet 30 x 30 cm, 12 x 12 in
sunset-orange-mix, smooth, R10/B



Mosaic sheet 30 x 30 cm, 12 x 12 in
coral red-mix, smooth,
Mosaic sheet 30 x 30 cm, 12 x 12 in
coral red-mix, smooth, R10/B




Mosaic sheet 30 x 30 cm, 12 x 12 in
brick red-mix, smooth,
Mosaic sheet 30 x 30 cm, 12 x 12 in
brick red-mix, smooth, R10/B




Mosaic sheet 30 x 30 cm, 12 x 12 in
mystic-red-mix, smooth,
Mosaic sheet 30 x 30 cm, 12 x 12 in
mystic-red-mix, smooth, R10/B




Mosaic sheet 30 x 30 cm, 12 x 12 in
forest green-mix, smooth,
Mosaic sheet 30 x 30 cm, 12 x 12 in
forest green-mix, smooth, R10/B



Mosaic sheet 30 x 30 cm, 12 x 12 in
lime green-mix, smooth,
Mosaic sheet 30 x 30 cm, 12 x 12 in
lime green-mix, smooth, R10/B




Mosaic sheet 30 x 30 cm, 12 x 12 in
sunshine yellow-mix, smooth,
Mosaic sheet 30 x 30 cm, 12 x 12 in
sunshine yellow-mix, smooth, R10/B




Mosaic sheet 30 x 30 cm, 12 x 12 in
midnight black-mix metallic, smooth




Mosaic sheet 30 x 30 cm, 12 x 12 in
midnight blue-mix metallic, smooth




Mosaic sheet 30 x 30 cm, 12 x 12 in
vivid violet-mix metallic, smooth



Mosaic sheet 30 x 30 cm, 12 x 12 in
mystic red-mix metallic, smooth



Mosaic sheet 30 x 30 cm, 12 x 12 in
gold, smooth *



Mosaic sheet 30 x 30 cm, 12 x 12 in
platin, smooth *

* To prevent the abrasion of the surface coating, laying on the floor or exposure to any comparable stress must be absolutely avoided.



Mosaics glued thermoplastically on back of Agrob Buchtal can be used not only in dry zones but also without any problems in underwater areas (e.g. swimming pools/whirlpools) as well as in permanently wet areas.

Indoor swimming pool, Oberuzwil, Switzerland / Architect: Hunziker Betatech AG / Photo: Adriano Faragulo



Color gradient


2.5 x 2.5 cm, 1 x 1 in



41520H
aqua glossy

production size without external joint:
297 x 2376 x 6.5 mm

More examples



The colors of Fresh can be randomly replaced in the standard color gradient without extra charge. We will be pleased to check an individual design of color gradients with regard to dimensions and color combinations as customized production.

Do you already know our Mosaic Designer at our website
www.agrob-buchtal.com?
There, you will have the possibility of designing your individual color gradients, mosaic compositions and the laying of pictures.



Mosaic 5 x 5 cm, 2 x 2 in, non-slip



Mosaic sheet 30 x 30 cm, 12 x 12 in
snow white, smooth, R10/B,
Mosaic sheet 30 x 30 cm, 12 x 12 in
snow white, smooth, R11/C



Mosaic sheet 30 x 30 cm, 12 x 12 in
warm grey-mix, smooth, R10/B,
Mosaic sheet 30 x 30 cm, 12 x 12 in
warm grey-mix, smooth, R11/C




Mosaic sheet 30 x 30 cm, 12 x 12 in
desert sand-mix, smooth, R10/B,
Mosaic sheet 30 x 30 cm, 12 x 12 in
desert sand-mix, smooth, R11/C



Mosaic sheet 30 x 30 cm, 12 x 12 in
taupe-mix, smooth, R10/B,
Mosaic sheet 30 x 30 cm, 12 x 12 in
taupe-mix, smooth, R11/C



Mosaic sheet 30 x 30 cm, 12 x 12 in
white grey-mix, smooth, R10/B



Mosaic sheet 30 x 30 cm, 12 x 12 in
silver grey-mix, smooth, R10/B



Mosaic sheet 30 x 30 cm, 12 x 12 in
light grey-mix, smooth, R10/B,
Mosaic sheet 30 x 30 cm, 12 x 12 in
light grey-mix, smooth, R11/C



Mosaic sheet 30 x 30 cm, 12 x 12 in
medium grey-mix, smooth, R10/B,
Mosaic sheet 30 x 30 cm, 12 x 12 in
medium grey-mix, smooth, R11/C




Mosaic sheet 30 x 30 cm, 12 x 12 in
midnight black-mix, smooth, R10/B,
Mosaic sheet 30 x 30 cm, 12 x 12 in
midnight black-mix, smooth, R11/C



Mosaic sheet 30 x 30 cm, 12 x 12 in
graphite black-mix, smooth, R10/B



Mosaic sheet 30 x 30 cm, 12 x 12 in
deep blue-mix, smooth, R10/B




Mosaic sheet 30 x 30 cm, 12 x 12 in
caribbean-blue-mix, smooth, R10/B




Mosaics glued thermoplastically on back of Agrob Buchtal can be used
not only in dry zones but also without any problems in underwater areas
(e.g. swimming pools/whirlpools) as well as in permanently wet areas
(e.g. pool surrounds/showers).



Mosaic sheet 30 x 30 cm, 12 x 12 in denim blue-mix, smooth, R10/B,
Mosaic sheet 30 x 30 cm, 12 x 12 in denim blue-mix, smooth, R11/C



Mosaic sheet 30 x 30 cm, 12 x 12 in light blue-mix, smooth, R10/B,
Mosaic sheet 30 x 30 cm, 12 x 12 in light blue-mix, smooth, R11/C




Mosaic sheet 30 x 30 cm, 12 x 12 in pacific blue-mix, smooth, R10/B,
Mosaic sheet 30 x 30 cm, 12 x 12 in pacific blue-mix, smooth, R11/C




Mosaic sheet 30 x 30 cm, 12 x 12 in midnight blue-mix, smooth, R10/B,
Mosaic sheet 30 x 30 cm, 12 x 12 in midnight blue-mix, smooth, R11/C




Mosaic sheet 30 x 30 cm, 12 x 12 in vivid violet-mix, smooth, R10/B,
Mosaic sheet 30 x 30 cm, 12 x 12 in vivid violet-mix, smooth, R11/C




Mosaic sheet 30 x 30 cm, 12 x 12 in sunset orange-mix, smooth, R10/B,
Mosaic sheet 30 x 30 cm, 12 x 12 in sunset orange-mix, smooth, R11/C



Mosaic sheet 30 x 30 cm, 12 x 12 in coral red-mix, smooth, R10/B,
Mosaic sheet 30 x 30 cm, 12 x 12 in coral red-mix, smooth, R11/C




Mosaic sheet 30 x 30 cm, 12 x 12 in brick red-mix, smooth, R10/B




Mosaic sheet 30 x 30 cm, 12 x 12 in mystic red-mix, smooth, R10/B,
Mosaic sheet 30 x 30 cm, 12 x 12 in mystic red-mix, smooth, R11/C



Mosaic sheet 30 x 30 cm, 12 x 12 in forest green-mix, smooth, R10/B




Mosaic sheet 30 x 30 cm, 12 x 12 in lime green-mix, smooth, R10/B,
Mosaic sheet 30 x 30 cm, 12 x 12 in lime green-mix, smooth, R11/C



Mosaic sheet 30 x 30 cm, 12 x 12 in sunshine yellow-mix, smooth, R10/B,
Mosaic sheet 30 x 30 cm, 12 x 12 in sunshine yellow-mix, smooth, R11/C

Mosaic **Color
Gradient¹**

2.5 x 2.5 cm



2.5 x 2.5 cm



	Sheet: 297 x 297 mm	Sheet: 297 x 297 mm						
Nom. dim. - cm/in	2.5 x 2.5 / 1 x 1	2.5 x 2.5 / 1 x 1						
Work size	23 x 23 x 6.5 mm	23 x 23 x 6.5 mm						
Surface	smooth, glossy	smooth, glossy						
m ² - pieces	11 sheets	11 sheets						
m ² - kg	12.100							
Bundle - pieces	11 sheets	8 sheets						
Bundle - m ²	1.000	0.800						
Bundle - kg	12.100	8.800						
Pallet - m ²	48.000							
Pallet - kg	580.800							
Product standard	B1b	B1b						
Slip resistance								
Stress group	1	1						
snow white	V2	3 41200H Price gr. A229 (m ²)						
desert sand-mix	V2	3 41201H Price gr. A229 (m ²)						
taupe-mix	V2	3 41202H Price gr. A229 (m ²)						
light grey-mix	V2	3 41203H Price gr. A229 (m ²)						
medium grey-mix	V2	3 41204H Price gr. A229 (m ²)						
midnight black-mix	V2	2 41205H Price gr. A229 (m ²)						
denim blue-mix	V2	3 41206H Price gr. A250 (m ²)						
light blue-mix	V2	3 41207H Price gr. A250 (m ²)						
pacific blue-mix	V2	3 41208H Price gr. A250 (m ²)						
midnight blue-mix	V2	3 41209H Price gr. A250 (m ²)						
vivid violet-mix	V2	2 41210H Price gr. A250 (m ²)						
sunset orange-mix	V2	3 41211H Price gr. A250 (m ²)						
coral red-mix	V2	3 41212H Price gr. A250 (m ²)						
mystic red-mix	V2	2 41213H Price gr. A250 (m ²)						
lime green-mix	V2	3 41214H Price gr. A250 (m ²)						
sunshine		3 41215H Price gr. A250 (m ²)						
yellow-mix	V2							
aqua	V2							
glossy	V2	41520H Price gr. A750 (pce.)						

¹ Work size without external joint: 297 x 2376 mm

The indicated price refers to the color gradient = 8 sheets


Color gradients can be designed individually. We would be delighted to examine the possibility of such customized production in individual cases.

Do you already know our Mosaic Designer at our website www.agrob-buchtal.com?

There, you will have the possibility of designing your individual color gradients, mosaic compositions and the laying of pictures.

Mosaic

2.5 x 2.5 cm






¹ Not or only to a limited extent resistant to acids and alkalis.

² To prevent the abrasion of the surface coating, laying on the floor or exposure to any comparable stress must be absolutely avoided.

³ without Hytect coating



Mosaic



	Sheet: 297 x 297 mm	Sheet: 297 x 297 mm	Sheet: 297 x 297 mm					
Nom. dim. - cm/in	2.5 x 2.5 / 1 x 1	5 x 5 / 2 x 2	5 x 5 / 2 x 2					
Work size	23 x 23 x 6.5 mm	47 x 47 x 6.5 mm	47 x 47 x 6.5 mm					
Surface	smooth, matt	smooth, matt	smooth, matt					
m ² - pieces	11 sheets	11 sheets	11 sheets					
m ² - kg	12.100	12.331	12.331					
Bundle - pieces	11 sheets	11 sheets	11 sheets					
Bundle - m ²	1.000	1.000	1.000					
Bundle - kg	12.100	12.331	12.331					
Pallet - m ²	48.000	64.000	64.000					
Pallet - kg	580.800	789.184	789.184					
Product standard	B1b	B1b	B1b					
Slip resistance	R10/B	R10/B	R10/C					
Stress group	1	1	1					
snow white	V2	41300H Price gr. A238 (m ²)	41400H-73 Price gr. A196 (m ²)	41420H Price gr. A211 (m ²)				
desert sand-mix	V2	41301H Price gr. A238 (m ²)	41401H-73 Price gr. A196 (m ²)	41421H Price gr. A211 (m ²)				
taupe-mix	V2	3 41302H Price gr. A238 (m ²)	41402H-73 Price gr. A196 (m ²)	41422H Price gr. A211 (m ²)				
light grey-mix	V2	4 41303H Price gr. A238 (m ²)	41403H-73 Price gr. A196 (m ²)	41423H Price gr. A211 (m ²)				
medium grey-mix	V2	4 41304H Price gr. A238 (m ²)	41404H-73 Price gr. A196 (m ²)	41424H Price gr. A211 (m ²)				
midnight black-mix	V2	3 41305H Price gr. A238 (m ²)	41405H-73 Price gr. A196 (m ²)	41425H Price gr. A211 (m ²)				
denim blue-mix	V2	3 41306H Price gr. A259 (m ²)	41406H Price gr. A217 (m ²)	41426H Price gr. A229 (m ²)				
light blue-mix	V2	3 41307H Price gr. A259 (m ²)	41407H Price gr. A217 (m ²)	41427H Price gr. A229 (m ²)				
pacific blue-mix	V2	4 41308H Price gr. A259 (m ²)	41408H Price gr. A217 (m ²)	41428H Price gr. A229 (m ²)				
midnight blue-mix	V2	3 41309H Price gr. A259 (m ²)	41409H Price gr. A217 (m ²)	41429H Price gr. A229 (m ²)				
vivid violet-mix	V2	3 41310H Price gr. A259 (m ²)	41410H Price gr. A217 (m ²)	41430H Price gr. A229 (m ²)				
sunset orange-mix	V2	4 41311H Price gr. A259 (m ²)	41411H Price gr. A217 (m ²)	41431H Price gr. A229 (m ²)				
coral red-mix	V2	3 41312H Price gr. A259 (m ²)	41412H Price gr. A217 (m ²)	41432H Price gr. A229 (m ²)				
mystic red-mix	V2	3 41313H Price gr. A259 (m ²)	41413H Price gr. A217 (m ²)	41433H Price gr. A229 (m ²)				
lime green-mix	V2	3 41314H Price gr. A259 (m ²)	41414H Price gr. A217 (m ²)	41434H Price gr. A229 (m ²)				
sunshine yellow-mix	V2	4 41315H Price gr. A259 (m ²)	41415H Price gr. A217 (m ²)	41435H Price gr. A229 (m ²)				
forest green mix	V2	3 41316H Price gr. A259 (m ²)	41450H Price gr. A217 (m ²)					
deep blue mix	V2	2 41317H Price gr. A259 (m ²)	41451H Price gr. A217 (m ²)					
brick red mix	V2	3 41318H Price gr. A259 (m ²)	41452H Price gr. A217 (m ²)					
silver grey mix	V2	4 41319H Price gr. A259 (m ²)	41453H Price gr. A217 (m ²)					
warm grey mix	V2	4 41320H Price gr. A259 (m ²)	41454H Price gr. A217 (m ²)					
white grey mix	V2	3 41321H Price gr. A259 (m ²)	41455H Price gr. A217 (m ²)					
carribian blue mix	V2	4 41322H Price gr. A259 (m ²)	41456H Price gr. A217 (m ²)					
graphite black mix	V2	3 41323H Price gr. A259 (m ²)	41457H Price gr. A217 (m ²)					






Indoor swimming pool, Höxter, Germany / Architect: Hooper Architects / Series: Fresh, Quarzit / Photo: Jochen Stüber








Fine and round


The perfect answer to the trend towards soft, rounded designs is the mosaic Loop. It is available in 15 finely nuanced, high-gloss colors, six of which are also available in a matt, slip-resistant version. This extends the range of applications to showers and other wet areas. In addition to the mosaic with a 2 cm diameter, a 1 cm variant is also available, which conveys a particularly filigree and elegant impression. In contrasting colors, it is also suitable for pictograms, letters, arrows and QR codes.

Alster-Schwimmhalle, Hamburg, Germany
Architect: gmp Architekten, Hamburg
Series: Loop, Chroma / Photo: Jochen Stüber

Mosaic Ø 1 cm, Ø 3/8 in



Mosaic sheet 32 x 32 cm, 13 x 13 in arctic white glossy, smooth



Mosaic sheet 32 x 32 cm, 13 x 13 in night black glossy, smooth



Mosaic sheet 32 x 32 cm, 13 x 13 in light ivory glossy, smooth




Mosaic sheet 32 x 32 cm, 13 x 13 in ivory glossy, smooth




Mosaic sheet 32 x 32 cm, 13 x 13 in light diamond grey glossy, smooth




Mosaic sheet 32 x 32 cm, 13 x 13 in diamond grey glossy, smooth




Mosaic sheet 32 x 32 cm, 13 x 13 in denim glossy, smooth




Mosaic sheet 32 x 32 cm, 13 x 13 in light aqua blue glossy, smooth




Mosaic sheet 32 x 32 cm, 13 x 13 in aqua blue glossy, smooth




Mosaic sheet 32 x 32 cm, 13 x 13 in steel blue glossy, smooth




Mosaic sheet 32 x 32 cm, 13 x 13 in dark violet glossy, smooth




Mosaic sheet 32 x 32 cm, 13 x 13 in sea green glossy, smooth



Mosaic sheet 32 x 32 cm, 13 x 13 in coral-red glossy, smooth



Mosaic sheet 32 x 32 cm, 13 x 13 in lemon-yellow glossy, smooth




Mosaic sheet 32 x 32 cm, 13 x 13 in bronze-metallic, glossy, smooth

The products depicted can also be manufactured in other colors. We would be delighted to examine the possibility of such customized production in individual cases.




Mosaics glued thermoplastically on back of Agrob Buchtal can be used not only in dry zones but also without any problems in underwater areas (e.g. swimming pools/whirlpools) as well as in permanently wet areas.

Color gradient
 $\varnothing 1 \text{ cm}$, $\varnothing 3/8 \text{ in}$





ocean glossy

Color gradient
 $\varnothing 2 \text{ cm}$, $\varnothing 6/8 \text{ in}$



ocean glossy

More examples



production size without external joint
 $314 \times 2,528 \times 6.5 \text{ mm}$

The colors of Loop can be randomly replaced in the standard color gradient without extra charge. We will be pleased to check an individual design of color gradients with regard to dimensions and color combinations as customized production.


Do you already know our Mosaic Designer at our website
www.agrob-buchtal.com?

There, you will have the possibility of designing your individual color gradients, mosaic compositions and the laying of pictures.

Mosaic Ø 2 cm, Ø 6/8 in




Mosaic sheet 32 x 32 cm, 13 x 13 in arctic white glossy, smooth,
Mosaic sheet 32 x 32 cm, 13 x 13 in arctic white, smooth, R10/B




Mosaic sheet 32 x 32 cm, 13 x 13 in night black glossy, smooth,
Mosaic sheet 32 x 32 cm, 13 x 13 in night black, smooth, R10/B




Mosaic sheet 32 x 32 cm, 13 x 13 in light ivory glossy, smooth,
Mosaic sheet 32 x 32 cm, 13 x 13 in light ivory, smooth, R10/B




Mosaic sheet 32 x 32 cm, 13 x 13 in ivory glossy, smooth




Mosaic sheet 32 x 32 cm, 13 x 13 in light diamond grey glossy, smooth,
Mosaic sheet 32 x 32 cm, 13 x 13 in light diamond grey, smooth, R10/B




Mosaic sheet 32 x 32 cm, 13 x 13 in diamond grey glossy, smooth



Mosaic sheet 32 x 32 cm, 13 x 13 in denim glossy, smooth




Mosaic sheet 32 x 32 cm, 13 x 13 in light aqua blue glossy, smooth,
Mosaic sheet 32 x 32 cm, 13 x 13 in light aqua blue, smooth, R10/B




Mosaic sheet 32 x 32 cm, 13 x 13 in aqua blue glossy, smooth,
Mosaic sheet 32 x 32 cm, 13 x 13 in aqua blue, smooth, R10/B




Mosaic sheet 32 x 32 cm, 13 x 13 in steel blue glossy, smooth




Mosaic sheet 32 x 32 cm, 13 x 13 in dark violet glossy, smooth



Mosaic sheet 32 x 32 cm, 13 x 13 in sea green glossy, smooth,
Mosaic sheet 32 x 32 cm, 13 x 13 in sea green, smooth, R10/B



Mosaic sheet 32 x 32 cm, 13 x 13 in coral-red glossy, smooth



Mosaic sheet 32 x 32 cm, 13 x 13 in lemon-yellow glossy, smooth





Mosaic sheet 32 x 32 cm, 13 x 13 in bronze-metallic, smooth




Mosaics glued thermoplastically on back of Agrob Buchtal can be used not only in dry zones but also without any problems in underwater areas (e.g. swimming pools/whirlpools) as well as in permanently wet areas.

Mosaic



Color Gradient



	Sheet: 316 x 316 mm	Sheet: 326 x 316 mm	Sheet: 316 x 316 mm	Sheet: 326 x 316 mm	
	Ø 1 / 3/8	Ø 2 / 6/8	Ø 1 / Ø 3/8	Ø 2 / 6/8	
	Ø 12 x 6.5 mm	Ø 22.3 x 6.5 mm	Ø 12 x 6.5 mm	Ø 22.3 x 6.5 mm	
	smooth, glossy	smooth, glossy	smooth, glossy	smooth, glossy	
	10 sheets	10 sheets			
	9.720	11.600			
	10 sheets	10 sheets	8 sheets	8 sheets	
	1.000	1.000	0.800	0.800	
	9.720	11.600	7.776	8.872	
	24.000	48.000			
	233.280	556.800			
	B1b	B1b	B1b	B1b	
	40000H	40020H			
	Price gr. A382 (m ²)	Price gr. A304 (m ²)			
	40001H	40021H			
	Price gr. A382 (m ²)	Price gr. A304 (m ²)			
	40002H	40022H			
	Price gr. A382 (m ²)	Price gr. A304 (m ²)			
	40003H	40023H			
	Price gr. A382 (m ²)	Price gr. A304 (m ²)			
	40004H	40024H			
	Price gr. A382 (m ²)	Price gr. A304 (m ²)			
	40005H	40025H			
	Price gr. A382 (m ²)	Price gr. A304 (m ²)			
	40006H	40026H			
	Price gr. A382 (m ²)	Price gr. A304 (m ²)			
	40007H	40027H			
	Price gr. A382 (m ²)	Price gr. A304 (m ²)			
	40008H	40028H			
	Price gr. A382 (m ²)	Price gr. A304 (m ²)			
	40009H	40029H			
	Price gr. A382 (m ²)	Price gr. A304 (m ²)			
	40010H	40030H			
	Price gr. A382 (m ²)	Price gr. A304 (m ²)			
	40011H	40031H			
	Price gr. A382 (m ²)	Price gr. A304 (m ²)			
	40012H	40032H			
	Price gr. A382 (m ²)	Price gr. A304 (m ²)			
	40013H	40033H			
	Price gr. A382 (m ²)	Price gr. A304 (m ²)			
	40014^{4/5}	40034^{4/5}			
	Price gr. A385 (m ²)	Price gr. A346 (m ²)			
			40056H	40057H	
			Price gr. A791 (pce.)	Price gr. A750 (pce.)	

¹ Work size without external joint: 316 x 2528 x 6.5 mm

² Work size without external joint: 326 x 2528 x 6.5 mm

³ The indicated price refers to the color gradient = 8 sheets

⁴ Not or only to a limited extent resistant to acids and alkalis.

⁵ without Hytect

Color gradients can be designed individually. We would be delighted to examine the possibility of such customized production in individual cases.


Do you already know our Mosaic Designer at our website www.agrob-buchtal.com?

There, you will have the possibility of designing your individual color gradients, mosaic compositions and the laying of pictures.



Mosaic

Ø 2 cm



Sheet: 326 x 316 mm

	Stress group	Ø 2 / 6/8	Ø 22.3 x 6.5 mm	smooth, matt	10 sheets	11.600	10 sheets	1.000	11.600	48.000	556.800	Blb	R10/B					
Nom. dim. - cm/in		Ø 2 / 6/8	Ø 22.3 x 6.5 mm	smooth, matt	10 sheets	11.600	10 sheets	1.000	11.600	48.000	556.800	Blb	R10/B					
Work size																		
Surface																		
m ² - pieces																		
m ² - kg																		
Bundle - pieces																		
Bundle - m ²																		
Bundle - kg																		
Pallet - m ²																		
Pallet - kg																		
Product standard																		
Slip resistance																		
arctic white	V2	40040H Price gr. A313 (m ²)																
night black	V2	40041H Price gr. A313 (m ²)																
light ivory	V2	40042H Price gr. A313 (m ²)																
light diamond grey	V2	40044H Price gr. A313 (m ²)																
aqua blue light	V2	40047H Price gr. A313 (m ²)																
aqua blue	V2	3 40048H Price gr. A313 (m ²)																
sea green	V2	3 40071H Price gr. A313 (m ²)																

The products depicted can also be manufactured in other colors.

We would be delighted to examine the possibility of such customized production in individual cases.



Wide range

In addition to the series Fresh and Loop presented here, Agrob Buchtal also offers other mosaic series for diverse architectural concepts. All information about this is included in the 2025 programme of delivery.




Amano

Delicately transparent colors and a glossy relief surface in the format of 2.5 x 2.5 cm characterize the series Amano.




Karl

Craftsmanship and original glazes interpreted in a creative manner – this is what the series Karl offers in two mosaic formats.



Marble & More

Small-scale aesthetics in marble look – this is Marble & More, which provides great design scope in six colors and the format 2.5 x 2.5 cm.



Planning and know-how



Swimming pool expertise in all project phases


Whether at the research in the laboratory, in the in-house production or on location at the construction site – Agrob Buchtal uses its extensive expertise in the swimming pool sector to optimally adapt products and services to the requirements of architects, planners and swimming pool operators. In the service of architecture, Agrob Buchtal develops innovative technologies for surface upgrading, realizes individual custom-made products and provides support at routine planning tasks.

The in-house planning department

Efficient support for seven decades


At Agrob Buchtal, high-quality products and expert services go hand in hand. In this way, planners and architects who use our products have had access to our proven architect service since 1952, fostering a collaborative partnership.

A dedicated team of qualified technicians, engineers, architects, designers and color experts ensures swift and seamless realization of individual concepts. Since these experts are not only specialized advisers but also carry out numerous routine tasks, Agrob Buchtal customers can completely concentrate on the realization of their creative ideas. The range of services includes installation plans, quantity calculations, tender specifications, and project-specific technical consulting. Upon request, an on-site contact person is available.





Aquarama, Kristiansand, Norway
Architect: Asplan Viak / Photo: Anders Martinsen





A



B



Slip resistance from A to C

Slip-resistant tiles for diverse applications are one of the core competences of Agrob Buchtal. This is particularly important in the swimming pool sector in order to prevent accidents caused by slipping.

The GRIP quality seal stands for the many years of experience of Agrob Buchtal in the field of slip resistance and is supervised by permanent external controls. The first slip-resistant tiles were established in the market by our company more than 80 years ago. Since then, they have been continuously further optimized through intensive research and development work. Today, the use of tiles in barefoot areas with a high risk of accident is subject to special legal regulations. The ceramic series of Agrob Buchtal meet these standards and are available in the valuation groups A and B, which are required for swimming pools. For the use under water – for example stairs and walk-through pools – some series also offer variants (decorated and mono-colored) in the slip-resistance category “C”.

From the laboratory into the swimming pool: accident prevention by tested safety

A micro-rough surface ensures a slip-resistant effect and an optimal hold of the soles of the feet in barefoot areas. In addition to high slip resistance, comfortable walking is also guaranteed in this way – without sliding or slipping. The different slip-resistance valuation groups are assigned to the right category by means of the test on the “inclined plane”. The tiles are always tested with different angles of inclination: the higher the angle, the higher the slip resistance.



Valuation group A

Barefoot passages and sanitary areas (nearly dry), individual and common dressing rooms, pool floors in non-swimmer areas if the water depth is more than 80 cm in the entire area, sauna and relaxation areas (nearly dry).

Valuation group B

Barefoot passages and sanitary areas, if not classified in group A, showers, steam baths, area of disinfecting spray facilities, pool surrounds, pool floors in non-swimmer areas if the water depth is less than 80 cm in certain areas, non-swimmer sections of wave-action pools, movable floors, paddling pools, ladders and stairs outside the pool area, accessible surfaces of diving platforms and diving boards, if not classified in group C, sauna and relaxation areas, if not classified in group A.

Valuation group C

Ladders and stairs leading into the water, stairs up to diving facilities and water slides, surfaces of diving platforms and diving boards over the length reserved for the diver (the slip-resistant surface of the diving platforms and diving boards must cover the front edge where the hands and the toes of the divers grip), walk-through pools, Kneipp basins, water-treading basins, inclined pool edge designs, ramps in pool surround areas.


Valuation groups	Angle of inclination	Barefoot area
A	$\geq 12^\circ$	
B	$\geq 18^\circ$	
C	$\geq 24^\circ$	



Expert know-how for competition pools

Special know-how is required at the planning of sports pools satisfying competition standards. The in-house planning department of Agrob Buchtal bundles the experience from the construction of hundreds of sports pools world-wide and offers its knowledge as competent adviser at the realization of such building projects.

However, it's not just about the precise knowledge of and compliance with the rules, which are the prerequisite for recognition by the international swimming association FINA. The special products which also characterize the quality of a sports pool are a frequently discussed topic. This concerns the marking of the lanes on the pool floor, but also the end walls, which support the swimmers' turns and push-offs thanks to slip-resistant surfaces. The experts from Agrob Buchtal will be pleased to explain the advantages of appropriate product solutions. They support their dialogue partners with a wide spectrum of water sports experience: with swimming, water polo and diving, but also with "exotics" such as underwater hockey.



Sportcomplex Koning Willem-Alexander / Hoofddorp, Netherlands / Architect: Slangen+Koenis Architecten / Photo: Marcel van der Burg



Gold Coast Aquatic Centre / Gold Coast, Australia
Architect: Cox Rayner Architects / Photo: Christopher Frederick Jones



Hawthorn Aquatic and Leisure Centre / Melbourne, Victoria, Australia
Architect: Dwp/Suters / Photo: Emma Cross, West Brunswick



Europa Sportpark / Berlin, Germany / Architect: APP Dominique Perrault, Berlin / Photo: Hans-Georg Trimborn, Berlin



Krandelbad, Wildeshausen, Germany
Architect: janßen bär partnerschaft mbB, Bad Zwischenahn, Germany
Photo: Jochen Stüber



Aquarama Kristiansand, Norway / Architect: Asplan Viak AS
Photo: Anders Martinsen

Safety for people with handicap

Exercise in water is relaxing and healthy. This also applies to people with disabilities. Therefore, disabled-friendly planning and equipment also play an important part in swimming pool construction. Agrob Buchtal supports architects in this task with technically sophisticated and visually appealing solutions which enable wheelchair users and people with visual impairment to enjoy an untroubled visit to the pool.

A high pool edge is helpful

The “Koordinierungskreis Bäder” (coordinating organization for pool construction), to which “Deutsche Gesellschaft für das Badewesen”, the German Swimming Association and the German Olympic Sports Association belong, has also addressed this issue and formulated corresponding requirements in its “Directives for Swimming Pool Construction”. For example, a raised pool edge is recommended for wheelchair users, as offered by the corresponding pool edge systems from Agrob Buchtal. This has the advantage that bathers can move from the wheelchair to the pool edge independently and slide into the water from there. People with disabilities who are unable to move from the wheelchair into the water on their own are assisted by so-called swimming pool lifters, which are mounted at the pool edge. To avoid endangering other visitors, it should be possible to “park” the wheelchair outside the pool surround.

Orientation for people with visual impairment

Besides people with limited mobility, blind and visually impaired people also need specific support when visiting the swimming pool. It goes without saying that no equipment should be placed in corridors or on walkways. In addition, special products from Agrob Buchtal, such as e.g. tactile and visually easily perceptible grooved tiles arranged as guide strips for blind people, can help these bathers to find their way. If the water level is at pool surround height, a small bulge outside the overflow channel makes it easier to feel the pool edge with the “white stick”. As an alternative or additional feature, the “Koordinierungskreis Bäder” recommends gently inclined stairs which people with disabilities can use to slowly enter the pool.

Barrier-free, slip-resistant and beautiful

Finally, barrier-free showers are essential for a disabled-friendly swimming pool. Ceramic shower tub systems and appropriate drainage channels are an integral part of the Agrob Buchtal-range. They allow a consistent design and also correspond to the adjoining floor covering with regard to slip resistance.



Horner Bad, Bremen, Germany / Architect: janßen bär partnerschaft mbB, Bad Zwischenahn
Series: Emotion, Plural unglazed / Photo: Jochen Stüber



Ceramic Shower Tub System
Studio photo / Series: Quantum



Kombibad Gropiusstadt, Berlin, Germany
Architect: Veauthier Meyer Architekten / Photo: Jochen Stüber



Indoor swimming pool Wolbeck, Münster, Germany
Architect: Otten beratende Ingenieure
Photo: Alfons Seggewiß

Cleaning tiles properly


Easy cleaning and lasting beauty are among the key advantages of ceramic floor and wall coverings. Even slip-resistant tiles with their rougher surface and tiles with Hytect technology retain their look and functionality for a very long time if they are cleaned properly.

Slip-resistant tiles of the classes A, B and C can be cleaned without hesitation by means of cleaning machines with rotating, soft nylon brushes or microfibre fleece as well as with high-pressure or steam cleaners.

The use of pads or brushes with abrasive grain addition is not permitted because they can significantly reduce the slip resistance!

As a general rule, only cleaning agents should be used which are included in the List of Tested Cleaning Agents for ceramic coverings in swimming pools published by "Deutsche Gesellschaft für das Badewesen". The instructions for use and hazard warnings of the respective manufacturer must always be observed.

Cleaning agents containing hydrofluoric acid or fluorides are absolutely unsuitable because they attack the ceramics even if diluted with plenty of water.



At the **first cleaning after completion of the construction works** and removal of the coarse dirt, cement films usually have to be removed. Only acid cleaners (cement film removers) are suitable for this, but they attack cement-based joints. Such joints must therefore be pre-wetted and thoroughly rinsed after cleaning.

At the **basic cleaning, a particularly careful interim cleaning**, stains often also have to be removed. Here are the most common stains and the respective suitable agents:

- Calcareous deposits, urine stone, rust stains, metal abrasion residues: acid cleaners
- Tar, bitumen, paint drops, residues from expansion joints: naphtha, acetone or caustic pastes
- Epoxy resins: caustic pastes or special cleaning agents
- Oil, grease, wax: highly alkaline cleaners; if required, solvents in addition
- Rubber abrasion residues, pencil lines: mechanical removal by rubbing or brushing, possibly with scouring powder

In most cases, increased exposure times and mechanical support by brushing can improve the cleaning result.

Alkaline cleaning agents are recommended for the **regular maintenance cleaning**, as they are best at dissolving everyday dirt. Depending on the water hardness, it is necessary to alternate cleaning with acid cleaning agents. In general, the following procedure has proved itself:

- Spread the cleaner in the appropriate dilution (depending on the degree of soiling) on the covering
- Let the cleaner act upon the dirt for about 15 minutes, support the chemical dissolving of the dirt mechanically with nylon brushes (without abrasive grain addition)
- Then collect or rinse away the dissolved dirt solution with sufficient water
- Thoroughly rinse the covering

Cleaners containing care products are not necessary. On the contrary: in the long term, sticky layers of grease, wax and plastic can build up, which have a negative effect on the look, hygiene and slip resistance, and also make cleaning more difficult. Disinfectants must be thoroughly removed after the exposure time. Otherwise, together with moisture, they can form a lubricating layer which impairs slip resistance.

The Hytect technology, which has an antibacterial effect and eliminates unpleasant odours in addition, significantly reduces the cleaning effort. It is not affected by either strongly acid or strongly alkaline cleaning agents. However, cleaners containing care products are not recommended also in this context, as the care product film not only reduces the slip resistance, but also impairs the functionality of the coating. If an already existing care product film is thoroughly removed, Hytect will also regain its full effectiveness.





Contents

• Article numbers	266 - 274
• Index according to models	276
• Model numbers	277
• Classification accord. to NCS/RAL / Lightness values	278 - 279
• Luminance contrast	280 - 281
Technical information	282 - 301
World-wide distribution network	302 - 303
Comments	306 - 307



As of now, you will find all article numbers for architectural ceramics in our 2025 programme of delivery.

Article No.	Page(s)	Article No.	Page(s)	Article No.	Page(s)	Article No.	Page(s)	Article No.	Page(s)	Article No.	Page(s)
052036-53510	83	130-1118H	182	240-1019H	183	340-55732	25	340i-34157H	105	360-1111H	182
052036-53511	83	130-1119H	182	240-1020H	183	340-55735	25	340i-34158H	105	360-1112H	182
052036-53512	83	130-1120H	182	240-1021H	183	340-55736	25	340i-34159H	105	360-1113H	182
130-1001H	182	130-1121H	182	240-1022H	183	340-55737	25	340i-38110H	155	360-1115H	182
130-1002H	182	144-12020	151	240-1023H	183	340-55738	25	340i-38115H	157	360-1117H	182
130-1003H	182	144-12050	151	240-1024H	183	340-55740	27	340i-38116H	157	360-1118H	182
130-1004H	182	144-18120	151	240-1025H	183	340-55742	27	340i-38117H	157	360-1119H	182
130-1005H	182	144-18210	151	240-1026H	183	340-55745	27	340i-38118H	157	360-1120H	182
130-1006H	182	144-41550K	151	240-1027H	183	340-55749	27	360-1001H	182	360-1121H	182
130-1007H	182	144-42550K	151	240-1028H	183	340-55760	26	360-1002H	182	40000H	249
130-1008H	182	150i-12020H	151	240-1029H	183	340-55762	26	360-1003H	182	40001H	249
130-1009H	182	150i-12050H	151	240-1030H	183	340-55765	26	360-1004H	182	40002H	249
130-1010H	182	150i-18120H	151	240-1031H	183	340-55766	26	360-1005H	182	40003H	249
130-1011H	182	150i-18210H	151	240-1032H	183	340-55770	26	360-1006H	182	40004H	249
130-1012H	182	150i-41550HK	151	240-1033H	183	340-55775	26	360-1007H	182	40005H	249
130-1013H	182	150i-42550HK	151	240-1034H	183	340-55820	31	360-1008H	182	40006H	249
130-1014H	182	151i-12020H	151	240-1035H	183	340-55821	31	360-1009H	182	40007H	249
130-1015H	182	151i-12050H	151	240-1036H	183	340-55822	31	360-1010H	182	40008H	249
130-1016H	182	151i-18120H	151	240-1037H	183	340-55825	31	360-1011H	182	40009H	249
130-1017H	183	151i-18210H	151	240-1038H	183	340-55826	31	360-1012H	182	40010H	249
130-1018H	183	151i-41550HK	151	240-1039H	183	340-55830	31	360-1013H	182	40011H	249
130-1019H	183	151i-42550HK	151	240-1040H	183	340-55831	31	360-1014H	182	40012H	249
130-1020H	183	152i-12020H	151	240-1111H	182	340-55832	31	360-1015H	182	40013H	249
130-1021H	183	152i-12050H	151	240-1112H	182	340-55835	31	360-1016H	182	40014	249
130-1022H	183	152i-18120H	151	240-1113H	182	340-55836	31	360-1017H	183	40020H	249
130-1023H	183	152i-18210H	151	240-1115H	182	340-55840	32	360-1018H	183	40021H	249
130-1024H	183	152i-41550HK	151	240-1117H	182	340-55841	32	360-1019H	183	40022H	249
130-1025H	183	152i-42550HK	151	240-1118H	182	340-55845	32	360-1020H	183	40023H	249
130-1026H	183	153i-12020H	151	240-1119H	182	340-59420	25	360-1021H	183	40024H	249
130-1027H	183	153i-12050H	151	240-1120H	182	340-59422	25	360-1022H	183	40025H	249
130-1028H	183	153i-18120H	151	240-1121H	182	340-59425	25	360-1023H	183	40026H	249
130-1029H	183	153i-18210H	151	2452	241	340-59426	25	360-1024H	183	40027H	249
130-1030H	183	153i-41550HK	151	2455	241	340-59427	25	360-1025H	183	40028H	249
130-1031H	183	153i-42550HK	151	340-34126	111	340-59428	25	360-1026H	183	40029H	249
130-1032H	183	154i-12020H	151	340-34306	111	340-59620	107	360-1027H	183	40030H	249
130-1033H	183	154i-12050H	151	340-34307	111	340-59627	107	360-1028H	183	40031H	249
130-1034H	183	154i-18120H	151	340-34308	111	340-59628	107	360-1029H	183	40032H	249
130-1035H	183	154i-18210H	151	340-34309	111	340-59629	107	360-1030H	183	40033H	249
130-1036H	183	154i-41550HK	151	340-37120	99	340-59630	107	360-1031H	183	40034	249
130-1037H	183	154i-42550HK	151	340-37121	99	340-59637	107	360-1032H	183	40040H	250
130-1038H	183	240-1001H	182	340-37122	99	340-59638	107	360-1033H	183	40041H	250
130-1039H	183	240-1002H	182	340-37125	100	340-59639	107	360-1034H	183	40042H	250
130-1040H	183	240-1003H	182	340-37126	100	340i-32020H	155	360-1035H	183	40044H	250
130-1041H	184	240-1004H	182	340-37127	100	340i-32025H	157	360-1036H	183	40047H	250
130-1042H	184	240-1005H	182	340-37180	99	340i-32027H	157	360-1037H	183	40048H	250
130-1043H	184	240-1006H	182	340-37182	99	340i-32050H	155	360-1038H	183	40056H	249
130-1044H	184	240-1007H	182	340-37183	100	340i-32055H	157	360-1039H	183	40057H	249
130-1045H	184	240-1008H	182	340-37185	100	340i-32057H	157	360-1040H	183	40071H	250
130-1046H	184	240-1009H	182	340-37188	99	340i-34070H	111	360-1041H	184	410-2008	208
130-1047H	184	240-1010H	182	340-37189	100	340i-34120H	111	360-1042H	184	410-2016	208
130-1048H	184	240-1011H	182	340-53150	32	340i-34125H	111	360-1043H	184	410-2023	208
130-1049H	184	240-1012H	182	340-53151	32	340i-34127H	111	360-1044H	184	410-2033	208
130-1050H	184	240-1013H	182	340-53159	32	340i-34128H	111	360-1045H	184	410-2038	208
130-1111H	182	240-1014H	182	340-55720	26	340i-34146H	105	360-1046H	184	410-2039	208
130-1112H	182	240-1015H	182	340-55722	26	340i-34147H	105	360-1047H	184	410-2040	208
130-1113H	182	240-1016H	182	340-55725	26	340i-34148H	105	360-1048H	184	410-2041	208
130-1115H	182	240-1017H	183	340-55729	26	340i-34149H	105	360-1049H	184	410-2042	208
130-1117H	182	240-1018H	183	340-55730	25	340i-34156H	105	360-1050H	184	410-2043	208

Article No.	Page(s)	Article No.	Page(s)	Article No.	Page(s)	Article No.	Page(s)	Article No.	Page(s)	Article No.	Page(s)
410-2111	208	41435H	242	430773H	138	431528H	137	435624H	32	436240H	174
410-2113	208	41450H	242	430774H	138	431529H	137	435625H	32	436241H	174
41200H	240	41451H	242	430775H	138	431530H	137	435626H	32	436242H	174
41201H	240	41452H	242	430776H	138	431531H	137	435627H	32	436243H	174
41202H	240	41453H	242	430777H	138	431532H	137	435628H	32	552001-12020H	148
41203H	240	41454H	242	430778H	138	431533H	138	435629H	32	552001-12023H	149
41204H	240	41455H	242	430779H	139	431534H	138	435630H	32	552001-12050H	148
41205H	240	41456H	242	430780H	139	431535H	138	435631H	32	552001-12053H	149
41206H	240	41457H	242	430781H	139	431536H	138	435632H	32	552001-17112	97
41207H	240	41505	241	430782H	139	431537H	138	435633H	32	552001-17190	97
41208H	240	41509	241	430783H	139	431538H	138	435634H	32	552001-17191	97
41209H	240	41510	241	430784H	139	431539H	138	435635H	32	552001-17193	97
41210H	240	41513	241	430785H	139	431540H	138	435636H	32	552001-17194	97
41211H	240	41520H	240	430786H	139	431541H	138	435637H	114	552001-17196	97
41212H	240	430352-53510H	83	430787H	139	431542H	138	435638H	114	552001-18120H	148
41213H	240	430352-53511H	83	430788H	139	431543H	138	435639H	114	552001-18123H	149
41214H	240	430352-53512H	83	430789H	33, 139	431544H	138	435640H	114	552001-18124H	149
41215H	240	430701H	135	430790H	33, 139	431545H	138	435641H	114	552001-18190	97
41216H	241	430702H	135	430791H	33, 139	431546H	139	435642H	114	552001-18191	97
41217H	241	430703H	135	430792H	33, 139	431547H	139	435643H	114	552001-18192	97
41218H	241	430704H	135	430793H	33, 139	431548H	139	435644H	114	552001-18193	97
41219H	241	430705H	135	430794H	33, 139	431549H	139	435645H	114	552001-18194	97
41220H	241	430706H	135	430795H	33, 139	431550H	139	435646H	114	552001-18196	97
41221H	241	430707H	135	430796H	33, 139	431551H	33, 139	435647H	114	552001-18210H	148
41222H	241	430708H	135	430802H	33, 139	431552H	33, 139	435648H	114	552001-18213H	149
41223H	241	430709H	135	430803H	33, 139	431553H	33, 139	435649H	114	552001-18214H	149
41300H	242	430710H	135	430804H	33, 139	431554H	33, 139	435650H	114	552001-34070H	111
41301H	242	430711H	135	430805H	33, 139	431555H	33, 139	435651H	114	552001-34120H	111
41302H	242	430712H	135	430806H	140	431556H	33, 139	435652H	114	552001-34125H	111
41303H	242	430713H	135	430807H	140	431557H	140	435653H	114	552001-34126H	111
41304H	242	430714H	135	430808H	140	431558H	140	435654H	114	552001-34127H	111
41305H	242	430715H	135	430809H	140	431559H	115, 140	435655H	114	552001-34128H	111
41306H	242	430716H	135	430810H	115, 140	431560H	115, 140	435656H	114	552001-341550HK	189
41307H	242	430717H	137	430811H	115, 140	431561H	115, 140	435657H	114	552001-34170H	111
41308H	242	430718H	137	430812H	115, 140	431562H	115, 140	435658H	114	552001-342550HK	190
41309H	242	430719H	137	430813H	115, 140	431563H	115, 140	435659H	114	552001-352010HK	189
41310H	242	430720H	137	430814H	115, 140	431564H	115, 140	435660H	114	552001-352050HK	190
41311H	242	430721H	135	430815H	115, 140	431565H	115, 140	435661H	114	552001-37088	97
41312H	242	430722H	135	430816H	115, 140	431566H	115, 140	435662H	114	552001-37120	99
41313H	242	430723H	135	430817H	115, 140	431567H	141	435663H	114	552001-37121	99
41314H	242	430724H	135	430818H	115, 140	431576H	136	435664H	114	552001-37122	99
41315H	242	430725H	135	430819H	115, 140	431576H-TF	136	435665H	114	552001-37125	100
41316H	242	430726H	135	430820H	115, 140	431577H	136	435666H	114	552001-37126	100
41317H	242	430727H	135	430821H	115, 140	431577H-TF	136	435667H	114	552001-37127	100
41318H	242	430728H	135	430822H	115, 140	431578H	136	435668H	114	552001-37180	99
41319H	242	430729H	136	430823H	115, 140	431578H-TF	136	435669H	114	552001-37182	99
41320H	242	430730H	136	430824H	115, 140	431579H	136	435670H	114	552001-37183	100
41321H	242	430731H	136	430825H	115, 140	431579H-TF	136	435671H	114	552001-37185	100
41322H	242	430732H	136	430826H	141	431580H	136	435672H	114	552001-37186	97
41323H	242	430733H	136	430827H	141	431580H-TF	136	435673H	114	552001-37188	99
41400H-73	242	430734H	136	430828H	141	431581H	136	435674H	114	552001-37189	100
41401H-73	242	430735H	136	430829H	141	431581H-TF	136	435675H	114	552001-41550HK	148
41402H-73	242	430736H	136	430829H	137	431582H	136	435676H	114	552001-42550HK	148
41403H-73	242	430737H	137	430985H	137	431583H	136	435677H	114	552001-55100	49
41404H-73	242	430738H	137	430986H	137	431584H	136	435678H	114	552001-55101	49
41405H-73	242	430739H	137	430987H	137	431585H	136	435679H	114	552001-55105	49
41406H	242	430740H	137	430988H	137	431586H	136	435680H	114	552001-55106	49
41407H	242	430741H	137	430989H	137	431587H	136	435681H	114	552001-55107/08	49
41408H	242	430742H	137	430990H	137	431580H	32	435682H	114	552001-55140	49
41409H	242	430743H	137	430991H	137	431582H	32	435683H	114	552001-55141	49
41410H	242	430744H	137	431501H	135	431583H	32	435684H	114	552001-55143	49
41411H	242	430753H	138	431502H	135	431584H	32	436220H	174	552001-55145	49
41412H	242	430754H	138	431503H	135	431585H	32	436221H	174	552001-55146	49
41413H	242	430755H	138	431504H	135	431586H	32	436222H	174	552001-55147/48	49
41414H	242	430756H	138	431505H	135	431587H	32	436223H	174	552001-55180	37
41415H	242	430757H	138	431506H	135	431588H	32	436224H	174	552001-55181	37
41420H	242	430758H	138	431507H	135	431589H	32	436225H	174	552001-55185	37
41421H	242	430759H	138	431508H	135	431590H	32	436226H	174	552001-55186	37
41422H	242	430760H	138	431509H	135	431591H	32	436227H	174	552001-55187/88	37, 41
41423H	242	430761H	138	431510H	135	431592H	32	436228H	174	552001-55440	92
41424H	242	430762H	138	431511H	135	431593H	32	436229H	174	552001-55442	92
41425H	242	430763H	138	431512H	135	431594H	32	436230H	174	552001-55445	92
41426H	242	430764H	138	431513H	136	431595H	32	436231H	174	552001-55446	92
41427H	242	430765H	138	431514H	136	431596H	32	436232H	174	552001-55460	93
41428H	242	430766H	138	431515H	136	431597H	32	436233H	174	552001-55462	93
41429H	242	430767H	138	431516H	136	431598H	32	436234H	174	552001-55465	93
41430H	242	430768H	138	431523H	137	431599H	32	436235H	174	552001-55466	93
41431H	242	430769H	138	431524H	137	431600H	32	436236H	174	552001-55563	112
41432H	242	430770H	138	431525H	137	431601H	32	436237H	174	552001-55565	112
41433H	242	430771H	138	431526H	137	431602H	32	436238H	174	552001-55566	112
41434H	24										

Article No.	Page(s)										
552001-55800	93	552002-18214H	149	552002-85196	39	552007-352010HK	189	552015-352050HK	190	552023-41550HK	150
552001-55802	93	552002-34070H	111	552002-85197/98	39	552007-352050HK	190	552015-41550HK	150	552023-42550HK	150
552001-55805	93	552002-34120H	111	552002-86160	57	552007-41550HK	148	552015-42550HK	150	552024-12020H	150
552001-55806	93	552002-34125H	111	552002-86161	57	552007-42550HK	148	552016-12020H	150	552024-12050H	150
552001-55850	57	552002-34126H	111	552002-86162	57	552008-12020H	148	552016-12050H	150	552024-18120H	150
552001-55852	57	552002-34127H	111	552002-86163	57	552008-12050H	148	552016-18120H	150	552024-18210H	150
552001-55855	57	552002-34128H	111	552002-86165	57	552008-18120H	148	552016-18210H	150	552024-341550HK	191
552001-55856	57	552002-341550HK	189	552002-86167/68	57	552008-18210H	148	552016-341550HK	189	552024-342550HK	192
552001-55857/58	57	552002-34170H	111	552002-87160	45	552008-341550HK	189	552016-342550HK	190	552024-352010HK	191
552001-85160	37	552002-342550HK	190	552002-87161	45	552008-342550HK	190	552016-352010HK	189	552024-352050HK	192
552001-85161	37	552002-352010HK	189	552002-87163	45	552008-352010HK	189	552016-352050HK	190	552024-41550HK	150
552001-85163	37	552002-352050HK	190	552002-87165	45	552008-352050HK	190	552016-41550HK	150	552024-42550HK	150
552001-85165	37	552002-37088	97	552002-87166	45	552008-41550HK	148	552016-42550HK	150	552025-12020H	150
552001-85166	37	552002-37120	99	552002-87167/68	45	552008-42550HK	148	552017-12020H	150	552025-12050H	150
552001-85167/68	37, 41	552002-37121	99	552002-95160	41	552009-12020H	148	552017-12050H	150	552025-18120H	150
552001-85180	39	552002-37122	99	552002-95161	41	552009-12050H	148	552017-18120H	150	552025-18210H	150
552001-85181	39	552002-37125	100	552002-95163	41	552009-18120H	148	552017-18210H	150	552025-341550HK	191
552001-85183	39	552002-37126	100	552002-95165	41	552009-18210H	148	552017-341550HK	191	552025-342550HK	192
552001-85185	39	552002-37127	100	552002-95166	41	552009-341550HK	189	552017-342550HK	192	552025-352010HK	191
552001-85186	39	552002-37180	99	552002-95180	41	552009-342550HK	190	552017-352010HK	191	552025-352050HK	192
552001-85187/88	39	552002-37182	99	552002-95181	41	552009-352010HK	189	552017-352050HK	192	552025-41550HK	150
552001-85190	39	552002-37183	100	552002-95183	41	552009-352050HK	190	552017-41550HK	150	552025-42550HK	150
552001-85191	39	552002-37185	100	552002-95185	41	552009-41550HK	148	552017-42550HK	150	552026-12020H	150
552001-85193	39	552002-37186	97	552002-95186	41	552009-42550HK	148	552018-12020H	150	552026-12050H	150
552001-85195	39	552002-37188	99	552002-S50044	37	552010-12020H	148	552018-12050H	150	552026-18120H	150
552001-85196	39	552002-37189	100	552002-S50065	49	552010-12050H	148	552018-18120H	150	552026-18210H	150
552001-85197/98	39	552002-41550HK	148	552002-S55102	49	552010-18120H	148	552018-18210H	150	552026-341550HK	191
552001-86160	57	552002-42550HK	148	552002-S55142	49	552010-18210H	148	552018-341550HK	191	552026-342550HK	192
552001-86161	57	552002-55100	49	552002-S55182	37	552010-341550HK	189	552018-342550HK	192	552026-352010HK	191
552001-86162	57	552002-55101	49	552002-S58162	37	552010-342550HK	190	552018-352010HK	191	552026-352050HK	192
552001-86163	57	552002-55105	49	552002-S85182	39	552010-352010HK	189	552018-352050HK	192	552026-41550HK	150
552001-86165	57	552002-55106	49	552002-S85192	39	552010-352050HK	190	552018-41550HK	150	552026-42550HK	150
552001-86167/68	57	552002-55107/08	49	552002-S87162	45	552010-41550HK	148	552018-42550HK	150	552027-12020H	150
552001-87160	45	552002-55140	49	552002-S95162	41	552010-42550HK	148	552019-12020H	150	552027-12050H	150
552001-87161	45	552002-55141	49	552002-S95182	41	552011-12020H	148	552019-12050H	150	552027-18120H	150
552001-87163	45	552002-55143	49	552003-12020H	148	552011-12050H	148	552019-18120H	150	552027-18210H	150
552001-87165	45	552002-55145	49	552003-12050H	148	552011-18120H	148	552019-18210H	150	552027-341550HK	191
552001-87166	45	552002-55146	49	552003-18120H	148	552011-18210H	148	552019-341550HK	191	552027-342550HK	192
552001-87167/68	45	552002-55147/48	49	552003-18210H	148	552011-341550HK	189	552019-342550HK	192	552027-352010HK	191
552001-95160	41	552002-55180	37	552003-341550HK	189	552011-342550HK	190	552019-352010HK	191	552027-352050HK	192
552001-95161	41	552002-55181	37	552003-342550HK	190	552011-352010HK	189	552019-352050HK	192	552027-41550HK	150
552001-95163	41	552002-55185	37	552003-352010HK	189	552011-352050HK	190	552019-41550HK	150	552027-42550HK	150
552001-95165	41	552002-55186	37	552003-352050HK	190	552011-41550HK	148	552019-42550HK	150	552028-12020H	150
552001-95166	41	552002-55187/88	37, 41	552003-41550HK	148	552011-42550HK	148	552020-12020H	150	552028-12050H	150
552001-95180	41	552002-55440	92	552003-42550HK	148	552012-12020H	148	552020-12050H	150	552028-18120H	150
552001-95181	41	552002-55442	92	552004-12020H	148	552012-12050H	148	552020-18120H	150	552028-18210H	150
552001-95183	41	552002-55445	92	552004-12050H	148	552012-18120H	148	552020-18210H	150	552028-341550HK	191
552001-95185	41	552002-55446	92	552004-18120H	148	552012-18210H	148	552020-341550HK	191	552028-342550HK	192
552001-95186	41	552002-55460	93	552004-18210H	148	552012-341550HK	189	552020-342550HK	192	552028-352010HK	191
552001-S50044	37	552002-55462	93	552004-341550HK	189	552012-342550HK	190	552020-352010HK	191	552028-352050HK	192
552001-S50065	49	552002-55465	93	552004-342550HK	190	552012-352010HK	189	552020-352050HK	192	552028-41550HK	150
552001-S55102	49	552002-55466	93	552004-352010HK	189	552012-352050HK	190	552020-41550HK	150	552028-42550HK	150
552001-S55142	49	552002-55563	112	552004-352050HK	190	552012-41550HK	148	552020-42550HK	150	552029-12020H	150
552001-S55182	37	552002-55565	112	552004-41550HK	148	552012-42550HK	148	552021-12020H	150	552029-12050H	150
552001-S85162	37	552002-55566	112	552004-42550HK	148	552013-12020H	150	552021-12050H	150	552029-18120H	150
552001-S85182	39	552002-55567	112	552005-12020H	148	552013-12050H	150	552021-18120H	150	552029-18210H	150
552001-S85192	39	552002-55800	93	552005-12050H	148	552013-18120H	150	552021-18210H	150	552029-341550HK	191
552001-S87162	45	552002-55802	93	552005-18120H	148	552013-18210H	150	552021-341550HK	191	552029-342550HK	192
552001-S95162	41	552002-55805	93	552005-18210H	148	552013-341550HK	189	552021-342550HK	192	552029-352010HK	191
552001-S95182	41	552002-55806	93	552005-341550HK	189	552013-342550HK	190	552021-352010HK	191	552029-352050HK	192
552002-12020H	148	552002-55808	57	552005-342550HK	190	552013-352010HK	189	552021-352050HK	192	552029-41550HK	150
552002-12023H	149	552002-55852	57	552005-352010HK	189	552013-352050HK	190	552021-41550HK	150	552029-42550HK	150
552002-12050H	148	552002-55855	57	552005-352050HK	190	552013-41550HK	150	552021-42550HK	150	552030-12020H	150
552002-12053H	149	552002-55856	57	552005-41550HK	148	552013-42550HK	150	552022-12020H	150	552030-12050H	150
552002-17112	97	552002-55857/58	57	552005-42550HK	148	552014-12020H	150	552022-12050H	150	552030-18120H	150
552002-17190	97	552002-85160	37	552006-12020H	148	552014-12050H	150	552022-18120H	150	552030-18210H	150
552002-17											

Article No.	Page(s)	Article No.	Page(s)	Article No.	Page(s)	Article No.	Page(s)	Article No.	Page(s)	Article No.	Page(s)
552031-42550HK	150	552040-12020H	151	553001-34128H	111	553001-59638	107	553002-55841	32	553038-38110H	156
552032-12020H	150	552040-12050H	151	553001-34146H	105	553001-59639	107	553002-55845	32	553039-32020H	156
552032-12050H	150	552040-18120H	151	553001-34147H	105	553002-32020H	155	553002-59420	25	553039-32050H	156
552032-18120H	150	552040-18210H	151	553001-34148H	105	553002-32025H	157	553002-59422	25	553039-38110H	156
552032-18210H	150	552040-341550HK	191	553001-34149H	105	553002-32027H	157	553002-59425	25	553040-32020H	156
552032-341550HK	191	552040-342550HK	192	553001-34156H	105	553002-32050H	155	553002-59426	25	553040-32050H	156
552032-342550HK	192	552040-352010HK	191	553001-34157H	105	553002-32055H	157	553002-59427	25	553040-38110H	156
552032-352010HK	191	552040-352050HK	192	553001-34158H	105	553002-32057H	157	553002-59428	25	553112-32020H	156
552032-352050HK	192	552040-41550HK	151	553001-34159H	105	553002-34070H	111	553002-59620	107	553112-32050H	156
552032-41550HK	150	552040-42550HK	151	553001-34306	111	553002-34120H	111	553002-59627	107	553112-38110H	156
552032-42550HK	150	552112-12020H	148	553001-34307	111	553002-34125H	111	553002-59628	107	553113-32020H	156
552033-12020H	151	552112-12050H	148	553001-34308	111	553002-34126H	111	553002-59629	107	553113-32050H	156
552033-12050H	151	552112-18120H	148	553001-34309	111	553002-34127H	111	553002-59630	107	553113-38110H	156
552033-18120H	151	552112-18210H	148	553001-37120	99	553002-34128H	111	553002-59637	107	553115-32020H	156
552033-18210H	151	552112-341550HK	189	553001-37121	99	553002-34146H	105	553002-59638	107	553115-32050H	156
552033-341550HK	191	552112-342550HK	190	553001-37122	99	553002-34147H	105	553002-59639	107	553115-38110H	156
552033-342550HK	192	552112-352010HK	189	553001-37125	100	553002-34148H	105	553003-32020H	155	553117-32020H	156
552033-352010HK	191	552112-352050HK	190	553001-37126	100	553002-34149H	105	553003-32050H	155	553117-32050H	156
552033-352050HK	192	552112-41550HK	148	553001-37127	100	553002-34156H	105	553003-38110H	155	553117-38110H	156
552033-41550HK	151	552112-42550HK	148	553001-37180	99	553002-34157H	105	553004-32020H	155	553118-32020H	156
552033-42550HK	151	552113-12020H	148	553001-37182	99	553002-34158H	105	553004-32050H	155	553118-32050H	156
552034-12020H	151	552113-12050H	148	553001-37183	100	553002-34159H	105	553004-38110H	155	553118-38110H	156
552034-12050H	151	552113-18120H	148	553001-37185	100	553002-34306	111	553006-32020H	155	553119-32020H	156
552034-18120H	151	552113-18210H	148	553001-37188	99	553002-34307	111	553006-32050H	155	553119-32050H	156
552034-18210H	151	552113-341550HK	189	553001-37189	100	553002-34308	111	553006-38110H	155	553119-38110H	156
552034-341550HK	191	552113-342550HK	190	553001-38110H	155	553002-34309	111	553007-32020H	155	554001-32020H	159
552034-342550HK	192	552113-352010HK	189	553001-38115H	157	553002-37120	99	553007-32050H	155	554001-32025H	160
552034-352010HK	191	552113-352050HK	190	553001-38116H	157	553002-37121	99	553007-38110H	155	554001-32027H	160
552034-352050HK	192	552113-41550HK	148	553001-38117H	157	553002-37122	99	553008-32020H	155	554001-32050H	159
552034-41550HK	151	552113-42550HK	148	553001-38118H	157	553002-37125	100	553008-32050H	155	554001-32055H	160
552034-42550HK	151	552115-12020H	148	553001-53150	32	553002-37126	100	553008-38110H	155	554001-32057H	160
552035-12020H	151	552115-12050H	148	553001-53151	32	553002-37127	100	553010-32020H	155	554001-37120	99
552035-12050H	151	552115-18120H	148	553001-53159	32	553002-37180	99	553010-32050H	155	554001-37121	99
552035-18120H	151	552115-18210H	148	553001-55520	93	553002-37182	99	553010-38110H	155	554001-37122	99
552035-18210H	151	552115-341550HK	189	553001-55522	93	553002-37183	100	553011-32020H	155	554001-37125	100
552035-341550HK	191	552115-342550HK	190	553001-55526	93	553002-37185	100	553011-32050H	155	554001-37126	100
552035-342550HK	192	552115-352010HK	189	553001-55720	26	553002-37188	99	553011-38110H	155	554001-37127	100
552035-352010HK	191	552115-352050HK	190	553001-55722	26	553002-37189	100	553014-32020H	155	554001-37180	99
552035-352050HK	192	552115-41550HK	148	553001-55725	26	553002-38110H	155	553014-32050H	155	554001-37182	99
552035-41550HK	151	552115-42550HK	148	553001-55729	26	553002-38115H	157	553014-38110H	155	554001-37183	100
552035-42550HK	151	552117-12020H	148	553001-55730	25	553002-38116H	157	553015-32020H	155	554001-37185	100
552036-12020H	151	552117-12050H	148	553001-55732	25	553002-38117H	157	553015-32050H	155	554001-37188	99
552036-12050H	151	552117-18120H	148	553001-55735	25	553002-38118H	157	553015-38110H	155	554001-37189	100
552036-18120H	151	552117-18210H	148	553001-55736	25	553002-53150	32	553016-32020H	155	554001-38110H	159
552036-18210H	151	552117-341550HK	189	553001-55737	25	553002-53151	32	553016-32050H	155	554001-38115H	160
552036-341550HK	191	552117-342550HK	190	553001-55738	25	553002-53159	32	553016-38110H	155	554001-38116H	160
552036-342550HK	192	552117-352010HK	189	553001-55740	27	553002-5320H	114	553016-32020H	155	554001-38117H	160
552036-352010HK	191	552117-352050HK	190	553001-55742	27	553002-5321H	114	553018-32050H	155	554001-38118H	160
552036-352050HK	192	552117-41550HK	148	553001-55745	27	553002-5322H	114	553018-38110H	155	554002-32020H	159
552036-41550HK	151	552117-42550HK	148	553001-55749	27	553002-5323H	114	553019-32020H	155	554002-32025H	160
552036-42550HK	151	552118-12020H	148	553001-55760	26	553002-55720	26	553019-32050H	155	554002-32027H	160
552037-12020H	151	552118-12050H	148	553001-55762	26	553002-55722	26	553019-38110H	155	554002-32050H	159
552037-12050H	151	552118-18120H	148	553001-55765	26	553002-55725	26	553023-32020H	155	554002-32055H	160
552037-18120H	151	552118-18210H	148	553001-55766	26	553002-55729	26	553023-32050H	155	554002-32057H	160
552037-18210H	151	552118-341550HK	189	553001-55770	26	553002-55730	25	553023-38110H	155	554002-37120	99
552037-341550HK	191	552118-342550HK	190	553001-55775	26	553002-55732	25	553026-32020H	155	554002-37121	99
552037-342550HK	192	552118-352010HK	189	553001-55820	31	553002-55735	25	553026-32050H	155	554002-37122	99
552037-352010HK	191	552118-352050HK	190	553001-55821	31	553002-55736	25	553026-38110H	155	554002-37125	100
552037-352050HK	192	552118-41550HK	148	553001-55822	31	553002-55737	25	553027-32020H	155	554002-37126	100
552037-41550HK	151	552118-42550HK	148	553001-55825	31	553002-55738	25	553027-32050H	155	554002-37127	100
552037-42550HK	151	552119-12020H	148	553001-55826	31	553002-55740	27	553027-38110H	155	554002-37180	99
552038-12020H	151	552119-12050H	148	553001-55830	31	553002-55742	27	553031-32020H	155	554002-37182	99
552038-12050H	151	552119-18120H	148	553001-55831	31	553002-55745	27	553031-32050H	155	554002-37183	100
552038-18120H	151	552119-18210H	148	553001-55832	31	553002-55749	27	553031-38110H	155	554002-37185	100
552038-18210H	151	552119-341550HK	189	553001-55835	31	553002-55760	26	553033-32020H	155	554002-37188	99
552038-341550HK	191	552119-342550HK	190	553001-55836	31	553002-55762	26	553033-32050H	155	554002-37189	100
552038-342550HK	192										

Article No.	Page(s)	Article No.	Page(s)	Article No.	Page(s)	Article No.	Page(s)	Article No.	Page(s)	Article No.	Page(s)
554007-32050H	159	554118-38110H	159	555117-27180H	168	5716-55567	112	610-2033	208	700-55855	57
554007-38110H	159	554119-32020H	159	555117-27181H	168	5716-55800	93	610-2038	208	700-55856	57
554008-32020H	159	554119-32050H	159	555117-27182H	168	5716-55802	93	610-2039	208	700-55857/58	57
554008-32050H	159	554119-38110H	159	555117-32020H	166	5716-55805	93	610-2040	208	700-59680	113
554008-38110H	159	555023-27180H	168	555117-32050H	166	5716-55806	93	610-2041	208	700-59681	113
554010-32020H	159	555023-27181H	168	555117-32080H	167	5716-55850	57	610-2042	208	700-59685	113
554010-32050H	159	555023-27182H	168	555117-32100H	167	5716-55852	57	610-2043	208	700-85160	37
554010-38110H	159	555023-32020H	166	555117-34090H	167	5716-55855	57	610-2111	208	700-85161	37
554011-32020H	159	555023-32050H	166	555117-38110H	166	5716-55856	57	610-2113	208	700-85163	37
554011-32050H	159	555023-32080H	167	555117-42550HK	166	5716-55857/58	57	700-17112	97	700-85165	37
554011-38110H	159	555023-32100H	167	555117-42580HK	167	5716-85160	37	700-17190	97	700-85166	37
554014-32020H	159	555023-34090H	167	555118-27180H	168	5716-85161	37	700-17191	97	700-85167/68	37, 41
554014-32050H	159	555023-38110H	166	555118-27181H	168	5716-85163	37	700-17193	97	700-85180	39
554014-38110H	159	555023-42550HK	166	555118-27182H	168	5716-85165	37	700-17194	97	700-85181	39
554015-32020H	159	555023-42580HK	167	555118-32020H	166	5716-85166	37	700-17196	97	700-85183	39
554015-32050H	159	555035-27180H	168	555118-32050H	166	5716-85167/68	37, 41	700-18190	97	700-85185	39
554015-38110H	159	555035-27181H	168	555118-32080H	167	5716-85180	39	700-18191	97	700-85186	39
554016-32020H	159	555035-27182H	168	555118-32100H	167	5716-85181	39	700-18192	97	700-85187/88	39
554016-32050H	159	555035-32020H	166	555118-34090H	167	5716-85183	39	700-18193	97	700-85190	39
554016-38110H	159	555035-32050H	166	555118-38110H	166	5716-85185	39	700-18194	97	700-85191	39
554019-32020H	159	555035-32080H	167	555118-42550HK	166	5716-85186	39	700-18196	97	700-85193	39
554019-32050H	159	555035-32100H	167	555118-42580HK	167	5716-85187/88	39	700-37011	113	700-85195	39
554019-38110H	159	555035-34090H	167	5716-17112	97	5716-85190	39	700-37015	113	700-85196	39
554023-32020H	159	555035-38110H	166	5716-17190	97	5716-85191	39	700-37017	113	700-85197/98	39
554023-32050H	159	555035-42550HK	166	5716-17191	97	5716-85193	39	700-37018	113	700-86160	57
554023-38110H	159	555035-42580HK	167	5716-17193	97	5716-85195	39	700-37021	98	700-86161	57
554026-32020H	159	555036-27180H	168	5716-17194	97	5716-85196	39	700-37023	98	700-86162	57
554026-32050H	159	555036-27181H	168	5716-17196	97	5716-85197/98	39	700-37024	98	700-86163	57
554026-38110H	159	555036-27182H	168	5716-18190	97	5716-86160	57	700-37031	113	700-86165	57
554027-32020H	159	555036-32020H	166	5716-18191	97	5716-86161	57	700-37035	113	700-86167/68	57
554027-32050H	159	555036-32050H	166	5716-18192	97	5716-86162	57	700-37080	98	700-87160	45
554027-38110H	159	555036-32080H	167	5716-18193	97	5716-86163	57	700-37081	98	700-87161	45
554031-32020H	159	555036-32100H	167	5716-18194	97	5716-86165	57	700-37082	98	700-87163	45
554031-32050H	159	555036-34090H	167	5716-18196	97	5716-86167/68	57	700-37088	97	700-87165	45
554031-38110H	159	555036-38110H	166	5716-34126H	111	5716-87160	45	700-37120	99	700-87166	45
554035-32020H	159	555036-42550HK	166	5716-34150HK	189	5716-87161	45	700-37121	99	700-87167/68	45
554035-32050H	159	555036-42580HK	167	5716-342550HK	190	5716-87163	45	700-37122	99	700-95160	41
554035-38110H	159	555038-27180H	168	5716-352010HK	189	5716-87165	45	700-37125	100	700-95161	41
554036-32020H	159	555038-27181H	168	5716-352050HK	190	5716-87166	45	700-37126	100	700-95163	41
554036-32050H	159	555038-27182H	168	5716-37088	97	5716-87167/68	45	700-37127	100	700-95165	41
554036-38110H	159	555038-32020H	166	5716-37120	99	5716-95160	41	700-37180	99	700-95166	41
554038-32020H	159	555038-32050H	166	5716-37121	99	5716-95161	41	700-37182	99	700-95180	41
554038-32050H	159	555038-32080H	167	5716-37122	99	5716-95163	41	700-37183	100	700-95181	41
554038-38110H	159	555038-32100H	167	5716-37125	100	5716-95165	41	700-37185	100	700-95183	41
554039-32020H	159	555038-34090H	167	5716-37126	100	5716-95166	41	700-37186	97	700-95185	41
554039-32050H	159	555038-38110H	166	5716-37127	100	5716-95180	41	700-37188	99	700-95186	41
554039-38110H	159	555039-32050H	166	5716-37180	99	5716-95181	41	700-37189	100	700-S50044	37
554040-32020H	159	555038-42580HK	167	5716-37182	99	5716-95183	41	700-55100	49	700-S50065	49
554040-32050H	159	555039-27180H	168	5716-37183	100	5716-95185	41	700-55101	49	700-S55102	49
554040-38110H	159	555039-27181H	168	5716-37185	100	5716-95186	41	700-55105	49	700-S55142	49
554111-32020H	159	555039-27182H	168	5716-37186	97	5716-S50044	37	700-55106	49	700-S55182	37
554111-32025H	160	555039-32020H	166	5716-37188	99	5716-S50065	49	700-55107/08	49	700-S85162	37
554111-32027H	160	555039-32050H	166	5716-37189	100	5716-S55102	49	700-55140	49	700-S85182	39
554111-32050H	159	555039-32080H	167	5716-41550HK	148	5716-S55142	49	700-55141	49	700-S85192	39
554111-32055H	160	555039-32100H	167	5716-55100	49	5716-S55182	37	700-55143	49	700-S87162	45
554111-32057H	160	555039-34090H	167	5716-55101	49	5716-S85162	37	700-55145	49	700-S95162	41
554111-37120	99	555039-38110H	166	5716-37127	100	5716-95180	41	700-37188	99	700-95186	41
554111-37121	99	555039-42550HK	166	5716-55106	49	5716-S85192	39	700-55147/48	49	700i-12020H	148
554111-37122	99	555039-42580HK	167	5716-55107/08	49	5716-S87162	45	700-55180	37	700i-12023H	149
554111-37125	100	555040-27180H	168	5716-55140	49	5716-S95162	41	700-55181	37	700i-12050H	148
554111-37126	100	555040-27181H	168	5716-55141	49	5716-S95182	41	700-55185	37	700i-12053H	149
554111-37127	100	555040-27182H	168	5716-55143	49	5716i-12020H	148	700-55186	37	700i-18120H	148
554111-37180	99	555040-32020H	166	5716-55145	49	5716i-12023H	149	700-55187/88	37, 41	700i-18123H	149
554111-37182	99	555040-32050H	166	5716-55146	49	5716i-12050H	148	700-55440	92	700i-18124H	149
554111-37183	100	555040-32080H	167	5716-55147/48	49	5716i-12053H	149	700-55442	92	700i-18210H	148
554111-37185	100	555040-32100H	167	5716-55180	37	5716i-18120H	148	700-55445	92	700i-18213H	149
554111-37188	99	555040-34090H	167	5716-55181	37	5716i-18123H	149	700-55446	92	700i-18214H	149
554111-37189	100	555040-38110H	166	5716-55185	37	5716i-18124H	149	700-55460	93	700i-34070H	111
554111-38110H	159	555040-42550HK	166	5716-55186	37	5716i-18210H	148	700-55462	93	700i-34120H	111
554111-38115H	160	555040-42580HK	167	5716-55187/88	37, 41	5716i-18213H	149	700-55465	93	700i-34125H	111
554111-38116H	160	555113-27180H	168	5716-55440	92	5716i-18214H	149	700-55466	93	700i-34126H	111
554111-38117H	160	555113-27181H	168	5716-55442	92	5716i-34070H</					


Article No.	Page(s)	Article No.	Page(s)	Article No.	Page(s)	Article No.	Page(s)	Article No.	Page(s)	Article No.	Page(s)
701-17190	97	701-59681	113	702-2008H	189	703-2119H	189	710-2028H	191	712-2118H	189
701-17191	97	701-59685	113	702-2010H	189	703-2120H	189	710-2029H	191	712-2119H	189
701-17193	97	701-85160	37	702-2011H	189	703-2121H	189	710-2030H	191	712-2120H	189
701-17194	97	701-85161	37	702-2012H	189	705-2001H	189	710-2031H	191	712-2121H	189
701-17196	97	701-85163	37	702-2014H	189	705-2002H	189	710-2032H	191	715-2001H	190
701-18190	97	701-85165	37	702-2015H	189	705-2003H	189	710-2033H	191	715-2002H	190
701-18191	97	701-85166	37	702-2016H	189	705-2004H	189	710-2034H	191	715-2003H	190
701-18192	97	701-85167/68	37, 41	702-2018H	191	705-2005H	189	710-2035H	191	715-2004H	190
701-18193	97	701-85180	39	702-2019H	191	705-2006H	189	710-2036H	191	715-2005H	190
701-18194	97	701-85181	39	702-2020H	191	705-2007H	189	710-2037H	191	715-2006H	190
701-18196	97	701-85183	39	702-2022H	191	705-2008H	189	710-2038H	191	715-2007H	190
701-34020	98	701-85185	39	702-2023H	191	705-2009H	189	710-2039H	191	715-2008H	190
701-37011	113	701-85186	39	702-2024H	191	705-2010H	189	710-2040H	191	715-2009H	190
701-37015	113	701-85187/88	39	702-2026H	191	705-2011H	189	710-2041H	193	715-2010H	190
701-37017	113	701-85190	39	702-2027H	191	705-2012H	189	710-2042H	193	715-2011H	190
701-37018	113	701-85191	39	702-2028H	191	705-2013H	189	710-2043H	193	715-2012H	190
701-37021	98	701-85193	39	702-2030H	191	705-2014H	189	710-2044H	193	715-2013H	190
701-37023	98	701-85195	39	702-2031H	191	705-2015H	189	710-2045H	193	715-2014H	190
701-37024	98	701-85196	39	702-2032H	191	705-2016H	189	710-2046H	193	715-2015H	190
701-37031	113	701-85197/98	39	702-2034H	191	705-2017H	191	710-2047H	193	715-2016H	190
701-37035	113	701-86160	57	702-2035H	191	705-2018H	191	710-2048H	193	715-2017H	192
701-37080	98	701-86161	57	702-2036H	191	705-2019H	191	710-2049H	193	715-2018H	192
701-37081	98	701-86162	57	702-2038H	191	705-2020H	191	710-2050H	193	715-2019H	192
701-37082	98	701-86163	57	702-2039H	191	705-2021H	191	710-2111H	189	715-2020H	192
701-37088	97	701-86165	57	702-2040H	191	705-2022H	191	710-2112H	189	715-2021H	192
701-37090	98	701-86167/68	57	702-2111H	189	705-2023H	191	710-2113H	189	715-2022H	192
701-37091	98	701-87160	45	702-2112H	189	705-2024H	191	710-2114H	189	715-2023H	192
701-37092	98	701-87161	45	702-2113H	189	705-2025H	191	710-2115H	189	715-2024H	192
701-37120	99	701-87163	45	702-2114H	189	705-2026H	191	710-2116H	189	715-2025H	192
701-37121	99	701-87165	45	702-2115H	189	705-2027H	191	710-2117H	189	715-2026H	192
701-37122	99	701-87166	45	702-2116H	189	705-2028H	191	710-2118H	189	715-2027H	192
701-37125	100	701-87167/68	45	702-2117H	189	705-2029H	191	710-2119H	189	715-2028H	192
701-37126	100	701-95160	41	702-2118H	189	705-2030H	191	710-2120H	189	715-2029H	192
701-37127	100	701-95161	41	702-2119H	189	705-2031H	191	710-2121H	189	715-2030H	192
701-37180	99	701-95163	41	702-2120H	189	705-2032H	191	712-2001H	189	715-2031H	192
701-37182	99	701-95165	41	703-2001H	189	705-2033H	191	712-2002H	189	715-2032H	192
701-37183	100	701-95166	41	703-2002H	189	705-2034H	191	712-2003H	189	715-2033H	192
701-37185	100	701-95180	41	703-2003H	189	705-2035H	191	712-2004H	189	715-2034H	192
701-37186	97	701-95181	41	703-2004H	189	705-2036H	191	712-2005H	189	715-2035H	192
701-37188	99	701-95183	41	703-2005H	189	705-2037H	191	712-2006H	189	715-2036H	192
701-37189	100	701-95185	41	703-2006H	189	705-2038H	191	712-2007H	189	715-2037H	192
701-44025	98	701-95186	41	703-2007H	189	705-2039H	191	712-2008H	189	715-2038H	192
701-44026	98	701-S50044	37	703-2008H	189	705-2040H	191	712-2009H	189	715-2039H	192
701-55100	49	701-S50065	49	703-2009H	189	705-2111H	189	712-2010H	189	715-2040H	192
701-55101	49	701-S55102	49	703-2010H	189	705-2112H	189	712-2011H	189	715-2111H	190
701-55105	49	701-S55142	49	703-2011H	189	705-2113H	189	712-2012H	189	715-2112H	190
701-55106	49	701-S55182	37	703-2012H	189	705-2114H	189	712-2013H	189	715-2113H	190
701-55107/08	49	701-S85162	37	703-2013H	189	705-2115H	189	712-2014H	189	715-2114H	190
701-55140	49	701-S85182	39	703-2014H	189	705-2116H	189	712-2015H	189	715-2115H	190
701-55141	49	701-S85192	39	703-2015H	189	705-2117H	189	712-2016H	189	715-2116H	190
701-55143	49	701-S87162	45	703-2016H	189	705-2118H	189	712-2017H	191	715-2117H	190
701-55145	49	701-S95162	41	703-2017H	191	705-2119H	189	712-2018H	191	715-2118H	190
701-55146	49	701-S95182	41	703-2018H	191	705-2120H	189	712-2019H	191	715-2119H	190
701-55147/48	49	701i-12020H	148	703-2019H	191	705-2121H	189	712-2020H	191	715-2120H	190
701-55180	37	701i-12023H	149	703-2020H	191	710-2001H	189	712-2021H	191	715-2121H	190
701-55181	37	701i-12050H	148	703-2021H	191	710-2002H	189	712-2022H	191	717i-12020H	151
701-55185	37	701i-12053H	149	703-2022H	191	710-2003H	189	712-2023H	191	717i-12050H	151
701-55186	37	701i-18120H	148	703-2023H	191	710-2004H	189	712-2024H	191	717i-18120H	151
701-55187/88	37, 41	701i-18123H	149	703-2024H	191	710-2005H	189	712-2025H	191	717i-18210H	151
701-55440	92	701i-18124H	149	703-2025H	191	710-2006H	189	712-2026H	191	717i-41550HK	151
701-55442	92	701i-18210H	148	703-2026H	191	710-2007H	189	712-2027H	191	717i-42550HK	151
701-55445	92	701i-18213H	149	703-2027H	191	710-2008H	189	712-2028H	191	720-2001H	190
701-55446	92	701i-18214H	149	703-2028H	191	710-2009H	189	712-2029H	191	720-2002H	190
701-55460	93	701i-34070H	111	703-2029H	191	710-2010H	189	712-2030H	191	720-2003H	190
701-55462	93	701i-34120H	111	703-2030H	191	710-2011H	189	712-2031H	191	720-2004H	190
701-55465	93	701i-34125H	111	703-2031H	191	710-2012H	189	712-2032H	191	720-2005H	190
701-55466	93	701i-34126H	111	703-2032H	191	710-2013H	189	712-2033H	191	720-2006H	190
701-55563	112	701i-34127H	111	703-2033H	191	710-2014H	189	712-2034H	191	720-2007H	190
701-55565	112	701i-34128H	111	703-2034H	191	710-2015H	189	712-2035H	191	720-2008H	190
701-55566	112	701i-341550HK	189	703-2035H	191	710-2016H	189	712-2036H	191	720-2009H	190
701-55567	112	701i-34170H	111	703-2036H	191	710-2017H	189	712-2037H	191	720-2010H	190
701-55800	93	701i-342550HK	190	703-2037H	191	710-2018H	189	712-2038H	191	720-2011H	190
701-55802	93	701i-352010HK	189	703-2038H	191	710-2019H	189	712-2039H	191	720-2012H	190
701-55805	93	701i-352050HK	190	703-2039H	191	710-2020H	191	712-2040H	191	720-2013H	190
701-55806	93	701i-41550HK	148	703-2040H	191	710-2021H	191	712-2111H	189	720-2014H	190
701-55850	57	701i-42550HK	148	703-2111H	189	710-2022H	191	712-2112H	189	720-2015H	190
701-55852	57	702-2002H	189	703-2112H	189	710-2023H	191	712-2113H			

Article No.	Page(s)	Article No.	Page(s)	Article No.	Page(s)	Article No.	Page(s)	Article No.	Page(s)	Article No.	Page(s)
720-2021H	192	730-2111H	190	760-2120H	190	785-2040H	203	813-2042	208	8460-53320H	115, 217
720-2022H	192	730-2112H	190	760-2121H	190	785-2111H	201	813-2111	208	8460-53321H	115, 217
720-2023H	192	730-2113H	190	761-2001H	194, 201	785-2113H	201	813-2113	208	8460-53322H	115, 217
720-2024H	192	730-2115H	190	761-2002H	194, 201	785-2115H	201	815-2008	209	8460-53323H	115, 217
720-2025H	192	730-2117H	190	761-2003H	194, 201	785-2117H	201	815-2016	209	8460-61061HK	217
720-2026H	192	730-2118H	190	761-2004H	194, 201	785-2118H	201	815-2023	209	8460-7161H	215
720-2027H	192	730-2119H	190	761-2006H	194, 201	785-2119H	201	815-2033	209	8460-B200HK	215
720-2028H	192	730-2120H	190	761-2007H	194, 201	785-2120H	201	815-2038	209	8461-32020H	215
720-2029H	192	730-2121H	190	761-2008H	194, 201	786-2001H	201	815-2039	209	8461-332050HK	215
720-2030H	192	759-2001H	194, 201	761-2011H	194, 201	786-2002H	201	815-2040	209	8461-34090H	215
720-2031H	192	759-2002H	194, 201	761-2015H	194, 201	786-2003H	201	815-2041	209	8461-342030H	215
720-2032H	192	759-2003H	194, 201	761-2016H	194, 201	786-2004H	201	815-2042	209	8461-342550HK	215
720-2033H	192	759-2004H	194, 201	761-2019H	194, 203	786-2006H	201	815-2043	209	8461-342580HK	215
720-2034H	192	759-2006H	194, 201	761-2023H	194, 203	786-2007H	201	815-2111	209	8461-38110H	215
720-2035H	192	759-2007H	194, 201	761-2027H	194, 203	786-2008H	201	815-2113	209	8461-53150	33, 217
720-2036H	192	759-2008H	194, 201	761-2031H	194, 203	786-2011H	201	81i-32020H	159	8461-53151	33, 217
720-2037H	192	759-2011H	194, 201	761-2034H	194, 203	786-2015H	201	81i-32025H	160	8461-53159	33, 217
720-2038H	192	759-2015H	194, 201	761-2036H	194, 203	786-2016H	201	81i-32027H	160	8461-53320H	115, 217
720-2039H	192	759-2016H	194, 201	761-2037H	194, 203	786-2019H	203	81i-32050H	159	8461-53321H	115, 217
720-2040H	192	759-2019H	194, 203	761-2040H	194, 203	786-2023H	203	81i-32055H	160	8461-53322H	115, 217
720-2041H	193	759-2023H	194, 203	761-2111H	194, 201	786-2027H	203	81i-32057H	160	8461-53323H	115, 217
720-2042H	193	759-2027H	194, 203	761-2113H	194, 201	786-2031H	203	81i-38110H	159	8461-61061HK	217
720-2043H	193	759-2031H	194, 203	761-2115H	194, 201	786-2034H	203	81i-38115H	160	8461-7161H	215
720-2044H	193	759-2034H	194, 203	761-2117H	194, 201	786-2036H	203	81i-38116H	160	8461-B200HK	215
720-2045H	193	759-2036H	194, 203	761-2118H	194, 201	786-2037H	203	81i-38117H	160	8462-32020H	215
720-2046H	193	759-2037H	194, 203	761-2119H	194, 201	786-2040H	203	81i-38118H	160	8462-332050HK	215
720-2047H	193	759-2040H	194, 203	761-2120H	194, 201	786-2111H	201	8450-332050HK	215	8462-34090H	215
720-2048H	193	759-2111H	194, 201	763-2003H	194	786-2113H	201	8450-342550HK	215	8462-342030H	215
720-2049H	193	759-2113H	194, 201	763-2034H	194	786-2115H	201	8450-342557HK	216	8462-342550HK	215
720-2050H	193	759-2115H	194, 201	763-2036H	194	786-2117H	201	8450-B200HK	215	8462-342580HK	215
720-2111H	190	759-2117H	194, 201	763-2037H	194	786-2118H	201	8450-B600HK	215	8462-38110H	215
720-2112H	190	759-2118H	194, 201	763-2040H	194	786-2119H	201	8450-B611HK	216	8462-53150	33, 217
720-2113H	190	759-2119H	194, 201	763-2111H	194	786-2120H	201	8450-B612HK	216	8462-53151	33, 217
720-2114H	190	759-2120H	194, 201	763-2115H	194	78i-32020H	159	8450-B773HK	216	8462-53159	33, 217
720-2115H	190	760-2001H	190	763-2118H	194	78i-32050H	159	8450-B774HK	216	8462-53320H	115, 217
720-2116H	190	760-2002H	190	763-2120H	194	78i-38110H	159	8451-332050HK	215	8462-53321H	115, 217
720-2117H	190	760-2003H	190	764-2001H	201	806-2038	209	8451-342550HK	215	8462-53322H	115, 217
720-2118H	190	760-2004H	190	764-2002H	201	806-2042	209	8451-342557HK	216	8462-53323H	115, 217
720-2119H	190	760-2005H	190	764-2003H	201	806-2111	209	8451-B200HK	215	8462-53510H	83
720-2120H	190	760-2006H	190	764-2004H	201	806-2113	209	8451-B600HK	215	8462-53511H	83
720-2121H	190	760-2007H	190	764-2006H	201	81-37120	99	8451-B611HK	216	8462-53512H	83
730-2001H	190	760-2008H	190	764-2007H	201	81-37121	99	8451-B612HK	216	8462-61061HK	217
730-2002H	190	760-2009H	190	764-2008H	201	81-37122	99	8451-B773HK	216	8462-7161H	215
730-2003H	190	760-2010H	190	764-2011H	201	81-37125	100	8451-B774HK	216	8462-B200HK	215
730-2004H	190	760-2011H	190	764-2015H	201	81-37126	100	8452-332050HK	215	8463-32020H	215
730-2005H	190	760-2012H	190	764-2016H	201	81-37127	100	8452-342550HK	215	8463-332050HK	215
730-2006H	190	760-2013H	190	764-2019H	203	81-37180	99	8452-342557HK	216	8463-34090H	215
730-2007H	190	760-2014H	190	764-2023H	203	81-37182	99	8452-B200HK	215	8463-342030H	215
730-2008H	190	760-2015H	190	764-2027H	203	81-37183	100	8452-B600HK	215	8463-342550HK	215
730-2009H	190	760-2016H	190	764-2031H	203	81-37185	100	8452-B611HK	216	8463-342580HK	215
730-2010H	190	760-2017H	192	764-2034H	203	81-37188	99	8452-B612HK	216	8463-38110H	215
730-2011H	190	760-2018H	192	764-2036H	203	81-37189	100	8452-B773HK	216	8463-53150	33, 217
730-2012H	190	760-2019H	192	764-2037H	203	810-2008	208	8452-B774HK	216	8463-53151	33, 217
730-2013H	190	760-2020H	192	764-2040H	203	810-2016	208	8453-332050HK	215	8463-53159	33, 217
730-2014H	190	760-2021H	192	764-2111H	201	810-2023	208	8453-342550HK	215	8463-53320H	115, 217
730-2015H	190	760-2022H	192	764-2113H	201	810-2033	208	8453-342557HK	216	8463-53321H	115, 217
730-2016H	190	760-2023H	192	764-2115H	201	810-2038	208	8453-B200HK	215	8463-53322H	115, 217
730-2017H	192	760-2024H	192	764-2117H	201	810-2039	208	8453-B600HK	215	8463-53323H	115, 217
730-2018H	192	760-2025H	192	764-2118H	201	810-2040	208	8453-B611HK	216	8463-7161H	215
730-2019H	192	760-2026H	192	764-2119H	201	810-2041	208	8453-B612HK	216	8463-B200HK	215
730-2020H	192	760-2027H	192	764-2120H	201	810-2042	208	8453-B773HK	216	8464-32020H	215
730-2021H	192	760-2028H	192	771-32020H	156	810-2043	208	8453-B774HK	216	8464-332050HK	215
730-2022H	192	760-2029H	192	771-32050H	156	810-2111	208	8454-332050HK	215	8464-34090H	215
730-2023H	192	760-2030H	192	771-38110H	156	810-2113	208	8454-342550HK	215	8464-342030H	215
730-2024H	192	760-2031H	192	785-2001H	201	811-2038	208	8454-342557HK	216	8464-342550HK	215
730-2025H	192	760-2032H	192	785-2002H	201	811-2042	208	8454-B200HK	215	8464-342580HK	215
730-2026H	192	760-2033H	192	785-2003H	201	811-2111	208	8454-B600HK	215	8464-38110H	215
730-2027H	192	760-2034H	192	785-2004H	201	811-2113	208	8454-B611HK	216	8464-53150	33, 217
730-2028H	192	760-2035H	192	785-2006H	201	812-2008	208	8454-B612HK	216	8464-53151	33, 217
730-2029H	192	760-2036H	192	785-2007H	201	812-2016	208	8454-B773HK	216	8464-53159	33, 217
730-2030H	192	760-2037H	192	785-2008H	201	812-2023	208	8454-B774HK	216	8464-53320H	115, 217
730-2031H	192	760-2038H	192	785-2011H	201	812-2033	208	8454-B774HK	216	8464-53321H	115, 217
730-2032H	192	760-2039H	192	785-2015H	201	812-2038	208	8460-332050HK</td			

Article No.	Page(s)	Article No.	Page(s)	Article No.	Page(s)	Article No.	Page(s)	Article No.	Page(s)	Article No.	Page(s)
864-2039	209	900-34106	104	900044-55749	27	900588-34146H	105	901-37082	169	905-2019H	202
864-2040	209	900-34107	104	900044-55760	26	900588-34147H	105	901i-27180H	168	905-2020H	202
864-2041	209	900-34108	104	900044-55762	26	900588-34148H	105	901i-27181H	168	905-2021H	202
864-2042	209	900-34109	104	900044-55765	26	900588-34149H	105	901i-27182H	168	905-2022H	202
864-2043	209	900-34110	104	900044-55766	26	900588-34156H	105	901i-32020H	166	905-2023H	202
864-2111	209	900-34115	104	900044-55770	26	900588-34157H	105	901i-32050H	166	905-2024H	202
864-2113	209	900-34116	104	900044-55775	26	900588-34158H	105	901i-32080H	167	905-2025H	202
8800-B200HK	222	900-34117	104	900044-59420	25	900588-34159H	105	901i-32100H	167	905-2026H	202
8800-B600HK	222	900-34118	104	900044-59422	25	900588-55720	26	901i-34020H	169	905-2027H	202
8800-B611HK	222	900-34119	104	900044-59425	25	900588-55722	26	901i-34090H	167	905-2028H	202
8800-B670HK	222	900-37088	97	900044-59426	25	900588-55725	26	901i-38110H	166	905-2029H	202
8801-B200HK	222	900-37120	99	900044-59427	25	900588-55729	26	901i-42550HK	166	905-2030H	202
8801-B600HK	222	900-37121	99	900044-59428	25	900588-55730	25	901i-42580HK	167	905-2031H	202
8801-B611HK	222	900-37122	99	900044-59620	107	900588-55732	25	902-2001H	200	905-2032H	202
8801-B670HK	222	900-37125	100	900044-59627	107	900588-55735	25	902-2002H	200	905-2033H	202
8802-B200HK	222	900-37126	100	900044-59628	107	900588-55736	25	902-2003H	200	905-2034H	202
8802-B600HK	222	900-37127	100	900044-59629	107	900588-55737	25	902-2004H	200	905-2035H	202
8802-B611HK	222	900-37150	112	900044-59630	107	900588-55738	25	902-2005H	200	905-2036H	202
8802-B670HK	222	900-37155	112	900044-59637	107	900588-55740	27	902-2006H	200	905-2037H	202
8803-B200HK	222	900-37180	99	900044-59638	107	900588-55742	27	902-2007H	200	905-2038H	202
8803-B600HK	222	900-37182	99	900044-59639	107	900588-55745	27	902-2008H	200	905-2039H	202
8803-B611HK	222	900-37183	100	900044-S10002	112	900588-55749	27	902-2009H	200	905-2040H	202
8803-B670HK	222	900-37185	100	900464-55450	92	900588-55760	26	902-2010H	200	905-2111H	200
8804-B200HK	222	900-37186	97	900464-55452	92	900588-55762	26	902-2011H	200	905-2112H	200
8804-B600HK	222	900-37188	99	900464-55455	92	900588-55765	26	902-2012H	200	905-2113H	200
8804-B611HK	222	900-37189	100	900464-55456	92	900588-55766	26	902-2013H	200	905-2114H	200
8804-B670HK	222	900-53130	106	900566-55450	92	900588-55770	26	902-2014H	200	905-2115H	200
8810-342030H	222	900-53135	106	900566-55452	92	900588-55775	26	902-2015H	200	905-2116H	200
8810-7161H	222	900-53136	106	900566-55455	92	900588-59420	25	902-2016H	200	905-2117H	200
8810-B200HK	222	900-53137	106	900566-55456	92	900588-59422	25	902-2017H	202	905-2118H	200
8810-B600HK	222	900-53138	106	900567-34146H	105	900588-59425	25	902-2018H	202	905-2119H	200
8811-342030H	222	900-53139	106	900567-34147H	105	900588-59426	25	902-2019H	202	905-2120H	200
8811-7161H	222	900-53150	32	900567-34148H	105	900588-59427	25	902-2020H	202	91-34306	111
8811-B200HK	222	900-53151	32	900567-34149H	105	900588-59428	25	902-2021H	202	91-34307	111
8811-B600HK	222	900-53159	32	900567-34156H	105	900588-59620	107	902-2022H	202	91-34308	111
8812-342030H	222	900-53190	106	900567-34157H	105	900588-59627	107	902-2023H	202	91-34309	111
8812-7161H	222	900-53195	106	900567-34158H	105	900588-59628	107	902-2024H	202	91-37120	99
8812-B200HK	222	900-53196	106	900567-34159H	105	900588-59629	107	902-2025H	202	91-37121	99
8812-B600HK	222	900-53197	106	900567-55720	26	900588-59630	107	902-2026H	202	91-37122	99
8813-342030H	222	900-53198	106	900567-55722	26	900588-59637	107	902-2027H	202	91-37125	100
8813-7161H	222	900-53199	106	900567-55725	26	900588-59638	107	902-2028H	202	91-37126	100
8813-B200HK	222	900-54420	116	900567-55729	26	900588-59639	107	902-2029H	202	91-37127	100
8813-B600HK	222	900-54421	116	900567-55730	25	900615-55450	92	902-2030H	202	91-37150	112
8814-342030H	222	900-54422	116	900567-55732	25	900615-55452	92	902-2031H	202	91-37155	112
8814-7161H	222	900-54423	116	900567-55735	25	900615-55455	92	902-2032H	202	91-37180	99
8814-B200HK	222	900-55440	92	900567-55736	25	900615-55456	92	902-2033H	202	91-37182	99
8814-B600HK	222	900-55442	92	900567-55737	25	900634-34136H	110	902-2034H	202	91-37183	100
885-2008	209	900-55445	92	900567-55738	25	900634-34137H	110	902-2035H	202	91-37185	100
885-2023	209	900-55446	92	900567-55740	27	900634-34138H	110	902-2036H	202	91-37188	99
885-2038	209	900-55750	27	900567-55742	27	900634-34139H	110	902-2037H	202	91-37189	100
885-2039	209	900-55752	27	900567-55745	27	900634-34166H	110	902-2038H	202	91-53130	106
885-2040	209	900-55755	27	900567-55749	27	900634-34167H	110	902-2039H	202	91-53135	106
885-2041	209	900-55759	27	900567-55760	26	900634-34168H	110	902-2040H	202	91-53136	106
885-2042	209	900-55840	32	900567-55762	26	900634-34169H	110	902-2111H	200	91-53137	106
885-2043	209	900-55841	32	900567-55765	26	900644-32059	112	902-2112H	200	91-53138	106
885-2111	209	900-55845	32	900567-55766	26	900644-38119	112	902-2113H	200	91-53139	106
885-2113	209	900039-55450	92	900567-55770	26	900659-32059	112	902-2114H	200	91-53150	32
886-2008	209	900039-55452	92	900567-55775	26	900659-38119	112	902-2115H	200	91-53151	32
886-2023	209	900039-55455	92	900567-59420	25	900671-34136H	110	902-2116H	200	91-53159	32
886-2038	209	900039-55456	92	900567-59422	25	900671-34137H	110	902-2117H	200	91-53190	106
886-2039	209	900044-34146H	105	900567-59425	25	900671-34138H	110	902-2118H	200	91-53195	106
886-2040	209	900044-34147H	105	900567-59426	25	900671-34139H	110	902-2119H	200	91-53196	106
886-2041	209	900044-34148H	105	900567-59427	25	900671-34166H	110	902-2120H	200	91-53197	106
886-2042	209	900044-34149H	105	900567-59428	25	900671-34167H	110	905-2001H	200	91-53198	106
886-2043	209	900044-34156H	105	900567-59620	107	900671-34168H	110	905-2002H	200	91-53199	106
886-2111	209	900044-34157H	105	900567-59627	107	900671-34169H	110	905-2003H	200	91-53320H	114
886-2113	209	900044-34158H	105	900567-59628	107	900672-32059	112	905-2004H	200	91-53321H	114
900-17112	97	900044-34159H	105	900567-59629	107	900672-38119	112	905-2005H	200	91-53322H	114
900-17190	97	900044-55720	26	900567-59630	107	900673-32059	112	905-2006H	200	91-53323H	114
900-17191	97	900044-55722	26	900567-59637	107	900673-38119	112	905-2007H	200	91-54420	116
900-17193	97	900044-55725	26	900567-59638	107	900674-55450	92	905-2008H	200	91-54421	116
900-17194	97	900044-55729	26	900567-59639	107	900674-55452	92	905-2009H	200	91-54422	116
900-17196	97	900044-55730	25	900567-S10002	112	900674-55455	92	905-2010H	200	91-54423	116
900-18190	97	900044-55732	25	900568-34136H	110	900674-55456	92	905-2011H</td			

Article No.	Page(s)	Article No.	Page(s)	Article No.	Page(s)
91-55841	32	91i-34110H	104	980-2003H	200
91-55845	32	91i-34115H	104	980-2007H	200
910-2001H	200	91i-34116H	104	980-2011H	200
910-2002H	200	91i-34117H	104	980-2015H	200
910-2003H	200	91i-34118H	104	980-2019H	202
910-2004H	200	91i-34119H	104	980-2023H	202
910-2005H	200	91i-34120H	111	980-2027H	202
910-2006H	200	91i-34125H	111	980-2031H	202
910-2007H	200	91i-34126H	111	980-2039H	202
910-2008H	200	91i-34127H	111	980-2111H	200
910-2009H	200	91i-34128H	111	980-2118H	200
910-2010H	200	91i-38110H	155	980-2120H	200
910-2011H	200	91i-38115H	157	F-190	57
910-2012H	200	91i-38116H	157		
910-2013H	200	91i-38117H	157		
910-2014H	200	91i-38118H	157		
910-2015H	200	920-2001H	200		
910-2016H	200	920-2002H	200		
910-2017H	202	920-2003H	200		
910-2018H	202	920-2004H	200		
910-2019H	202	920-2005H	200		
910-2020H	202	920-2006H	200		
910-2021H	202	920-2007H	200		
910-2022H	202	920-2008H	200		
910-2023H	202	920-2009H	200		
910-2024H	202	920-2010H	200		
910-2025H	202	920-2011H	200		
910-2026H	202	920-2012H	200		
910-2027H	202	920-2013H	200		
910-2028H	202	920-2014H	200		
910-2029H	202	920-2015H	200		
910-2030H	202	920-2016H	200		
910-2031H	202	920-2017H	202		
910-2032H	202	920-2018H	202		
910-2033H	202	920-2019H	202		
910-2034H	202	920-2020H	202		
910-2035H	202	920-2021H	202		
910-2036H	202	920-2022H	202		
910-2037H	202	920-2023H	202		
910-2038H	202	920-2024H	202		
910-2039H	202	920-2025H	202		
910-2040H	202	920-2026H	202		
910-2111H	200	920-2027H	202		
910-2112H	200	920-2028H	202		
910-2113H	200	920-2029H	202		
910-2114H	200	920-2030H	202		
910-2115H	200	920-2031H	202		
910-2116H	200	920-2032H	202		
910-2117H	200	920-2033H	202		
910-2118H	200	920-2034H	202		
910-2119H	200	920-2035H	202		
910-2120H	200	920-2036H	202		
918-37080	169	920-2037H	202		
918-37081	169	920-2038H	202		
918-37082	169	920-2039H	202		
918i-27180H	168	920-2040H	202		
918i-27181H	168	920-2111H	200		
918i-27182H	168	920-2112H	200		
918i-32020H	166	920-2113H	200		
918i-32050H	166	920-2114H	200		
918i-32080H	167	920-2115H	200		
918i-32100H	167	920-2116H	200		
918i-34020H	169	920-2117H	200		
918i-34090H	167	920-2118H	200		
918i-34306H	169	920-2119H	200		
918i-38110H	166	920-2120H	200		
918i-42550HK	166	926-37080	169		
918i-42580HK	167	926-37081	169		
91i-32020H	155	926-37082	169		
91i-32025H	157	926i-27180H	168		
91i-32027H	157	926i-27181H	168		
91i-32050H	155	926i-27182H	168		
91i-32055H	157	926i-32020H	166		
91i-32057H	157	926i-32050H	166		
91i-34070H	111	926i-32080H	167		
91i-34100H	104	926i-32100H	167		
91i-34105H	104	926i-34020H	169		
91i-34106H	104	926i-34090H	167		
91i-34107H	104	926i-38110H	166		
91i-34108H	104	926i-42550HK	166		
91i-34109H	104	926i-42580HK	167		

Žalgirio Arenos Pool, Kaunas, Lithuania / Architect: E. Miliūno studija, Arch. Aurimas Ramanauskas, Kaunas / Photo: Leonas Garbacauskas



Model	Series	Page(s)	Model	Series	Page(s)
ø 1 cm / 3/8 Inch			12,5 x 50 cm / 5 x 20 Inch		
Loop		244	Chroma		142
2,5 x 2,5 cm / 1 x 1 Inch			Plural		176
Fresh		230	12,5 x 100 cm / 5 x 40 Inch		
Ocean		170	Plural		176
Plural		176	15 x 15 cm / 6 x 6 Inch		
Plural non-slip		196	Ascona		128
Plural unglazed		204	Plural		176
ø 2 cm / 6/8 Inch			Plural unglazed		204
Loop		244	Quarzit		210
5 x 5 cm / 2 x 2 Inch			Savona		218
Ascona		128	15 x 30 cm / 6 x 12 Inch		
Fresh		230	Plural		176
Plural		176	20 x 20 cm / 8 x 8 Inch		
Plural non-slip		196	Plural		176
Plural unglazed		204	Plural non-slip		196
Quarzit		210	Plural unglazed		204
Savona		218	20 x 40 cm / 8 x 16 Inch		
6 x 50 cm / 2 3/8 x 20 Inch			Plural		176
Ascona		128	25 x 25 cm / 10 x 10 Inch		
Quarzit		210	Ascona		128
6 x 60 cm / 2 3/8 x 24 Inch			Chroma		142
Ascona		128	Chorma non-slip		152
Quarzit		210	Chroma unglazed		162
Savona		218	Quarzit		210
6,2 x 25 cm / 2 1/2 x 10 Inch			25 x 50 cm / 10 x 20 Inch		
Chroma		142	Ascona		128
Chroma unglazed		162	Chroma		142
Ocean		170	Chroma unglazed		162
7,9 x 25 cm / 3 1/8 x 10 Inch			Plural		176
Chroma unglazed		162	Quarzit		210
10 x 10 cm / 4 x 4 Inch			28 x 145 cm / 11 3/16 x 58 Inch		
Plural		176	Ascona		128
Plural non-slip		196	Quarzit		210
Plural unglazed		204	30 x 30 cm / 12 x 12 Inch		
10 x 20 cm / 4 x 8 Inch			Plural		176
Plural		176	30 x 60 cm / 12 x 24 Inch		
10 x 25 cm / 4 x 10 Inch			Ascona		128
Ascona		128	Plural		176
10 x 30 cm / 4 x 12 Inch			Plural non-slip		196
Plural		176	Plural unglazed		204
10 x 50 cm / 4 x 20 Inch			Quarzit		210
Ascona		128	Savona		218
10 x 60 cm / 4 x 24 Inch			31 x 145 cm / 12 3/8 x 58 Inch		
Ascona		128	Ascona		128
Quarzit		210	Quarzit		210
12,5 x 12,5 cm / 5 x 5 Inch			50 x 25 cm / 20 x 10 Inch		
Ascona		128	Ascona		128
Chroma		142	Quarzit		210
Chroma non-slip		152	50 x 100 cm / 20 x 40 Inch		
Chroma unglazed		162	Ascona		128
Quarzit		210	Plural		176
12,5 x 25 cm / 5 x 10 Inch			60 x 60 cm / 24 x 24 Inch		
Ascona		128	Ascona		128
Chroma		142	Quarzit		210
Chroma non-slip		152	Savona		218
Chroma unglazed		162	60 x 120 cm / 24 x 48 Inch		
Ocean		170	Savona		218
Quarzit		210			

Model No.	Page(s)	Model No.	Page(s)	Model No.	Page(s)	Model No.	Page(s)	Model No.	Page(s)
12020H	148, 150, 151	341550HK	189, 191	53130	106	55720	26	703	189, 191
12023H	149	34156H	105	53135	106	55722	26	7161H	215, 222
12050H	148, 150, 151	34157H	105	53136	106	55725	26	730	190, 192
12053H	149	34158H	105	53137	106	55729	26	760	190, 192
17112	97	34159H	105	53138	106	55730	25	85160	37
17190	97	34166H	110	53139	106	55732	25	85161	37
17191	97	34167H	110	53150	32, 33, 217	55735	25	85163	37
17193	97	34168H	110	53151	32, 33, 217	55736	25	85165	37
17194	97	34169H	110	53159	32, 33, 217	55737	25	85166	37
17196	97	34170H	111	53190	106	55738	25	85167	37, 41
18120H	148, 150, 151	342030H	215, 222	53195	106	55740	27	85180	39
18123H	149	342550HK	190, 192, 215	53196	106	55742	27	85181	39
18124H	149	342555HK	216	53197	106	55745	27	85183	39
18190	97	342557HK	216	53198	106	55749	27	85185	39
18191	97	342580HK	215	53199	106	55750	27	85186	39
18192	97	34306	111	53320	114, 115, 217	55752	27	85187	39
18193	97	34306H	169	53321	114, 115, 217	55755	27	85190	39
18194	97	34307	111	53322	114, 115, 217	55759	27	85191	39
18196	97	34308	111	53323	114, 115, 217	55760	26	85193	39
18210H	148, 150, 151	34309	111	53510	83	55762	26	85195	39
18213H	149	352010HK	189, 191	53510H	83	55765	26	85196	39
18214H	149	352050HK	190, 192	53511	83	55766	26	85197	39
27180H	168	37011	113	53511H	83	55770	26	86160	57
27181H	168	37015	113	53512	83	55775	26	86161	57
27182H	168	37017	113	53512H	83	55800	93	86162	57
32020H	155, 156, 159, 166, 215	37018	113	54420	116	55802	93	86163	57
32025H	157, 160	37021	98	54421	116	55805	93	86165	57
32027H	157, 160	37023	98	54422	116	55806	93	86167	57
32050H	155, 156, 159, 166	37024	98	54423	116	55820	31	87160	45
32055H	157, 160	37031	113	55100	49	55821	31	87161	45
32057H	157, 160	37035	113	55101	49	55822	31	87163	45
32059	112	37080	98, 169	55105	49	55825	31	87165	45
32080H	167	37081	98, 169	55106	49	55826	31	87166	45
32100H	167	37082	98, 169	55107	49	55830	31	87167	45
332050HK	215	37088	97	55140	49	55831	31	95160	41
34020	98	37090	98	55141	49	55832	31	95161	41
34020H	169	37091	98	55143	49	55835	31	95163	41
34070H	111	37092	98	55145	49	55836	31	95165	41
34090H	167, 215	37120	99	55146	49	55840	32	95166	41
34100	104	37121	99	55147	49	55841	32	95180	41
34105	104	37122	99	55180	37	55845	32	95181	41
34106	104	37125	100	55181	37	55850	57	95183	41
34107	104	37126	100	55185	37	55852	57	95185	41
34108	104	37127	100	55186	37	55855	57	95186	41
34109	104	37150	112	55187	37, 41	55856	57	B200HK	215, 222
34110	104	37155	112	55440	92	55857	57	B600HK	215, 222
34115	104	37180	99	55442	92	59420	25	B611HK	216, 222
34116	104	37182	99	55445	92	59422	25	B612HK	216
34117	104	37183	100	55446	92	59425	25	B670HK	222
34118	104	37185	100	55450	92	59426	25	B773HK	216
34119	104	37186	97	55452	92	59427	25	B774HK	216
34120H	111	37188	99	55455	92	59428	25	S10002	112
34125H	111	37189	100	55456	92	59620	107	S50044	37
34126H	111	38110H	155, 156, 159, 166, 215	55460	93	59627	107	S50065	49
34127H	111	38115H	157, 160	55462	93	59628	107	S55102	49
34128H	111	38116H	157, 160	55465	93	59629	107	S55142	49
34136H	110	38117H	157, 160	55466	93	59630	107	S55182	37
34137H	110	38118H	157, 160	55520	93	59637	107	S85162	37
34138H	110	38119	112	55522	93	59638	107	S85182	39
34139H	110	41550HK	148, 150, 151	55526	93	59639	107	S85192	39
34146H	105	42550HK	148, 150, 151, 166	55563	112	59680	113	S87162	45
34147H	105	42580HK	167	55565	112	59681	113	S95162	41
34148H	105	44025	98	55566	112	59685	113	S95182	41
34149H	105	44026	98	55567	112	61061HK	217		

Agrob Buchtal offers tiles with overglazed edges in many series. In the case of **split tiles**, overglazed or overglazed rounded edges are available upon request according to the following model number system:

Last figure 0 of model no. to be replaced by1 = Short edge ...5 = Short edge	...2 = Longitudinal edge ...6 = Longitudinal edge	...3 = Corner left ...7 = Corner left	...4 = Corner right ...8 = Corner right	overglazed edges overglazed rounded edges (bullnoses)

Example: Standard model no. 18120 = 244 x 119 x 6 mm,
model no. 18123 = overglazed corner left

Area Pro

Color	similar to NCS no.	similar to RAL no.	Color Shade Variation
anthracite	S7502-B	7024	V2
basalt	S7005-B80G	180 4005	V2
pebble	S3502-Y	7030	V2
stone	S2502-Y	100 7005	V2
sand-white	S1502-Y50R	080 8005	V2
sand-grey	S1502-Y50R	080 7005	V2
sand	S5005-Y20R	075 5010	V2
nutmeg	S7005-Y50R	060 4005	V2
platinum	S0500-N	8500	V2
sand-beige	S1005-Y50R	060 8010	V2
brick	S7010-Y30R	060 4010	V2
clay	S8010-Y50R	050 3010	V2

Chroma und Plural

Color	similar to NCS no.	similar to RAL no.	Lightness Value Y
neutral 1 (Chroma unglazed)	S9000-N	9017	3
neutral 1	8000	7016	6
neutral 2	S7500-N	7015	9
neutral 3	S6500-N		15
neutral 4	S6000-N	7037	18
neutral 5	S5502-B	7046	21
neutral 6	S4502-B	7045	25
neutral 7	S4000-N	7004	33
neutral 8	S2502-B		46
neutral 9	S1502-R50B		65
neutral 10 (Chroma, Plural)	S1000-N	9003	76
neutral 10 (Chroma unglazed)	0502-Y	9001	66
neutral 10 (white glossy)	S1500	9003	70
active azure	S5030-R80B	5000	9
light azure	S2030-R80B		37
medium azure	S4030-R90B		21
dark azure	S4040-R90B	5007	13
active blue	S6030-R90B		7
light blue	S1510-R80B		60
medium blue	S2020-R80B		40
dark blue	S4030-R80B		17
active turquoise	S4030-B50G	6033	22
light turquoise	S1010-B50G		63
medium turquoise	S2020-B30G		44
dark turquoise	S4020-B30G		26
active green	S3050-G50Y		26
light green	S0510-G		69
medium green	S1515-G20Y	6019	53
dark green	S3020-G10Y	6021	31
active yellow	S3050-Y10R		32
light yellow	S1010-Y10R	1015	69
medium yellow	S2030-Y10R		50
dark yellow	S2050-Y20R		33
active ochre	S3050-Y40R		20
light ochre	S2030-Y20R		48
medium ochre	S3030-Y30R		36
dark ochre	S4030-Y50R		21
active salmon	S4040-Y70R		15
light salmon	S1515-Y50R		51
medium salmon	S2020-Y50R		39
dark salmon	S3040-Y60R		23
active oxide red	S4050-Y90R		10
light oxide red	S2010-Y80R		46
medium oxide red	S3020-Y80R		25
dark oxide red	S5020-Y80R		15
active stone grey	S5030-Y90R		9
light stone grey	S2502-R		46
medium stone grey	S3502-R	7036	34
dark stone grey	S6005-Y80R		15
active sand grey	S7010-Y90R		8
light sand grey	S1502-Y		56
medium sand grey	S3005-Y50R		35
dark sand grey	S6010-Y50R		14

Special colors

Color	similar to NCS no.	similar to RAL no.	Lightness Value Y
apple-green	S1060-G40Y		39
medium brown	S5020-Y50R	060 50 20	17
grey	S3502-Y	100 70 05	32
intense blue	6040-R70B		1
contrasting red (Chroma non-slip B)	S2050-Y90R	3017	14
contrasting red (Chroma non-slip C)	S2060-Y90R	3018	15
contrasting red (Chroma)	S2570-Y90R	3002	10
natural white	2005-Y20R	7032	51
orange	S2060-Y50R	2010	24
medium sand-beige	S1010-Y20R	1001	44
violet	S5020-R50B	4001	13
lemon-yellow	1070-Y	1016	52

Intense colors

Color	similar to NCS no.	similar to RAL no.	Lightness Value Y
violet	S3555-R60B	300 30 25	11
berry red	S4050-R20B	360 30 35	11
brown red	S2570-Y90R	3003	10
fire red	S1080-R	3002	14
signal orange	S1070-Y30R	060 70 70	39
sunshine yellow	S1070-Y	080 70 70	50
yellow green	S2050-G40Y	120 60 50	34
sea green	S4030-G	6000	21
blue green	S3040-B50G	190 50 25	23
cobalt blue	S4055-R70B	290 30 40	8

KerAion Special Glazes for Operation Theatres

Color	similar to NCS no.	similar to RAL no.	Lightness Value Y
beige	0502-Y	1013	69
blue	0530-R90B		46
grey	3000-N	7038	47
green	2030-B70G	6027	36
light-grey	1502-G50Y	7047	58
white	0500-N	9003	78

The use of color as an architectural design means has gained increasing importance during the last years. Therefore, we provide you with a list of the relevant Agrob Buchtal design series in order to facilitate planning. It classifies the colors according to:

NCS = Natural Color System
 (More detailed information can be obtained from: Skandinavian Color Institute AB, P.O. Box 49022 · S-10028 Stockholm · Phone +46/8/6174700 · Fax +46/8/6174747,
 Institut für Farbe – Brigitte Hartmann · Rotes Knie 6 · 74389 Cleebonn
 Phone 07135/12742 · Fax 07135/12737)

RAL Color Chart
 (More detailed information can be obtained from: RAL – Deutsches Institut für Gütesicherung und Kennzeichnung e.V. · Siegburger Straße 39 · D-53757 St. Augustin Phone +49 (0) 2241/1605-0 · Fax +49 (0) 2241/1605-11)

Lightness Value:
 This figure (standard color value Y) describes the lightness of a color in comparison with an ideally white surface if illuminated under identical light conditions, i. e. same intensity, direction and quality. For an ideal white, which means that all the incident light is reflected, the value Y = 100 applies (black: Y = 0).

Please note that these classifications may only serve as an orientation aid.
 Original samples will be made available to you upon request.

The difference in lightness of two adjoining colored surfaces is called luminance contrast. By means of this value, one can determine whether a room design is rich in contrast, as it is required, for example, by DIN 32975 "Designing visual information in the public area for accessible use". In the following, you will find the relevant values for selected series. They result from the

respective lightness values, which are indicated as averaged values of individual measurements. We will be pleased to determine values for other products upon request.

Luminance contrast Series Area Pro										
		anthracite	basalt	pebble	stone	sand-white	sand-grey	sand	nutmeg	
Lightness Value Y		8	13	21	33	50	38	21	14	
anthracite		8	0.00	0.23	0.44	0.60	0.72	0.64	0.44	0.24
basalt		13		0.00	0.23	0.43	0.59	0.49	0.24	0.01
pebble		21			0.00	0.22	0.41	0.29	0.01	0.22
stone		33				0.00	0.21	0.08	0.21	0.42
sand-white		50					0.00	0.14	0.40	0.58
sand-grey		38						0.00	0.28	0.48
sand		21							0.00	0.23
nutmeg		14								0.00
platinum		58								
sand-beige		41								
brick		14								
clay		10								

Luminance contrast Series Ascona							
		shell	sand	pearl	stone	mud	graphite
Lightness Value Y		55	50	47	40	27	11
shell		55	0.00				
sand		50	0.05	0.00			
pearl		47	0.08	0.03	0.00		
stone		40	0.16	0.11	0.08	0.00	
mud		27	0.34	0.30	0.27	0.19	0.00
graphite		11	0.67	0.64	0.62	0.57	0.42
							0.00

Luminance contrast Series Area Pro (continuation)

		platinum	sand-beige	brick	clay
<i>Lightness Value Y</i>		58	41	14	10
anthracite	8	0.75	0.66	0.25	0.07
basalt	13	0.63	0.51	0.03	0.16
pebble	21	0.47	0.32	0.21	0.38
stone	33	0.28	0.11	0.41	0.55
sand-white	50	0.07	0.11	0.57	0.68
sand-grey	38	0.21	0.04	0.47	0.60
sand	21	0.46	0.31	0.21	0.38
nutmeg	14	0.62	0.50	0.01	0.17
platinum	58	0.00	0.18	0.62	0.72
sand-beige	41		0.00	0.49	0.62
brick	14			0.00	0.19
clay	10				0.00

Luminance contrast Series Quarzit

		basalt-grey	quarz-grey	sand-beige	sepia-brown	white grey
<i>Lightness Value Y</i>		15	40	47	30	55
basalt-grey	15	0.00				
quarz-grey	40	0.45	0.00		0.14	
sand-beige	47	0.52	0.08	0.00	0.22	
sepia-brown	30	0.33			0.00	
white grey	55	0.57	0.16	0.08	0.29	0.00

Luminance contrast Series Savona

		lime	beige	brown	grey	anthracite
<i>Lightness Value Y</i>		52	38	20	20	8
lime	52	0.00	0.16	0.44	0.44	0.73
beige	38		0.00	0.31	0.31	0.65
brown	20			0.00	0.00	0.43
grey	20			0.00	0.00	0.43
anthracite	8					0.00



European Quality Standards

Product Standards	Extruded Ceramic Tiles DIN EN 14411				Dry-pressed Ceramic Tiles DIN EN 14411		Test Standards
	group Al _a + Al _b „Nature“ „Precision“		group All _a -part 1 „Nature“ „Precision“		group Bl _a + Bl _b	group Bl _{III}	
(simplified and based on 20 x 20 cm (Bl _{II}), or 30 x 30 cm (Bl _{II}))							
A) Dimensions + Surfaces							
1. Length and Width	± 2%	± 1.0%	± 2%	± 1.25 %	± 0.6%	± 0.5%	DIN EN ISO 10545-2
2. Thickness	± 10%	± 10%	± 10%	± 10%	± 5%	± 10%	DIN EN ISO 10545-2
3. Straightness of Edges	± 0.6%	± 0.5%	± 0.6%	± 0.5%	± 0.5%	± 0.3%	DIN EN ISO 10545-2
4. Rectangularity	± 1.0%	± 1.0%	± 1.0%	± 1.0%	± 0.5%	± 0.5%	DIN EN ISO 10545-2
5. Surface Flatness							DIN EN ISO 10545-2
5.1 Curvature at Centre	± 1.5%	± 0.5%	± 1.5%	± 0.5%	± 0.5%	+ 0.5/-0.3%	DIN EN ISO 10545-2
5.2 Curvature at the Edges	± 1.5%	± 0.5%	± 1.5%	± 0.5%	± 0.5%	+ 0.5/-0.3%	DIN EN ISO 10545-2
5.3 Skewness	± 1.5%	± 0.8%	± 1.5%	± 0.8%	± 0.5%	± 0.5%	DIN EN ISO 10545-2
6. Surface Quality	at least 95 %		at least 95 %		at least 95 %		DIN EN ISO 10545-2
7. Color Deviations	•		•		•		DIN EN ISO 10545-16
7.1 Color Shade Grading	•		•		•		Deutsche Steinzeug
8. Size Grading ¹⁾	•		•		•		Deutsche Steinzeug
B) Physical Properties						glazed	
1. Water Absorption	on average / max. individual value	Al _a ≤ 0.5% / 0.6% Al _b 0.5% < E ≤ 3% / 3.3%	≤ 6 / 6.5 %	Bl _a ≤ 0.5% Bl _b ≤ 3 %	Bl _a > 10 %		DIN EN ISO 10545-3
2. Modulus of Rupture	Value in brackets = min. individual value	Al _a min. 28 (21) N/mm ² Al _b min. 23 (18) N/mm ²	min. 20 (18) N/mm ²	Bl _a min. 35 (32) N/mm ² Bl _b min. 30 (27) N/mm ²	thkns. < 7.5mm: 15 N/mm ² thkns. ≥ 7.5mm: 12 N/mm ²		DIN EN ISO 10545-4
2.1. Breaking Strength ≥ 7.5 mm thickness	Al _a min. 1300 N Al _b min. 1100 N	at least 950 N	Bl _a min. 1300 N Bl _b min. 1100 N	at least 600 N			DIN EN ISO 10545-4
2.2. Break. Str. < 7.5 mm thickness	at least 600 N	at least 600 N	at least 700 N	at least 200 N			DIN EN ISO 10545-4
3. Resistance to Shock	•	•	•	•			DIN EN ISO 10545-5
4. Resistance to Deep Abrasion	≤ 275 mm ³	≤ 393 mm ³	≤ 175 mm ³	–			DIN EN ISO 10545-6
5. Resistance to Glaze Abrasion	0-5	0-5	0-5	0-5			DIN EN ISO 10545-7
6. Max. Coefficient of Expansion	•	•	•	•			DIN EN ISO 10545-8
7. Thermal Shock Resistance	•	•	•	•			DIN EN ISO 10545-9
8. Moisture Expansion	< 0.001mm/m required	< 0.001mm/m required	appr. 0.001mm/m required	appr. 0.01mm/m required			DIN EN ISO 10545-10
9. Resistance to Glaze Cracking							DIN EN ISO 10545-11
10. Thermal Conductivity	appr. 1 W/mK	appr. 1 W/mK	appr. 1 W/mK	appr. 0.8 W/mK			Deutsche Steinzeug
11. Electrical Leakage Resistance	> 10 ¹⁰ Ohm ³⁾	> 10 ¹⁰ Ohm ³⁾	10 ¹⁰ Ohm	10 ¹⁰ Ohm			DIN EN 1081
12. Steam Diffusion Resistance	ca. μ 120.000	ca. μ 120.000	ca. μ 120.000	ca. μ 100.000			DIN EN ISO 12572
13. Resistance to Frost	required	not required, but met by Agrob Buchtal	required	–			DIN EN ISO 10545-12
14. Light an Color Fastness	•	•	•	•			DIN 51094
15. Luminance	acc. to specifications	acc. to specifications	acc. to specifications	acc. to specifications			Deutsche Steinzeug
16. Behaviour in Fire	A1/A1 _{fl}	A1/A1 _{fl}	A1/A1 _{fl}	A1/A1 _{fl}			DIN 4102/DIN EN 13501-1
C) Chemical Properties²⁾							
1. Resistance to Chemicals	see test certificate	see test certificate	see test certificate	see test certificate	see test certificate		DIN EN ISO 10545-13
2. Resistance to Household Chemicals and Bath Water Additives	min. GB or UB	min. GB or UB	min. GB or UB	–			
3. Stain Resistance (glazed)	min. class 3	min. class 3	min. class 3	min. class 3			DIN EN ISO 10545-14
4. Lead and Cadmium Delivery	•	•	•	•			DIN EN ISO 10545-15
5. Hytect	see test certificate	see test certificate	see test certificate	see test certificate	see test certificate		Deutsche Steinzeug
D) Slip resistance							
1. Coefficient of Friction	•	•	•	–			E-DIN EN ISO 10545-17
1.1 Industrial Areas (BG) Trade Associations	Groups R9-13/V4-10	Groups R9-13/V4-10	Groups R9-13/V4-10	–			DIN EN 16165, Annex B
1.2 Barefoot Areas (BUK) German National Association of Accident Insurance Companies	Groups A/B/C	Groups A/B/C	Groups A/B/C	–			DGUV-R 108-003 (BGR 181)
				–			DIN EN 16165, Annex A
				–			DGUV-I 207-006 (GUV-I 8527)

1) Boxes marked according to size and color shade.

2) Hydrofluoric acid and its compounds excluded.

3) Exceptions:

KerAion ELA 10.6: Electrical Leakage Resistance 10⁸ Ohm (DIN EN 1081)
Eladuct 10⁸

All references to as well as quotations from product and test standards are to be considered as information which is not binding. The latest versions apply.

Deutsche Steinzeug tiles present better values than required by the standards.

In addition, they are construction biologically, ecologically, hygienically and bacteriologically safe; this is guaranteed through the choice of raw materials, method of processing and firing technique.

Terms and Classification according to DIN EN 14411

All our tiles consist of natural raw materials such as clay, quartz sand and feldspars, which are processed, refined and fired. Depending on the application they are manufactured with a glazed (GL) or unglazed (UGL) surface. They can be classified in accordance with DIN EN 14411 as follows:

Classification of the ceramic tiles according to their groups of water absorption (E) and their shaping

Shaping	Group I E ≤ 3 %	Group IIa 3 % < E ≤ 6 %	Group IIb 6 % < E ≤ 10 %	Group III E > 10 %
A extruded tiles	Group Al _a E ≤ 0.5% (Annex M)	Group All _a -1 ^{a)} (Annex B)	Gruppe All _b -1 ^{a)} (Annex D)	Group All _i (Annex F)
	Group Al _b 0.5% < E ≤ 3 % (Annex A)	Group All _a -2 ^{a)} (Annex C)	Group All _b -2 ^{a)} (Annex E)	
B dry-pressed tiles	Group Bl _a E ≤ 0.5% (Annex G)	Group Bl _a	Group Bl _b (Annex K)	Group Bl _b (Annex L)
	Group Bl _b 0.5% < E ≤ 3 % (Annex H)			

a) The groups All_a and All_b are subdivided into two parts (parts 1 and 2) with different product requirements.
b) Group Bl_b essentially applies to glazed tiles. There is a small number of dry-pressed unglazed tiles manufactured with a water absorption of more than 10 % to which this product group does not apply.

Traditionally the following terms are used:

Extruded tiles

(marked with A)

Tiles that are cut off with a certain length from a bar formed from the plastic mass by means of an extruder.

Dry-pressed tiles

(marked with B)

Tiles that are formed from a finely ground and subsequently granulated mass by pressing under high pressure.

Stoneware tiles are frost-resistant, single extruded vitrified tiles with a firing temperature of appr. 1260 °C.

KerAion is the unique extruded ceramic large-size panel from Agrob Buchtal.

Vitrified dry-pressed tiles are frost-resistant, single dry-pressed tiles with a firing temperature of up to 1200 °C.


Porcelain stoneware stands for especially densely sintered tiles with a water absorption of < 0.5 %.

Mosaics are small (porcelain) stoneware tiles stuck onto sheets.

Earthenware tiles are non-frost-resistant, single dry-pressed tiles with a firing temperature of up to appr. 1100 °C.

The water absorption E in weight-% is determined in accordance with DIN EN ISO 10545-3.

Description of dimensions



Coordinating dimension (C) in cm = Work size (W) + joint (J)

Work size (W) in mm = Dimensions of the visible surfaces and thickness (d)

Dimensions and Surfaces

1 - 5. Dimensions, DIN EN ISO 10545-2

All dimensions are determined in accordance with the standard.

Permissible length and width tolerances corresponding to the product standards					
DIN EN 14411	Group Al _a / Al _b (25x12.5 cm)	Group All _a (25x12.5 cm)	Group Bl _a / Bl _b (30x30 cm)	Group Bl _i (10x10 cm)	
Deviation from the work size	„Nature“ ± 2 %, max. 4 mm	„Precision“ ± 1 %, max. 2 mm	„Nature“ ± 2 %, max. 4 mm	„Precision“ ± 1.25 %, max. 2 mm	„Precision“ ± 0.6 %, max. 2 mm
Deviation from the average side length	± 1.5 %	± 1.0 %	± 1.5 %	± 1.0 %	± 0.5 %

All references to as well as quotations from product and test standards are to be considered as information which is not binding. The latest versions apply.

The work sizes of our **special pieces** are given according to visual sides.

6. Surface Quality, DIN EN ISO 10545-2

The surfaces of 1 m² or 30 pieces are tested at 300 lux for visible defects at a distance of 1 m.

7. Color Deviations, DIN EN ISO 10545-16

Glazed mono-colored products with values of $\Delta E_{cmc} < 0.75$ are considered as identical in color; the value of 1.0 applies to unglazed mono-colored products.

7.1. Color Shade Grading

The color shade code is stamped on the box. Only identical color shades will result in a uniform surface look. In the case of rustic split tiles greater color deviations are normal. During laying, tiles from different boxes should be mixed.

8. Size Grading

The production sizes vary for technical reasons. The production size is coded and stamped on the box. Only boxes with the same coding should be laid together. According to VOB, the differences are evened out in the joints.

Physical Properties

1. Water Absorption, DIN EN ISO 10545-3

The **water absorption (E)** gives the weight increase as compared to the dry weight of samples saturated with water under vacuum.

1.1 Apparent Density, DIN EN ISO 10545-3

It gives the ratio between mass and external volume.

2. Modulus of Rupture, DIN EN ISO 10545-4

The breaking strength F is determined on samples by means of the three-point load in N. From this, the modulus of rupture and the breaking load are calculated according to the following formula.


Modulus of Rupture

$$R = \frac{3 \cdot F \cdot L}{2 \cdot b \cdot h^2}$$


Breaking Load

$$S = \frac{F \cdot L}{b}$$

F = breaking strength in N
L = bearing span in mm
b = width in mm
h = thickness in mm
R = modulus of rupture



Possible Applications	Stress Group
Breaking strength under 1,500 N Housing construction and floor coverings subject to comparable mechanical stress, e.g. hotel bathrooms, rooms in the health service sector	1
Breaking strength 1,500 – 3,000 N Administration, trade and industry (practicable with vehicles with pneumatic tyres), e.g. canteen kitchens, canteens, traffic zones, car exhibition and maintenance areas, sales rooms, always without industrial truck traffic Floor pressures up to 2 N/mm ²	2
Breaking strength 3,000 – 5,000 N Trade and industry (industrial truck traffic with superelastic, solid rubber and vulkollan tyres), e.g. in food retailing and wholesaling, non-food retailing and wholesaling, shopping malls Floor pressures 2 to 6 N/mm ²	3
Breaking strength 5,000 – 8,000 N Trade and industry; areas of application as in group 3, but practicable with polyamide rollers Floor pressures 6 to 20 N/mm ²	4
Breaking strength above 8,000 N Trade and industry; heavy-duty areas with industrial truck traffic with polyamide rollers; runners of metal parts, such as e.g. in factory buildings, assembly halls and storerooms, repair workshops for machines and heavy equipment Floor pressures > 20 N/mm ²	5



Floor pressures in N/mm² of industrial truck wheels according to a FMPA test in Stuttgart

The table illustrates the floor loads and indicates the effect of the different wheel types: steel wheels should be rejected and polyamide (Nylon and Perlon) is not advisable. Softer tyres (≤ 75 Shore-A-Hardness) as well as larger wheel diameters and wider supporting surfaces are especially advantageous.

Important note:

The "application possibilities" are of course only recommendations, as the method and quality of laying are decisive factors. Our recommendations are based on conventional, professional laying. With increasing mechanical load as well as harder tyres a thicker tile is required.

All references to as well as quotations from product and test standards are to be considered as information which is not binding. The latest versions apply.

Mechanical Strength

Deutsche Steinzeug offers tiles in thicknesses from 5 up to 20 mm for extreme loads in industrial and commercial areas. The breaking load values of our products partly are by far better than the values required by DIN EN 14411 (the relevant test certificates will be made available on request).

The calculated breaking load indicates the suitability for floors subject to mechanical loads. The stress itself is caused by bending rather than by pressure. The "extra strong" tiles from our programme with their high pressure, breaking and bending strength values are the ideal covering for floors subject to heavy loads. They withstand the wheels of industrial trucks, fork lift trucks and platform lift-trucks with their high floor pressure. They are especially suitable as floor coverings for industrial logistics, hyper- and supermarkets.

3. Compressive Strength

The compressive strength of tiles is not standardized. In the case of vitrified dry-pressed tiles it reaches values of up to 150 N/mm². The following conversion table shows the importance of a perfect and professional embedding of the tiles on site. The relatively low values for cement and thin-bed mortar can only be compensated by special and professional laying (mortar composition, water/cement value and manual or mechanical compression).

4. Resistance to Shock, DIN EN ISO 10545-5

Rebound measurement with 5 samples.

5. Resistance to Deep Abrasion, DIN EN ISO 10545-6

With regard to the deep abrasion on unglazed tiles, the abrasion is determined by means of fusion corundum and a rubbing plate. The lower the value, the higher the wear resistance of the material.


6. Glaze Abrasion, DIN EN ISO 10545-7

The **abrasion class** of glazed tiles is established in the wet test. Artificial abrasion is produced with the help of aluminium oxide grains, steel balls and the addition of water in an eccentrically revolving system. The number of revolutions at which a visible change of the test surface occurs results in the following classification:

Resistance to Surface Abrasion

Class	Revolutions
0	100
1	150
2	600
3	750/1500
4	2100/6000/12000
5	>12000*

* Must pass the stain test according to DIN EN ISO 10545-14.



Vitrified material has a compressive strength approx. 10 - 20 times higher than cement mortar, cast plaster floors and reinforced concrete.

Conversion table for different materials

Types of material	N/mm ²	N/cm ²	kN/cm ²
Vitrified dry-pressed tiles	100 – 150	10.000 – 15.000	10 – 15
Extruded split tiles	180 – 250	18.000 – 25.000	18 – 25
Cement mortar Gr. III	10	1.000	1
High-grade cement mortar	20	2.000	2
Thin-bed mortar 15 – 30	1.500 – 3.000	1.5 – 3	
Epoxy resins	60 – 75	6.000 – 7.500	6 – 7.5
Cement screed CT, C12 (ZE 12)	12	1.200	1.2
CT, C20 (ZE 20)	20	2.000	2
CT, C30 (ZE 30)	30	3.000	3
Mechanically resistant floor 65	65	6.500	6.5
Reinforced concrete	C 20/25 (B 25) C 30/37 (B 35)	25 35	2.5 3.5

Class 0

The use of glazed tiles of this class for floor coverings is not recommended.

Class 1

Floor coverings in areas mainly walked on in soft footwear or barefoot and not exposed to abrasive dirt (e.g. bathrooms and bedrooms without direct access from outside).

Class 2

Floor coverings in areas occasionally walked on with soft or normal footwear and exposed to only little abrasive dirt (e.g. rooms in living areas of houses, except kitchens, entrances and similar heavily frequented rooms). This does not apply to special footwear such as e.g. hobnailed boots.

Class 3

Floor coverings in areas frequently walked on with normal shoes and exposed to little abrasive dirt (e.g. kitchen-cum-living-rooms, halls, corridors, balconies, loggias and terraces). This does not apply to special footwear such as e.g. hobnailed boots.

Class 4

Floor coverings walked on regularly and exposed to little abrasive dirt, so that they are subject to greater stress as in the case of class 3 (e.g. commercial kitchens, hotels, exhibition and sales rooms).

Class 5

Floor coverings subject to heavy pedestrian traffic over long periods of time and exposed to little abrasive dirt, so that they are subject to the most extreme stress under which glazed tiles can be applicable (e.g. public areas such as shopping centres, entrance halls of airports, hotel foyers, public foot-paths and industrial applications).

Every floor covering is subject to wear. This depends on the area of application and the frequency of use, the kind and degree of dirt as well as the hardness and resistance to wear of the covering material. While unglazed vitrified floor tiles can be used practically anywhere, glazed floor tiles have to be categorized according to stress groups. Scrapers, mats and the like help to remove dirt and abrasives and to protect glazed floor coverings. Something of this kind has to be provided especially in rooms with direct access from outside or from the garden.

Extreme Stress

For such areas we recommend the use of integrally colored, unglazed tiles, which are available in a wide range of colors and sizes. Examples: floors subject to high traffic loads, e.g. in supermarkets, hotels, schools, administrative buildings, railway stations, hospitals, passageways, etc., taking into account the mechanical load.

7. Coefficient of Expansion, DIN EN ISO 10545-8

The coefficient of expansion is ascertained between room temperature and 100°C ermittelt. The measured values are at around 6.0×10^{-6} m/(mxK) in the case of vitrified materials and at around 8.0×10^{-6} m/(mxK) in the case of porcelain stoneware. At 8 m length and 50° temperature difference the result is a change in length of approx. 2.4 mm in the case of vitrified materials (in the case of screed/concrete 4.6 mm and steel 5.6 mm).

8. Thermal Shock Resistance, DIN EN ISO 10545-9

The thermal shock resistance is tested between 15° and 145°C.

9. Moisture Expansion, DIN EN ISO 10545-10

The moisture expansion is determined between tempered and water-saturated samples.

10. Resistance to Glaze Cracking, DIN EN ISO 10545-11

This test takes place in the autoclave at 500 KPa with subsequent color control.

Glazes with hair cracks/crazes are marked as such and require the wetting of the covering prior to pointing to avoid deposits of fine particles of the pointing mortar in the hair cracks. Colored pointing compounds are not suitable in the case of these glazes. The glaze surfaces must not be marked with felt-tip pen and the like.

11. Thermal Conductivity etc.

Thermal conductivity, heat radiation and storage capacity as well as the thermal resistance are not standardized. Vitrified material produces the following approximate values:

Thermal conductivity: 1 W/mK	Heat storage capacity: 0.8 kJ/kgK
Heat radiation: 5.3 W/m ² K ⁴	Thermal resistance: 0.01m ² K/W

12. Electrical Leakage Resistance

With a volume resistance of $>10^{10}$ Ohm (DIN EN 1081), our ceramics is insulating in dry condition. With the series Eladuct and KerAion ELA 10.6, however, we offer ceramics for floors capable of discharging static electricity. The glaze of ELA 10.6 has a surface resistance of approx. 10^6 Ohm according to DIN EN 1081. The discharge of static electricity is effected from the glaze via conductive joints and tile adhesive into copper strips to be connected to earth, which are laid on the base to be tiled. In the case of Eladuct, the complete tile body is capable of discharging static electricity. The volume resistance according to DIN EN 1081 is approx. 10^8 Ohm. Here, conductive joints are not required; apart from that, the base has to be carried out as described for ELA 10.6.

13. Steam Diffusion Resistance

According to DIN EN ISO 12572 the steam diffusion resistance is approx. μ 120,000 in the case of vitrified material/split tiles and μ 100,000 in the case of earthenware (excluding joints).

14. Resistance to Frost, DIN EN ISO 10545-12

The test for frost resistance is carried out on 10 samples or > 0.25 m² samples. After water saturation under vacuum the samples are checked for defects after 100 frost-thaw alternations.

The resistance to frost of an outdoor flooring, however, does not only depend on the quality of the ceramic tiles used.

Professional construction and laying are essential. For this, please refer to our specifications and the notice of the umbrella organization of the German building and construction industry "Outdoor Tiled and Paved Coverings".

15. Light and Color Fastness

Both glazed and unglazed ceramics are light- and color-fast according to DIN 51094.

16. Luminance

The lightness value of a tile describes the brightness of the surface as perceived by the human eye. The measuring value Y = 100 corresponds to the brightness of an absolutely white surface, and Y = 0 to that of an absolutely black surface. The lightness value is determined for mono-colored tiles.

17. Behaviour in Fire

Ceramic tiles are classified A 1 according to EN ISO 13501-1 and DIN EN 14411. Therefore, they are generally non-combustible and thus fire-resistant. Also in the case of fire they do not release any toxic emissions.

Chemical Properties

1. Resistance to Chemicals, DIN EN ISO 10545-13**Resistance to Household Chemicals and Bath Water Additives**

- Household chemicals
 - Ammonium chloride solution 100 g/l
- Bath salts
 - Sodium hypochlorite solution 20 mg/l

Classes

A/B/C*

Resistance to Acids and Alkalies

- Low concentration (L)
 - a) Hydrochloric acid solution 3% (V/V)
 - b) Citric acid solution 100 g/l
 - c) Potassium hydroxide solution 30 g/l
- High concentration (H)
 - a) Hydrochloric acid solution 18% (V/V)
 - b) Lactic acid solution 5% (V/V)
 - c) Potassium hydroxide solution 100 g/l

Classes

LA/LB/LC or HA/HB/HC*

Acid Protection and Apparatus Engineering

The resistance for acid protection engineering DIN EN 993-16 or chemical apparatus engineering DIN 28062 is subject to individual tests.

* Class A shows the highest resistance to chemicals, which decreases more and more towards C.

2. Stain Resistance, DIN EN ISO 10545-14**Stain Forming Substances**

- Stain forming substances, leaving traces
 - Green stain forming substances in oil
 - Red stain forming substances in oil
- Chemical stain forming substances
 - Iodine, 13 g/l in alcohol
- Stain forming substances, forming a film
 - Olive oil

Cleaning (within the framework of the test)

- Cleaning agent
 - Hot water (+55 °C)
 - Weak cleaning agent
 - Strong cleaning agent
- Solvent
 - Hydrochloric acid solution 3% (V/V)
 - Potassium hydroxide 200 g/l
 - Acetone

Classes

CI.5 / CI.4 / CI.3 / CI.2 / CI.1*

3. Lead and Cadmium Delivery

The glazed surfaces are exposed to a 4 percent acetic acid solution. Then, the quantity of the delivered lead and cadmium is determined.

* Class 5 shows the highest stain resistance, which decreases more and more towards 1.

Surface Coatings and Upgradings

Hytect

Hytect is a highly effective and durable coating of tiles and panels of Deutsche Steinzeug. The coating baked onto the surface on the base of titanium dioxide uses the principle of the photocatalysis. It offers the user the following advantages:

A) Hytect decomposes bacteria and germs

The surface is activated by sunlight or artificial lighting. Activated oxygen forms, which decomposes microorganisms.

B) Hytect eliminates disagreeable odours

Disagreeable or even unhealthy odours in the air are also eliminated by Hytect.

C) Hytect reduces the cleaning efforts

The hydrophilic surface makes it possible for water to get under the dirt. In this way the quantity of cleaning agents is considerably reduced, which means a contribution to environmental protection and the saving of time for manual works at the same time.

Hytect surfaces are odourless, non-poisonous, meet the requirements for food and are completely harmless for persons suffering from allergies.

Laying and pointing are carried out by the usual techniques. The conventional agents (without hydrofluoric acid and its compounds) are applicable for cleaning. All additives forming a film, leaving fat on the surface or impregnating are excluded, which impair the surface activation by light.

Renowned institutes in Germany and abroad have confirmed us the corresponding effects of Hytect.

Protecta Surface Upgrading



Better Beats Good ...

Unglazed vitrified tiles are hard-wearing and resistant by nature. Thanks to the Protecta surface upgrading, the stain and dirt resistance could be improved considerably: during the firing process, the coating applied **in-plant** is ceramicly bonded to the biscuit and closes the existing "micropores" quite natural for unglazed ceramics. In this way, the penetration of substances forming stains is prevented. Thus, an impregnation is no longer required and may possibly even have a negative effect in the case of slip-resistant tiles with Protecta surface upgrading, as the impregnating agent can not penetrate the tile but remains on the surface as lubricating film.

Products with Protecta surface upgrading are marked with this symbol in the corresponding series:



Hygiene

Glazed tiles and tiles with Protecta surface upgrading of Deutsche Steinzeug ensure the best possible hygiene conditions. Thanks to the closed surface, they offer no possibility for germs to proliferate. Tests of institutes for hygiene confirm the suitability for the covering of drinking water reservoirs. Hyper-sensitive people such as those suffering from allergies make the best experiences with tiles.

Cleaning

On principle, claddings and coverings must be protected by appropriate measures against heavy soiling which may be caused in particular by subsequent construction works (painting etc.). Our tiles can generally be cleaned with water and a neutral or alkaline cleaning agent.

In the case of hard water, the sporadic use of acid cleaning agents is required. In the case of stains, cleaning depends on the type of stains and has to be carried out with suitable chemicals.

In the case of a higher concentration of the cleaning agent used, subsequent wiping with clear water is required. Rinsing with clear water is absolutely necessary when carrying out a basic cleaning.

Cleaning agents containing maintenance additives are not recommended by us. They usually reduce the slip resistance and cause a negative visual appearance of the floor covering by forming layers!

Important: the use of cleaning machines with pads containing abrasive grain has a polishing effect by which the slip resistance of the tiles is considerably reduced. We therefore expressly disapprove of such methods. Hydrofluoric acid or its compounds attack the ceramics and cause irreversible damage!

You will find detailed cleaning instructions for ceramic tiles on the Internet at www.agrob-buchtal.de

- Service
- Architects & Planners / Dealers / Tilers
- Cleaning instruction.

Impregnation

Unglazed stoneware without Protecta surface upgrading or Hytect coating should be impregnated in order to prevent the penetration of colored liquids, fats and oils and to facilitate cleaning.

The impregnating agent must be applied on the clean and dry floor; excess material must be removed immediately.

Slip Resistance

1. Coefficient of Friction/Slip Resistance

Workshop rules as well as accident prevention regulations require floors to be smooth, slip-resistant and easy to clean. Special protective measures against slipping are necessary where there is a risk as a result of the use of water, oil, slush, grease or waste. This should be taken into consideration when choosing the surface material. This clear requirement is based on investigations carried out by the insurance companies, which proved that slipping is the primary cause of accidents.

1.1. Industrial Areas


Competent authority:
Deutsche Gesetzliche Unfallversicherung,
Mittelstraße 51, 10117 Berlin-Mitte,
hone: +49 (0)30 28876-3800,
fax: - 3808, www.dguv.de, info@dguv.de

Test standards: DIN EN 16165 and DIN 51133

Guideline: ASR A 1.5 - Floors

Code of practice: DGUV regulation 108-003 "Floors in work rooms and work areas with high risk of slipping" (previous BGR 181)

Test procedure: Inclined plane, safety footwear worn, test medium oil. The surface finish can be smooth, fine-rough, rough or profiled.



The displacement space (V4-V10) is the open space between the upper walked-on surface and the drainage level of profiled surfaces.

Valuation Groups

In a detailed table (see next page) the required valuation groups are assigned to work areas where there is a high risk of slipping. Information is available from Deutsche Gesetzliche Unfallversicherung and Agrob Buchtal.

Test on "inclined plane"

Valuation groups	Angle of inclination	Industrial + commercial areas
R9	> 6°- 10° low static friction	
R10	> 10°- 19° normal static friction	
R11	> 19°- 27° increased static friction	
R12	> 27°- 35° high static friction	
R13	> 35° very high static friction	

The indicated angles of inclination exclusively serve for the assignment of the valuation groups and can not be equated with the angles of inclination of slopes/ramps.

Slip-resistant tiles are marked with the logo "GRIP" in the corresponding series:



Legal Basis

Workshop rules as well as accident prevention regulations require floors to be smooth, slip-resistant and easy to clean. The brochure "Technische Regel für Arbeitsstätten" ASR A 1.5 – Floors (Code of practice for work areas) contains detailed requirements.

Publisher:

Bundesanstalt für Arbeitsschutz und Arbeitsmedizin (Ausschuss für Arbeitsstätten) [Federal institute for safety at work and occupational medicine (Committee for work areas)]

Available at:

Download at www.baua.de

0 General work rooms and areas*

0.1	Entrance areas, indoors**)	R9
0.2	Entrance areas, outdoors	R11 (or R10 V4)
0.3	Stairs, indoors***)	R9
0.4	Outdoor stairs	R11 (or R10 V4)
0.5	Inclined ramps, indoor***) (from a slope of 3 %; e.g. for wheel chairs, compensation slopes, routes of transport)	One R-group higher than that required for the covering of the access area, where applicable

0.6 Sanitary rooms

0.6.1	Toilets	R9
0.6.2	Changing rooms and washrooms	R10
0.7	Break rooms (e.g. recreation room, company canteens)	R9
0.8	First aid rooms and comparable facilities (see ASR A4.3)	R9

1 Manufacture of margarine, edible fats and oils

1.1	Melting of fat	R13 V6
1.2	Cooking oil refinery	R13 V4
1.3	Margarine production and packaging	R12
1.4	Cooking fat production and packing, oil bottling	R12

2 Milk processing, cheese production

2.1	Fresh milk processing and butter production	R12
2.2	Cheese production, storage and packaging	R11
2.3	Icecream manufacturing	R12

3 Chocolate and confectionery production

3.1	Sugar processing	R12
3.2	Cocoa production	R12
3.3	Production of raw mixtures	R11
3.4	Fabrication of chocolate bars and shells and filled chocolates	R11

4 Production of bread, cakes and pastries

4.1	Dough preparation	R11
4.2	Rooms in which predominantly fats or liquid mixtures are processed	R12
4.3	Washing-up rooms	R12 V4

5 Slaughtering, meat processing

5.1	Slaughter-house	R13
V10		
5.2	Tripe processing room	R13
V10		
5.3	Meat sectioning	R13 V8
5.4	Sausage kitchen	R13 V8
5.5	Boiled sausage unit	R13 V8
5.6	Raw sausage unit	R13 V6
5.7	Sausage drying room	R12
5.8	Gut store	R12
5.9	Salting and curing rooms, smoking establishments	R12
5.10	Poultry processing	R12 V6
5.11	Cold cuts and packaging unit	R12
5.12	Workshop with sales area	R12 V8 ****)

6 Fish processing, production of delicatessen

6.1	Fish processing	R13
V10		
6.2	Production of delicatessen	R13 V6

6.3 Manufacture of mayonnaise

7.1	Production of sauerkraut	R13 V6
7.2	Vegetable tinning	R13 V6
7.3	Sterilizing rooms	R11
7.4	Rooms in which vegetables are prepared for processing	R12 V4

8 Wet areas in food and beverage production

(if not specifically mentioned)		
Storage cellars		R10
Beverage bottling, fruit juice production		R11

9 Catering establishments

Kitchens in the catering trade (restaurant kitchens, hotel kitchens)	R12
Kitchens catering for homes, schools, day-care facilities for children, sanatoria	R11
Kitchens catering for hospitals, clinics	R12
Large kitchens catering for industrial and university canteens, and contract catering	R12
Food preparation kitchens (fast food kitchens, convenience restaurants and snack bars)	R12
Kitchens for heating up frozen meals	R10
Coffee and tea kitchens, hotel garni kitchens and ward kitchens	R10
Washing-up rooms	R10
Washing-up rooms for 9.1, 9.4, 9.5	R12 V4
Washing-up rooms for 9.2	R11
Washing-up rooms for 9.3	R12
Dining rooms, guest rooms, canteens including serving counters	R9
Counter area, bar area	R10

10 Cold stores, deep freeze stores

for unpacked goods	R12
for packed goods	R11

11 Sales outlets, shops

Reception of goods, meat for unpacked goods	R11
for packed goods	R10
Reception of goods, fish	R11
Serving counters for meat and sausage for unpacked goods (e.g. loose in transport boxes)	R11
for packed goods	R10
Serving counters for bread, cakes and pastries, unpacked goods	R10
Serving counters for dairy products and delicatessen, unpacked goods	R10
Serving counters for fish for unpacked goods	R12
for packed goods	R11
Serving counters, except for nos. 11.3 to 11.6	R9
Meat preparation rooms for meat preparation, except for no. 5	R12 V8
for meat processing, except for no. 5	R11
Florists shops	R11
Sales areas with ovens for the production of bread, cakes and pastries	R11
for the warming up of prefabricated bread, cakes and pastries	R10
Sales areas with chip pans or grills	R12
Shops, customer rooms	R9
Preparation areas for food for self-service shops (except for meat, fish and sausage)	R10
Cash register areas, packing areas	R9
Outdoor sales areas	R11 (or R10 V4)

12 Health service rooms

Disinfection rooms (wet)	R11
Pre-cleaning areas of sterilization	R10
Faeces disposal rooms, discharge rooms, unclean nursing work rooms	R10
Pathological facilities	R10
Rooms for medical baths, hydrotherapy, fango preparation	R11
Washrooms of operating theatres, plastering rooms	R10
Sanitary rooms, ward bathrooms	R10
Rooms for medical diagnosis and therapy, massage rooms	R9
Operating theatres	R9
Wards with hospital rooms and corridors	R9
Medical practices, day clinics	R9
Pharmacies	R9
Laboratories	R9
Hairdressing salons	R9

13 Laundry

Rooms with continuous-flow washing machines or with spin-drier	R9
Rooms with washing machines at which the clothes are taken out dripping wet	R11
Ironing rooms	R9

14 Fodder concentrate production

Dried fodder production	R11
Fodder concentrate production using fat and water	R11 V4

15	Leather production, textiles		29	Financial institutions	
15.1	Wet areas in tanneries	R13	29.1	Counter areas	R9
15.2	Rooms with fleshing machines	R13 V10			
15.3	Areas where leather scraps accumulate	R13 V10			
15.4	Rooms for making leather impermeable by means of grease	R12	30	Plant traffic routes in outdoor areas	
15.5	Dye mills for textiles	R11	30.1	Footpaths	R11 (or R10 V4)
16	Paint shops	R12 V10	30.2	Loading platforms	R11 (or R10 V4)
16.1	Wet grinding areas	R11	30.2.1	covered	R12 (or R11 V4)
16.2	Powder coating	R10	30.2.2	uncovered	
16.3	Painting		30.3	Sloping ramps (from a slope of 3 %; e.g. for wheel-chairs, loading platforms)	R12 (or R11 V4)
17	Ceramics industry	R11	30.4	Tank-up areas	
17.1	Wet grinding mills (processing of ceramic raw materials)	R11	30.4.1	covered	R11
17.2	Mixers; handling of materials like tar, pitch, graphite and synthetic resins	R11 V6	30.4.2	uncovered	R12
17.3	Presses (shaping); handling of materials like tar, pitch, graphite and synthetic resins	R11 V6	31	Parking areas	
17.4	Moulding, pressure die casting areas	R12	31.1	Garages, car-parks not exposed to weather influences****)	R10
17.5	Glazing areas	R12	31.2	Garages, car-parks exposed to weather influences	R11 (or R10 V4)
18	Glass and stone processing	R11	31.3	Open-air parking areas	R11 (or R10 V4)
18.1	Stone cutting, stone grinding	R11	32	Swimming pools	
18.2	Glass shaping of hollow glass ware, container ware	R11	32.1	Individual and common dressing rooms	R10
18.3	Grinding areas for hollow glass ware, flat glass	R11	32.2	Sauna and relaxation areas	R10
18.4	Insulating glass manufacture; handling of drying agents	R11 V6	32.3	Showers	R10
18.5	Packaging, shipping of flat glass; handling of anti-adhesive agents	R11 V6	32.4	NOT recommended by Agrob Buchtal! Please use R11 (in combination with valuation group B)!	
18.6	Etching and acid polishing facilities for glass	R11		Pool surrounds	R10
					NOT recommended by Agrob Buchtal! Please use R11 (in combination with valuation group B)!
19	Cast concrete factories	R11			
19.1	Concrete washing areas				
20	Storage areas	R12 V6			
20.1	Storage areas for oils and fats	R10			
20.2	Storage areas for packed food				
20.3	Outdoor storage areas	R11 (or R10			
V4)					
21	Chemical and thermal treatment of iron and metal	R12			
21.1	Pickling plants	R12			
21.2	Hardening shops	R12			
21.3	Laboratory rooms	R11			
22	Metal processing, metal workshops	R12			
22.1	Galvanizing shops	R12			
22.2	Grey cast iron processing	R11 V4			
22.3	Mechanical processing areas (turnery, milling shop), punching room, pressroom, drawing shop (pipes, wires) and areas exposed to increased stress by oil and lubricants	R11 V4			
22.4	Parts cleaning areas, exhaust steam areas	R11 V4			
22.5	Partial cleaning areas, Damping areas	R12			
23	Vehicle repair workshops	R11			
23.1	Repair and servicing bays	R12 V4			
23.2	Working and inspection pits	R11 V4			
23.3	Car washing halls, washing areas				
24	Aircraft repair workshops	R11			
24.1	Aircraft hangars	R12			
24.2	Repair hangars	R12			
24.3	Washing halls	R11 V4			
25	Sewage treatment plants	R12			
25.1	Pump rooms	R12			
25.2	Rooms for sludge draining facilities	R12			
25.3	Rooms for screening equipment	R12			
25.4	Stands of workplaces, scaffolds and maintenance platforms	R12			
26	Fire brigade buildings	R12			
26.1	Vehicle parking places	R12			
26.2	Rooms for hose maintenance equipment	R12			
27	Functional rooms in the respiratory protection training facility	R10			
27.1	Preparation room	R10			
27.2	Fitness room	R10			
27.3	Training room	R11			
27.4	Sluice	R10			
27.5	Target room	R11			
27.6	Acclimatization room	R11			
27.7	Control room	R9			
28	Schools and day-care facilities for children	R9			
28.1	Entrance areas, corridors, assembly halls	R9			
28.2	Class rooms, group rooms	R9			
28.3	Stairs	R9			
28.4	Toilets, washrooms	R10			
28.5	Instructional kitchens in schools (see no. 9.2, 9.6 or 9.7)	R10			
28.6	Kitchens in day-care facilities for children (also see no. 9)	R10			
28.7	Machine rooms for wood processing	R10			
28.8	Special rooms for handicrafts	R10			
28.9	Schoolyards	R11 (or R10 V4)			

No responsibility is taken for the correctness of the information.
Validity at the time of printing, subject to changes in the meantime.

Depending on the operational exposure to slippery substances to be expected, floors in working rooms and areas must be provided with a discharge facility, if required. The surfaces adjoining discharge openings as well as drain channels should have a slope of at least 2 per cent in order to facilitate the draining of fluid liquids. These areas should preferably be located outside of traffic routes. The discharge of liquids via traffic routes should be avoided, if possible.

Floor surfaces which normally are wet and have to be walked on barefoot, e.g. in swimming pools as well as sanitary rooms such as washing and changing rooms, must be suitable for ensuring safe walking.

1.2. Barefoot areas

Competent authority:

Deutsche Gesetzliche Unfallversicherung, Mittelstraße 51, 10117 Berlin-Mitte, tel.: +49 (0)30 28876-3800, fax: - 3808, www.dguv.de, info@dguv.de, www.unfallkassen.de.

Floors in wet barefoot areas, e. g. swimming pools, hospitals as well as dressing rooms, washrooms and showers in sports and work facilities.

Test standard: DIN EN 16165.

Code of practice: DGUV information 207-006 "Floor coverings in wet barefoot areas" (previous GUV-I 8527).

Testing method: Inclined plane, walked on barefoot, wetting agent solution as test medium.

The surfaces are smooth, micro-rough or slightly profiled.

"Nonslip" glazes with their micro-rough surfaces have proved to be excellent in practice.

The various areas are assigned to the valuation groups.

Information can be obtained from Deutsche Gesetzliche Unfallversicherung and Agrob Buchtal.

Valuation group C

- Ladders and stairs leading into the water
- Stairs up to diving facilities and water slides
- Surfaces of diving platforms and diving boards over the length reserved for the diver (the slip-resistant surface of the diving platforms and diving boards must cover the front edge where the hands and the toes of the divers grip)
- Walk-through pools
- Inclined pool edge designs
- Kneipp basins, water-treading basins
- Ramps in the pool surround area with an inclination > 6 %
- Starting blocks

Walkable seating areas such as e.g. stands and pedestals near the pool into which moisture can be brought must be treated like floor coverings. If barefoot areas are regularly also walked on with footwear, the requirements according to ASR A1.5/1,2 must be observed in addition.

Valuation group A

- Barefoot passages and sanitary areas (nearly dry)
- Individual and common dressing rooms
- Pool floors in non-swimmer areas if the water depth is more than 80 cm in the entire area
- Sauna and relaxation areas (nearly dry)

Valuation group B

- Barefoot passages and sanitary areas, if not classified in group A
- Showers
- Steam baths
- Area of disinfecting spray facilities
- Pool surrounds
- Pool floors in non-swimmer areas if the water depth is less than 80 cm in certain areas
- Non-swimmer sections of wave-action pools
- Movable floors
- Paddling pools
- Ladders and stairs outside the pool area , if not classified in group C
- Accessible surfaces of diving platforms and diving boards, if not classified in group C
- Sauna and relaxation areas, if not classified in group A

Test on "inclined plane"

Valuation groups	Angle of inclination	Barefoot area
A	$\geq 12^\circ$	
B	$\geq 18^\circ$	
C	$\geq 24^\circ$	

The indicated angles of inclination exclusively serve for the assignment of the valuation groups and can not be equated with the angles of inclination of slopes/ramps.

1.3. Measurement of sliding friction

Competent authority:

Deutsche Gesetzliche Unfallversicherung, Mittelstraße 51,
10117 Berlin-Mitte, tel.: +49 (0)30 28876-3800, fax: - 3808,
www.dguv.de, info@dguv.de, www.unfallkassen.de.

Test standard: DIN 51131

Code of practice: DGUV information 208-041 "Assessment of the risk of slipping under operating conditions" (previous GUV-I 8687).

This test is not a type examination and thus is neither suitable for the choice of floor coverings at the planning stage nor for classification in a slip-resistance valuation group. The method can be applied, e.g. for assessing the success of cleaning measures or in the event of planned changes of utilisation.

For the choice of a floor covering, DGUV information 108-003 (previous BGR 181) and DGUV information 207-006 (previous GUV-I 8527) respectively must be applied exclusively!

1.4. Private areas

With regard to slip resistance, ceramic floor coverings in private areas are not subject to standard regulations. Independent of that, however, we recommend that you choose slip-resistant tiles according to your personal safety requirements.

Color Shade Variation

"Color shade variation" refers to the variations in color between the tiles of a certain color, i.e. the degree of shading. Our products are classified into 4 shading coefficients.

V0 = No variation / no play of colors
V1 = Low variation / low play of colors
V2 = Medium variation / medium play of colors
V3 = High variation / high play of colors
V4 = Strong variation / strong play of colors

Mosaics glued thermoplastically on back: Permanently safe also in wet areas

The thermoplastic glueing of mosaics of the brands Agrob Buchtal and Jasba is also perfectly suitable for permanently wet and underwater areas. Analyses of independent institutes have proved that no microbiological infestation at the glass fibre net occurs under normal hygienic conditions. With the values >0.5N/mm², the bonding behaviour after dry and wet storage is better than the values required according to DIN EN 12004. Thus, the thermoplastic glueing on back can be recommended not only for dry areas but also for underwater areas (swimming pools and whirlpools) as well as for per-

manently wet areas such as showers and pool surrounds. In addition, the glueing on back facilitates laying and leads to considerable time saving compared to the film on the face side required so far. The glass fibre net on the back largely prevents the penetration of tile adhesive in the joints. The time-consuming removal of the film and possible residues on the tile surface is no longer necessary, and the cladding of columns and curvatures is significantly simplified.

List of Addresses

Bundesanstalt für Arbeitsschutz und Arbeitsmedizin (BAuA)

(Federal institute for safety at work and occupational medicine)
Friedrich-Henkel-Weg 1-25, 44149 Dortmund
Telephone: +49-231-9071-0, Fax: -2454,
www.baua.de, poststelle@baua.bund.de

DGUV Rules and Regulations (BG/GUV)

Deutsche Gesetzliche Unfallversicherung
Mittelstraße 51, 10117 Berlin-Mitte,
Telephone: +49-30-28876-3800, Fax: -3808,
www.dguv.de, info@dguv.de

DIN/EN/ISO Standards Sheets

Deutsches Institut für Normung e.V., 10772 Berlin
Telephone: +49-30-2601-0, Fax: -60,
www.din.de, info@din.de,
Available from:
Beuth Verlag GmbH, Burggrafenstraße 6,
10787 Berlin, Telefon: +49-30-2601-2201-0, Fax: -1260,
www.beuth.de, info@beuth.de

KOK-Directives for Swimming Pool Construction

RK-List of Tested Cleaning Agents
DGfdB Rules and Regulations
Deutsche Gesellschaft für das Badewesen e.V.,
45130 Essen
Telephone: +49-201-87969-0, Fax: -20,
www.baederportal.com, info@baederportal.com
Directly available from the publisher

Bundesverband Keramische Fliesen e. V.

Luisenstraße 44, 10177 Berlin
Telephone: 030/27 59 59 74-0, Fax: -99
www.fliesenverband.de, info@fliesenverband.de

ZDB Notices

Professional Association for Tiles and Natural Stone in the
Central Association of the German Construction Industry
Kronenstr. 55-58, 10117 Berlin-Mitte,
Telephone: +49-30-20314-0, Fax: -419,
www.fachverbandfliesen.de, info@fachverband-fliesen.de
Available from:
Verlagsgesellschaft Rudolf Müller GmbH & CoKG,
Stolberger Straße 84, 50933 Köln
Postfach: 410949, 50869 Köln
Telephone: +49-221-5497-112, Fax: -6112
www.baufachmedien.de, service@rudolf-mueller.de

Quality Controls

Quality controls are carried out by:
– manufacturers themselves with strict sorting
– controls and special tests by the Deutsche Steinzeug
laboratories
– individual and batch testing by external material
testing institutions in Germany and abroad

Certificates

The characteristics and the quality of our products are constantly
tested by acknowledged material testing institutions.
The corresponding test certificates are available.

MPA NRW



* We will be pleased to make a survey of the certified individual
products available to you on request.

Shower Tub System – Area Pro/Plural non-slip/Plural unglazed/Basis 3

The shower tub system consists of special tiles for realizing a shower tub integrated in the tile covering.

The shower tub system is a registered design. It meets the requirements of DIN 18040 "Barrier-free building" and DIN 18025 "Barrier-free living".


In Germany, the 10 mm lip means that it is possible to take full advantage of various housing grants.

The 100 mm modular dimension inclusive of a 3 mm wide joint guarantees perfectly hygienic tile coverings with a narrow joint width and accurately sized tiles.


As with all slip-resistant surfaces of Plural non-slip/Plural unglazed, the series Basis 3, the surfaces of both the glazed and the ceramic upgraded unglazed tiles are very easy to clean.

The shower tub system is predestined for wet areas in hospitals, sanatoriums, rehabilitation centres, old people's and nursing homes, but also for showers in commercial areas, swimming pool, sauna and sports facilities, hotel and private bathrooms.

1. The shower tub is a module with the necessary slope that can be integrated in the joint grid of the tile covering as required.









2. In combination with the cove skirting laid horizontally, a rounded transition between floor and wall covering is possible.



**Area Pro, Plural non-slip,
Plural unglazed**

Basis 3 Softcorn



All references to as well as quotations from product and test standards are to be considered as information which is not binding. The latest versions apply.


The Shower Tub System of the Series Chroma / Chroma unglazed – Quantum

This shower tub system consists of only two components: the strip and the one-piece corner belonging to it.


A peculiarity of the system is the special form of the slope which provides a difference in height of 10 mm. The edge of the shower tub designed in this manner is easy to pass on foot and with a wheel-chair. The relevant requirements (DIN 18040 or 18025) with regard to barrier-free construction taking into account the needs of senior and handicapped persons are effectively supported in this way.

Thanks to the "integrated slope" the time-consuming execution of the edge of the shower tub on site is no longer required, and together with the even lower side facilitating laying the processing of these tiles is absolutely simple:

The shower tub system is perfectly completed by the series Chroma / Chroma unglazed – Quantum.



The shower tub system is based on a grid size of 12.5 x 12.5 cm. This permits a very variable dimensioning of the shower tub independent of standard dimensions and a harmonious integration in the shower installation or sanitary block.




Wall connection variants

The shower tub systems of Agrob Buchtal are laid on a continuous screed and therefore do not require a high-maintenance movement joint between shower tub and adjoining areas.

All references to as well as quotations from product and test standards are to be considered as information which is not binding. The latest versions apply.

Cove Skirting


Cove Skirting 10 x 10 cm



Fitting to:

Area Pro, smooth, 10 x 10 cm, unglazed
Plural/Plural non-slip, smooth and slip-resistant, 10 x 10 cm
Basis 2, smooth, 10 x 10 cm, glazed
Basis 3, smooth, 10 x 10 cm, unglazed
Plural unglazed, smooth, 10 x 10 cm


Cove Skirting 10 x 15, 10 x 20, 10 x 30 and 10 x 60 cm



Fitting to:

Emotion GRIP, smooth oder Softcorn, 10 x 20, 10 x 30 cm, unglazed
Basis 3, smooth, 10 x 15, 10 x 20 cm, unglazed
Basis Pro, smooth, 10 x 30 cm, unglazed
Area Pro, smooth, 10 x 20, 10 x 30 and 10 x 60 cm, unglazed


Cove Skirting 10 x 25, 10 x 50 and 10 x 60 cm



Fitting to:

Ascona, strukturiert, 10 x 25, 10 x 50, 10 x 60 cm, glazed
Nova, smooth, 10 x 60 cm, glazed
Quarzit, strukturiert, 10 x 60 cm, glazed


Cove Skirting 12.5 x 25 cm



Fitting to:

Chroma unglazed, smooth, 12.5 x 25 cm, unglazed


Cove Skirting 12.5 x 25 cm



Fitting to:


Ferrum, smooth, 12.5 x 25 cm, unglazed

Internal Corner




Fitting to
cove skirting:

Plural non-slip,
10 x 10 cm, glazed



Fitting to
cove skirting:

Area Pro,
10 x 10, 10 x 20, 10 x 30,
10 x 60 cm, unglazed




Fitting to
cove skirting:

Chroma unglazed,
12.5 x 25 cm, unglazed


Emotion GRIP,
10 x 20 und 10 x 30 cm, unglazed

Basis 3,
10 x 20 cm, unglazed

External corner

Fitting to
cove skirting:

Plural non-slip,
10 x 10 cm, glazed




Fitting to
cove skirting:

Area Pro,
10 x 10, 10 x 20, 10 x 30,
10 x 60 cm, unglazed

Emotion GRIP,
10 x 20 und 10 x 30 cm,
unglazed

Basis 3,
10 x 20 cm, unglazed





Fitting to
cove skirting:

Chroma unglazed,
12.5 x 25 cm, unglazed

Cove skirtings, cut/glued 15 x 60 cm and internal corners 15 x 15 cm


Details: Can be manufactured from any tiles/panels. The look and the haptics correspond to those of the adjoining surface, i.e. both the same structure and the same color are guaranteed. Minimum order quantity for the skirtings: 50 pieces; corner: 50 pieces.



Scale 1:5

- 1 UW Silicone
- 2 Closed-cell PE foam cord or separating foil
- 3 Water-resistant elastic filling material
- 4 Heat insulation, rigid foam
- 5 Footfall sound insulation, soft
- 6 Mortar / adhesive
- 7 Sliding layer, PE foil
- 8 Thin-bed laying on rendering
- 9 Base-bonded sealing layer
- 10 Solid backfill

Stair safety borders / stair tiles



1. Construction Products Regulation (CPR)

The CPR distinguishes itself from the previous Construction Products Directive (CPD) above all by the Declaration of Performance, CE marking as well as assessment and verification of the constancy of performance of the product concerned.

Construction products brought into circulation after 1 July 2013 must comply with the CPR. "Bringing into circulation" means that a construction product is made available on the European market for the first time by the manufacturer. We would like to point out that the term of "provision" is delineated from that; it means the passing on of a construction product brought into circulation in the supply chain, e.g. from the specialist tile trade to end consumers.

Essential characteristics of a construction product – here ceramic tiles – are defined in Annex ZA of the harmonised standard DIN EN 14411.

2. CE marking

With the CE marking, the manufacturer indicates that it assumes responsibility for the conformity of the construction product with the performance stated in the Declaration of Performance as well as compliance with all relevant European legal regulations.

Furthermore, it is responsible for making sure that the CE marking is applied to the actual construction product, to a label or on the packaging. The CE marking is the sole conformity identification for all essential characteristics of a construction product. Additional marks may only be used for aspects which – in our case – are not regulated by DIN EN 14411.

3. Declaration of Performance

As of 1 July 2013, every manufacturer is obliged to establish a Declaration of Performance for each of its construction products. It thereby assumes responsibility for the conformity of the construction product with the declared performance. The Declaration of Performance replaces the former Declaration of Conformity.

The technical documentation of the manufacturer serves as basis for the Declaration of Performance. Among other things, it includes the results of the in-plant production controls such as e.g. initial tests.

The Declaration of Performance has to be provided with an arbitrary reference number by the manufacturer to which the CE marking refers, thus permitting unambiguous identification of the construction product.

The Declaration of Performance can be made available in printed or electronic form (e.g. by e-mail, CD or USB stick).

In addition, the Declarations of Performance for the construction products of Agrob Buchtal GmbH are to be found at www.agrob-buchtal.de/leistungserklaerung.

Alternatively, you can scan this QR code:



302 World-wide distribution network

status: December, 2024

Albania

Markus Pavelic
Tel.: +49 94 35 3 91-3463
Mobile: +49 171 56 74 713
E-Mail: markus.pavelic@agrob-buchtal.de

Australia

Ceramic Solutions (Aust) Pty Ltd.
Tel.: +61 3 95 45 53 22
E-mail: mail@ceramicsolutions.com.au
Internet: www.ceramicsolutions.com.au

Austria

Robert Wölfler
Tel: +43 664 1342659
E-Mail: robert.woelfler@agrob-buchtal.de

Bahrain

Patric Kakoschky
Tel.: +49 94 35 3 91-34 47
Mobile: +49 160 7417906
E-mail: patric.kakoschky@agrob-buchtal.de

Baltic States

Nedas Bobinas
Tel.: +370 65 624217
E-mail: buchatal.baltic@gmail.com

Belgium

Philip Daelemans
Mobile: +32 495 30 33 03
E-mail: philip.daelemans@buchtal.be

Bosnia-Herzegovina

Markus Pavelic
Tel.: +49 94 35 3 91-3463
Mobile: +49 171 56 74 713
E-Mail: markus.pavelic@agrob-buchtal.de

Bulgaria

Hristo Shterevo
Mobile: +359 886 899 589
E-mail: hshterev@gmail.com

Canada

Eastern Canada
CERAGRES TILE GROUP INC.
E-mail: j.racine@ceragres.ca

Western Canada

V.P. Tile Imports
Tel.: +1 604 240 1760
E-mail: peter@vptile.ca

China

Jeffrey Lung - Agrob Buchtal GmbH
Shanghai Office
Tel.: +86 021 63 81 09 86
E-mail: jeffrey.lung@dsk-asia.com

Jeffrey Lung - Agrob Buchtal GmbH
Beijing Office
Tel.: +86 010 58 69 19 01
E-mail: jeffrey.lung@dsk-asia.com

Croatia

Markus Pavelic
Tel.: +49 94 35 3 91-3463
Mobile: +49 171 56 74 713
E-Mail: markus.pavelic@agrob-buchtal.de

Cyprus

E.K.A. Ltd.
Tel.: +357 2 58 44 44
E-mail: mloizides@ekagroup.com

Czech Republic

Ceram Objekt s.r.o.
www.ceramobjekt.cz
Tel.: +420 2 71 74 17 414
E-mail: gcprianova@ceramobjekt.cz

Denmark

Torben Christensen
Tel.: +45 242 05 14 8
E-mail: buchatal@buchtal.dk

Egypt

Patric Kakoschky
Tel.: +49 94 35/3 91-34 47
Mobile: +49 160 7417906
E-mail: patric.kakoschky@agrob-buchtal.de

Finland

ABL Finland OY
Tel.: +358 9 30 50 87 00
E-mail: abl@abl.fi

France

Christophe Rodriguez
Deutsche Steinzeug France S.A.R.L.
Mobile: +33 6 40 94 34 32
E-mail: buchatal@buchtal.fr

Great Britain

Rolf Klebl
Mobile: +49 160 74 28 839
E-mail: rolf.klebl@agrob-buchtal.de

Greece

Emco S.A.
Tel.: +30 210 6 13 83 10
E-mail: jblog@emco.gr

Hungary

Roland Fekete
Tel.: +36 96 51 70 17
E-mail: fekete.roland@buchtal.hu

Iceland

Birgisson ehf
Tel.: +354 5160602
E-mail: egill@birgisson.is
Internet: www.birgisson.is

India

Patric Kakoschky
Tel.: +49 94 35 3 91-34 47
Mobile: +49 160 7417906
E-mail: patric.kakoschky@agrob-buchtal.de

Italy

Luigi Maresca
Tel.: +49 94 35 3 91-34 51
E-mail: luigi.maresca@agrob-buchtal.de

Japan

Rolf Klebl
Tel.: +49 94 35 3 91-33 26
Mobile: +49 160 742 88 39
E-mail: rolf.klebl@agrob-buchtal.de

Kosovo

Markus Pavelic
Tel.: +49 94 35 3 91-3463
Mobile: +49 171 56 74 713
E-Mail: markus.pavelic@agrob-buchtal.de

Kuwait

Patric Kakoschky
Tel.: +49 94 35 3 91-34 47
Mobile: +49 160 7417906
E-mail: patric.kakoschky@agrob-buchtal.de

Lebanon

Patric Kakoschky
Tel.: +49 94 35 3 91-34 47
Mobile: +49 160 7417906
E-mail: patric.kakoschky@agrob-buchtal.de

Luxembourg

Philip Daelemans
Mobile: +32 495 30 33 03
E-mail: philip.daelemans@buchtal.be

Macedonia

Markus Pavelic
Tel.: +49 94 35 3 91-3463
Mobile: +49 171 56 74 713
E-Mail: markus.pavelic@agrob-buchtal.de

Moldavia

Sabin Maghiar
Tel.: +40 743 45 29 58
E-mail: sabin.maghiar@deutsche-steinzeug.ro

Montenegro

Markus Pavelic
Tel.: +49 94 35 3 91-3463
Mobile: +49 171 56 74 713
E-Mail: markus.pavelic@agrob-buchtal.de

Namibia

O. Behrens & Co. (PTY) Ltd., Windh.
Tel.: +264 61 23 83 00
E-mail: perstling@obeco.com.na

The Netherlands

Luuk Bovens
Mobile: +31 623 838399
E-mail: luuk.bovens@agrob-buchtal.de

Norway

Stein M. Skogstad
Tel.: +47 66 77 94 98
Mobile: +47 91 39 52 08
E-mail: stein@agrob-buchtal.no

Poland

Rafal Butkiewicz
Tel.: +48 6 01 70 67 57
E-mail: biuro@agrob-buchtal.pl

Portugal

Lusomatec
Tel.: +351 915828266
E-mail: nuno.concelcao@lusomatec.pt
Internet: www.lusomatec.pt

Qatar

Patric Kakoschky
Tel.: +49 94 35 3 91-34 47
Mobile: +49 160 7417906
E-mail: patric.kakoschky@agrob-buchtal.de

Romania

Sabin Maghiar
Tel.: +40 743 45 29 58
E-mail: sabin.maghiar@deutsche-steinzeug.ro

Saudi Arabia

Patric Kakoschky
Tel.: +49 94 35 3 91-34 47
Mobile: +49 160 7417906
E-mail: patric.kakoschky@agrob-buchtal.de

Serbia

Markus Pavelic
Tel.: +49 94 35 3 91-3463
Mobile: +49 171 56 74 713
E-Mail: markus.pavelic@agrob-buchtal.de

Slovakia

BUCHTAL SK, s.r.o.
Tel.: +421 2 44 25 03 69
E-mail: b.hauswald@agrobbuchtal.sk
Internet: www.agrobbuchtal.sk

Slovenia

Lokar Zastopstva d.o.o.
Tel.: +386 15 61 21 63
E-mail: lokar.zastopstva-ds@siol.net

South Africa (RSA)

Patric Kakoschky
Tel.: +49 94 35 3 91-34 47
Mobile: +49 160 7417906
E-mail: patric.kakoschky@agrob-buchtal.de

Spain

Joaquín Prat Pérez-Nievas
Mobile: +34 607 923 470
E-mail: joaquin.prat@buchtal.es
Internet: www.buchtal.es

Sweden

Stein M. Skogstad
Tel.: +47 66 77 94 98
Mobile: +47 91 39 52 08
E-mail: stein@agrob-buchtal.no

Switzerland

Deutsche Steinzeug Schweiz AG
Renato Borsani
Tel.: +41 41 632 50 60
E-mail: renato.borsani@deutsche-steinzeug.ch

UAE

Patric Kakoschky
Tel.: +49 94 35 3 91-34 47
Mobile: +49 160 7417906
E-mail: patric.kakoschky@agrob-buchtal.de

Ukraine

Markus Pavelic
Tel.: +49 94 35 3 91-3463
Mobile: +49 171 56 74 713
E-Mail: markus.pavelic@agrob-buchtal.de

Sales management

Austria

Robert Wölfler
Tel.: +43 664 1342659
E-mail: robert.woelfler@agrob-buchtal.de

Belgium, The Netherlands, Luxembourg

Richard van der Maaten

Mobile: +31 (0)621 478134

E-mail: richard.van-der-maaten@agrob-buchtal.de

Eastern Europe without Bulgaria, Poland and Romania

Markus Pavelic
Tel.: +49 94 35 3 91-3463
Mobile: +49 171 56 74 713
E-Mail: markus.pavelic@agrob-buchtal.de

France, Spain, Portugal, Monaco, Andorra

Christophe Rodriguez
Mobile: +33 640 94 34 32
E-mail: christophe.rodriguez@agrob-buchtal.de

Korea, Taiwan, Hong Kong, Thailand, China, Japan, Singapore, Indonesia, The Philippines, Malaysia, Brunei, Vietnam, Myanmar, Laos, Cambodia

Jeffrey Lung
Mobile: +852 51 67 36 66
E-mail: jeffrey.lung@dsk-asia.com

Australia / New Zealand, Bulgaria, Cyprus, Egypt, Greece, India, Iran, Iraq, Libya, Middle East, Namibia, Poland, Romania, Sudan South Africa and Turkey

Patric Kakoschky
Tel.: +49 94 35 3 91-34 47
Mobile: +49 160 741 79 06
E-mail: patric.kakoschky@agrob-buchtal.de

Northern Europe, Baltic States, Canada, Great Britain, Ireland

Rolf Klebl
Tel.: +49 94 35 3 91-33 26
Mobile: +49 160 742 88 39
E-mail: rolf.klebl@agrob-buchtal.de

Italy

Luca Bononcini
Mobile: +39 348 8957344
E-Mail: luca.bononcini@agrob-buchtal.de

Switzerland

Deutsche Steinzeug Schweiz AG
Renato Borsani
Tel.: +41 41 632 50 60
E-mail: renato.borsani@deutsche-steinzeug.ch

USA


DSA Deutsche Steinzeug America, Inc.
Tel.: +1 770 442 55
Fax: +1 770 442 55
Udo Reich
E-mail: udo.reich@agrob-buchtal.com
E-mail: udo.reich@drytlenorthamerica.com
E-mail: info@agrob-buchtal.com
Internet: www.agrob-buchtal.com



Latin America

Diego Chavez
Tel.: +591 76 34 04 22
E-mail: diego@buchtal.latam.com
Internet: www.gcclatinoamerica.com

Project: Alsterschwimmhalle / Location: Hamburg, Germany / Architect: gmp Architekten, Hamburg, Germany / Series: Chroma / Photo: Jochen Stüber







Programme of Delivery
2025

AGROB BUCHTAL

The programme of delivery contains all information about architectural ceramics.

Easy to find

Each individual series is always represented as follows:

- Color chart
- Short description
- Product specifications

1 Series name; sort of material (see page 283) and relevant product standard (see page 284)

2 Schematic arrangement of the models from left to right:
Standard models from small to large:
in the case of extruded split tiles, at first rectangular and then square models from small to large, fittings/special pieces

3 Peculiarities of the model

4 Model number (only in the case of extruded split tiles)

5 Nominal dimensions = work size + recommended joint width in centimetres and inches
Work size = only material dimensions without joint

6 Surface quality

7 Logistic product specifications

8 Product standard

9 Slip-resistance classification:

Barefoot areas/public and industrial areas
(see pages 256-257 and 290 and the following)

10 Stress groups 1-5; orientation help for the industrial and commercial sector
(see page 287 and the following)

11 Article number

12 Abrasion

In the case of glazed materials according to stress groups 1 - 5; (see page 287)

13 Designation and/or number of color

14 Price group (pricing unit in brackets)

15 Color Shade Variation




("Color shade variation" refers to the variations in color between the tiles of a certain color, i.e. the degree of shading. Our products are classified into 4 shading coefficients.)

- | | |
|-----------|--|
| V0 | No variation / no play of colors |
| V1 | Low variation / low play of colors |
| V2 | Medium variation / medium play of colors |
| V3 | High variation / high play of colors |
| V4 | Strong variation / strong play of colors |

196

Plural non-slip ①
stoneware

2 Mosaic^{2/4}



	Nom. dim. - cm/in	Sheet: 297 x 297 mm		
		2,5 x 2,5 / 1 x 1	5 x 5 / 2 x 2	10 x 10 / 4 x 4
5	Work size	23 x 23 x 6.5 mm	47 x 47 x 6.5 mm	97 x 97 x 6.5 mm
6	Surface	smooth, matt	smooth, matt	smooth, matt
7	m ² - pieces	11 sheets	11 sheets	11 sheets
	m ² - kg	12.100	12.331	13.101
	Bundle - pieces	1.000	1.000	1.000
	Bundle - m ²	12.100	12.331	13.101
	Pallet - m ²	48.000	64.000	64.000
	Pallet - kg	580.800	789.184	838.464
8	Product standard	B1b	B1b	B1b
9	Slip resistance	R10/B	R10/B	R10/B
10	Stress group	1	1	1
11	neutral 10 (active white)	902-2120H	905-2120H	910-2120H
12		V0	14	14
13		Price gr. A238 (m ²)	Price gr. A205 (m ²)	Price gr. A166 (m ²)
15				


The following symbols are used:

	Hytect surface (for description, refer to pages 8-9 and 289)
	Protecta surface upgrading (for description, refer to page 289)
	Novelties
	no shodfoot traffic
	Rectified
	Conically rectified
	Rectified wall tiles with rounded, bevelled edges
	Make-to-order production: return and/or cancellation of ordered products not possible
	Orientation aid for the blind analogue to the requirements of DIN 32984
	Frost-resistant
	R9 Slip-resistant
	B Slip-resistant / Barefoot areas
	Made in Germany
	Glued thermoplastically
	also available in other colors
	6 mm tile



Management
System
ISO 9001:2015

www.tuv.com
ID 9000027001



Agrob Buchtal Solar Ceramics GmbH
Buchtal 1, D-92521 Schwarzenfeld
Tel.: +49 (0) 94 35-391-0
Fax: +49 (0) 94 35-391-34 52

E-Mail: info@agrob-buchtal.de
Internet: www.agrob-buchtal.de

03/2025, www.assenmacher.net

The publisher does not assume liability for misprints.
Color deviations when compared to the original products may occur as a result of printing.



∞ AGROB **BUCHTAL**